Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2015-2017

Jackson County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	1,087	2	35	66	984	–
Gestation (weeks)						
< 9	804	1	24	47	732	–
9-12	176	–	8	12	156	–
13-16	40	–	–	3	37	–
17-20	30	–	1	1	28	–
21-22	11	–	1	1	9	–
23+	9	1	1	1	6	–
Unknown	17	–	–	1	16	–
Contraceptive use[1]						
None	578	1	19	40	518	–
Birth control pills	136	–	1	10	125	–
Condoms	189	1	8	10	170	–
Other contraceptive	184	–	7	6	171	–
Unknown	–	–	–	–	–	–
Procedure type						
Suction curettage	347	1	12	25	309	–
Medical (non-surgical)	636	–	20	36	580	–
Dilation & evacuation	99	1	2	5	91	–
Vaginal prostaglandin	2	–	1	–	1	–
Sharp curettage	–	–	–	–	–	–
Other	3	–	–	–	3	–
Unknown	–	–	–	–	–	–
Complications[2]						
None	1,033	2	34	64	933	–
Hemorrhage	1	–	–	–	1	–
Infection	1	–	–	–	1	–
Uterine perforation	1	–	–	–	1	–
Cervical laceration	–	–	–	–	–	–
Retained products	5	–	–	–	5	–
Failure of first method	14	–	1	1	12	–
Other	28	–	–	1	27	–
Multiple complications[3]	4	–	–	–	4	–

– Quantity is zero.
1 Multiple contraceptive methods may be reported for a single patient.
2 Reported complications. Categorized as none if no specific complication was reported.
3 Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.