

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

If you had a child in school, at what age do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
First grade		12.5	9.3	13.2	12.3	12.3	14.4
Second grade		4.1	4.3	5.1	3.4	4.2	3.4
Third grade		10.8	9.3	11.0	11.3	12.1	8.3
Fourth grade		13.7	10.9	14.6	13.5	12.6	16.8
Fifth grade		14.5	18.2	13.0	14.6	13.7	15.0
Sixth grade		15.9	22.5	15.7	14.9	16.1	12.8
Seventh grade		7.7	9.3	5.7	8.0	8.2	8.3
Eighth grade		2.5	2.3	1.9	3.2	2.4	2.8
Ninth grade		2.3	2.7	2.8	1.9	2.7	1.2
Tenth grade		.9		.9	1.9	.5	
Eleventh grade		.0		.2			
Twelfth grade		.2		.2	.3	.2	
Kindergarten		7.3	6.6	8.5	8.6	7.0	3.7
Don't know/Not sure		5.3	2.7	5.5	3.7	5.5	9.8
Never		1.9	1.6	1.3	1.9	1.8	3.4
Refused		.5	.4	.4	.6	.5	.3
Male	First grade	12.9	6.8	11.3	12.9	16.4	14.0
	Second grade	3.4	3.4	4.5	2.7	3.1	3.7
	Third grade	9.6	8.5	9.5	9.9	10.3	8.8
	Fourth grade	12.5	12.7	13.5	11.6	10.3	16.9
	Fifth grade	13.7	17.8	13.5	11.9	12.6	16.2
	Sixth grade	16.8	26.3	16.7	15.6	16.4	11.8
	Seventh grade	8.9	11.0	7.7	10.5	8.4	6.6
	Eighth grade	3.5	1.7	2.7	4.4	3.4	4.4
	Ninth grade	3.2	3.4	3.2	3.1	4.6	.7
	Tenth grade	1.1		1.8	2.0	.4	
	Eleventh grade	.1		.5			
	Twelfth grade	.3		.5	.3	.4	
	Kindergarten	5.4	4.2	4.1	7.5	5.7	3.7
	Don't know/Not sure	6.3	2.5	8.6	5.4	5.0	10.3
	Never	1.6	.8	1.8	1.0	1.9	2.2
Refused	.9	.8	.5	1.0	1.1	.7	
	First grade	12.1	11.4	14.7	11.9	8.5	14.7
	Second grade	4.6	5.0	5.5	4.0	5.3	3.1
	Third grade	11.7	10.0	12.1	12.4	13.7	7.9
	Fourth grade	14.6	9.3	15.3	14.9	14.8	16.8

Female	Fifth grade	15.2	18.6	12.7	16.6	14.8	14.1	
	Sixth grade	15.2	19.3	15.0	14.4	15.8	13.6	
	Seventh grade	6.8	7.9	4.2	6.2	8.1	9.4	
	Eighth grade	1.8	2.9	1.3	2.2	1.4	1.6	
	Ninth grade	1.6	2.1	2.6	1.0	1.1	1.6	
	Tenth grade	.8		.3	1.7	.7		
	Twelfth grade	.1			.2			
	Kindergarten	8.7	8.6	11.7	9.4	8.1	3.7	
	Don't know/Not sure	4.4	2.9	3.3	2.5	6.0	9.4	
	Never	2.2	2.1	1.0	2.5	1.8	4.2	
	Refused	.2		.3	.2			

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

If you had a child in school, at what age do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2358	258	529	698	546	327	
First grade		294	24	70	86	67	47	
Second grade		96	11	27	24	23	11	
Third grade		254	24	58	79	66	27	
Fourth grade		323	28	77	94	69	55	
Fifth grade		342	47	69	102	75	49	
Sixth grade		375	58	83	104	88	42	
Seventh grade		182	24	30	56	45	27	
Eighth grade		60	6	10	22	13	9	
Ninth grade		54	7	15	13	15	4	
Tenth grade		21		5	13	3		
Eleventh grade		1		1				
Twelfth grade		4		1	2	1		
Kindergarten		172	17	45	60	38	12	
Don't know/Not sure		124	7	29	26	30	32	
Never		45	4	7	13	10	11	
Refused		11	1	2	4	3	1	
Male	Total	1032	118	222	294	262	136	
	First grade	133	8	25	38	43	19	
	Second grade	35	4	10	8	8	5	
	Third grade	99	10	21	29	27	12	
	Fourth grade	129	15	30	34	27	23	
	Fifth grade	141	21	30	35	33	22	
	Sixth grade	173	31	37	46	43	16	
	Seventh grade	92	13	17	31	22	9	
	Eighth grade	36	2	6	13	9	6	
	Ninth grade	33	4	7	9	12	1	
	Tenth grade	11		4	6	1		
	Eleventh grade	1		1				
	Twelfth grade	3		1	1	1		
	Kindergarten	56	5	9	22	15	5	
	Don't know/Not sure	65	3	19	16	13	14	
	Never	16	1	4	3	5	3	
Refused	9	1	1	3	3	1		
Total		1326	140	307	404	284	191	

Female	First grade	161	16	45	48	24	28
	Second grade	61	7	17	16	15	6
	Third grade	155	14	37	50	39	15
	Fourth grade	194	13	47	60	42	32
	Fifth grade	201	26	39	67	42	27
	Sixth grade	202	27	46	58	45	26
	Seventh grade	90	11	13	25	23	18
	Eighth grade	24	4	4	9	4	3
	Ninth grade	21	3	8	4	3	3
	Tenth grade	10		1	7	2	
	Twelfth grade	1			1		
	Kindergarten	116	12	36	38	23	7
	Don't know/Not sure	59	4	10	10	17	18
	Never	29	3	3	10	5	8
	Refused	2		1	1		

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		89.9	94.6	92.1	89.7	89.2	84.7	
No		1.0	.4	1.1	.7	1.3	1.2	
Give other advice		7.5	3.9	6.0	7.2	8.1	12.2	
Don't know/Not sure		1.1	1.2	.8	1.3	.9	1.5	
Refused		.5			1.1	.5	.3	
Male	Yes	89.6	95.8	92.8	87.8	87.4	87.5	
	No	1.5		1.8	1.4	1.9	1.5	
	Give other advice	7.3	3.4	4.5	7.8	9.2	10.3	
	Don't know/Not sure	1.0	.8	.9	1.7	.4	.7	
	Refused	.7			1.4	1.1		
Female	Yes	90.2	93.6	91.5	91.1	90.8	82.7	
	No	.6	.7	.7	.2	.7	1.0	
	Give other advice	7.6	4.3	7.2	6.7	7.0	13.6	
	Don't know/Not sure	1.2	1.4	.7	1.0	1.4	2.1	
	Refused	.4			1.0		.5	

Denominator is: All survey respondents less than 65 years old.

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2358	258	529	698	546	327	
Yes		2121	244	487	626	487	277	
No		23	1	6	5	7	4	
Give other advice		176	10	32	50	44	40	
Don't know/Not sure		26	3	4	9	5	5	
Refused		12			8	3	1	
Male	Total	1032	118	222	294	262	136	
	Yes	925	113	206	258	229	119	
	No	15		4	4	5	2	
	Give other advice	75	4	10	23	24	14	
	Don't know/Not sure	10	1	2	5	1	1	
	Refused	7			4	3		
Total		1326	140	307	404	284	191	
Yes		1196	131	281	368	258	158	

Female	No	8	1	2	1	2	2
	Give other advice	101	6	22	27	20	26
	Don't know/Not sure	16	2	2	4	4	4
	Refused	5			4		1

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
High		1.4	1.9	.6	1.6	1.6	1.5	
Medium		3.9	7.8	5.5	3.6	2.7	.9	
Low		32.9	40.7	36.9	31.8	33.0	22.3	
None		60.8	48.8	56.3	61.0	61.9	74.9	
Don't know/Not sure		.7	.4	.8	1.3	.4	.3	
Refused		.3	.4		.7	.4		
Male	High	1.4	3.4	.9	1.4	1.1	.7	
	Medium	4.5	9.3	6.3	3.4	3.1	2.2	
	Low	35.9	45.8	41.0	33.3	38.5	19.9	
	None	57.0	39.8	50.9	59.9	56.1	77.2	
	Don't know/Not sure	.5	.8	.9	.3	.4		
	Refused	.8	.8		1.7	.8		
Female	High	1.4	.7	.3	1.7	2.1	2.1	
	Medium	3.5	6.4	4.9	3.7	2.5		
	Low	30.5	36.4	33.9	30.7	27.8	24.1	
	None	63.7	56.4	60.3	61.9	67.3	73.3	
	Don't know/Not sure	.9		.7	2.0	.4	.5	

Denominator is: All survey respondents less than 65 years old.

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2358	258	529	698	546	327	
High		33	5	3	11	9	5	
Medium		92	20	29	25	15	3	
Low		775	105	195	222	180	73	
None		1433	126	298	426	338	245	
Don't know/Not sure		17	1	4	9	2	1	
Refused		8	1		5	2		
Male	Total	1032	118	222	294	262	136	
	High	14	4	2	4	3	1	
	Medium	46	11	14	10	8	3	
	Low	371	54	91	98	101	27	

	None	588	47	113	176	147	105	
	Don't know/Not sure	5	1	2	1	1		
	Refused	8	1		5	2		
Female	Total	1326	140	307	404	284	191	
	High	19	1	1	7	6	4	
	Medium	46	9	15	15	7		
	Low	404	51	104	124	79	46	
	None	845	79	185	250	191	140	
	Don't know/Not sure	12		2	8	1	1	
Denominator is: All survey respondents less than 65 years old.								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Have you ever had your blood tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		41.7	43.0	53.3	43.7	37.4	25.1
No		54.7	55.0	44.0	53.4	59.5	66.7
Don't know/Not sure		3.1	1.6	2.3	2.4	2.7	8.0
Refused		.4	.4	.4	.4	.4	.3
Male	Yes	45.8	46.6	54.1	46.6	45.0	31.6
	No	50.7	51.7	44.1	50.7	51.5	58.8
	Don't know/Not sure	2.7	.8	1.4	1.7	2.7	8.8
	Refused	.8	.8	.5	1.0	.8	.7
Female	Yes	38.5	40.0	52.8	41.6	30.3	20.4
	No	57.9	57.9	44.0	55.4	66.9	72.3
	Don't know/Not sure	3.5	2.1	2.9	3.0	2.8	7.3
	Refused	.1		.3			

Denominator is: All survey respondents less than 65 years old.

Have you ever had your blood tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2358	258	529	698	546	327
Yes		984	111	282	305	204	82
No		1291	142	233	373	325	218
Don't know/Not sure		74	4	12	17	15	26
Refused		9	1	2	3	2	1
Male	Total	1032	118	222	294	262	136
	Yes	473	55	120	137	118	43
	No	523	61	98	149	135	80
	Don't know/Not sure	28	1	3	5	7	12
	Refused	8	1	1	3	2	1
Female	Total	1326	140	307	404	284	191
	Yes	511	56	162	168	86	39
	No	768	81	135	224	190	138
	Don't know/Not sure	46	3	9	12	8	14
	Refused	1		1			

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Have you donated blood since March 1985?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		19.3	26.5	22.7	18.3	19.0	13.5	
No		79.8	73.5	75.7	80.7	79.8	86.1	
Don't know/Not sure		.8		1.6	.8	.9	.4	
Refused		.1			.3	.3		
Male	Yes	22.0	20.6	26.5	22.3	18.8	22.6	
	No	77.1	79.4	72.5	77.1	79.9	76.3	
	Don't know/Not sure	.5		1.0		.7	1.1	
	Refused	.4			.6	.7		
Female	Yes	17.4	31.0	20.0	15.7	19.2	7.9	
	No	81.6	69.0	77.9	83.1	79.8	92.1	
	Don't know/Not sure	1.0		2.1	1.3	1.0		

Denominator is: All survey respondents less than 65 years old who have not had HIV test or are unsure if they have had an HIV test

Have you donated blood since March 1985?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1374	147	247	393	342	245	
Yes		265	39	56	72	65	33	
No		1096	108	187	317	273	211	
Don't know/Not sure		11		4	3	3	1	
Refused		2			1	1		
Male	Total	559	63	102	157	144	93	
	Yes	123	13	27	35	27	21	
	No	431	50	74	121	115	71	
	Don't know/Not sure	3		1		1	1	
	Refused	2			1	1		
Female	Total	815	84	145	236	198	152	
	Yes	142	26	29	37	38	12	
	No	665	58	113	196	158	140	
	Don't know/Not sure	8		3	3	2		

Denominator is: All survey respondents less than 65 years old who have not had HIV test or are unsure if they have had an HIV test

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

What was the main reason you had your last blood test for HIV?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Hospitalization	6.3	4.5	4.3	4.3	11.8	9.8	
Health In	1.9	.9	1.4	3.0	1.5	2.4	
Life Insurance	11.1	2.7	8.9	14.8	13.7	9.8	
Employment	3.3	2.7	3.2	3.0	2.5	7.3	
Marriage License	1.9	2.7	2.5	2.3	1.0		
Military	3.9	5.4	6.4	3.0	2.5		
Immigration	.6	.9	1.1		.5	1.2	
Find out	27.9	31.5	29.1	27.9	26.5	23.2	
Doctor referred	1.4	1.8		1.3	2.0	4.9	
Pregnancy	8.5	13.5	16.7	6.9	.5		
Sex partner	1.3		1.8	2.0	1.0		
Blood Donation	11.1	10.8	7.4	12.5	14.2	11.0	
Routine Checkup	9.8	14.4	6.4	8.9	8.3	22.0	
Occupational Exp	3.3	.9	3.5	3.6	4.4	1.2	
Illness	1.6	1.8	1.4	.7	2.9	2.4	
At risk	1.2		1.1	1.0	2.9		
Don't know/Not sure	.2				.5	1.2	
Other	4.1	3.6	4.6	4.6	2.9	3.7	
Refused	.6	1.8	.4	.7	.5		
Male	Hospitalization	6.3	7.3	3.3	2.9	12.7	7.0
	Health In	3.0	1.8	1.7	5.1	2.5	2.3
	Life Insurance	14.4	5.5	10.8	20.4	17.8	7.0
	Employment	4.9	5.5	6.7	4.4	1.7	9.3
	Marriage License	2.1	5.5	1.7	2.2	1.7	
	Military	6.8	9.1	12.5	5.1	4.2	
	Immigration	1.3	1.8	2.5		.8	2.3
	Find out	25.4	27.3	31.7	24.1	19.5	25.6
	Doctor referred	.8				2.5	2.3
	Sex partner	1.9		2.5	3.6	.8	
	Blood Donation	12.3	14.5	6.7	13.1	16.1	11.6
	Routine Checkup	11.4	12.7	7.5	9.5	10.2	30.2
	Occupational Exp	1.5		2.5	1.5	.8	2.3
	Illness	1.9	1.8	2.5	1.5	2.5	
	At risk	1.7		1.7	1.5	3.4	
Don't know/Not sure	.2				.8		

	Other	3.6	7.3	5.0	3.6	1.7		
	Refused	.6		.8	1.5			
Female	Hospitalization	6.3	1.8	4.9	5.4	10.5	12.8	
	Health In	1.0		1.2	1.2		2.6	
	Life Insurance	8.0		7.4	10.1	8.1	12.8	
	Employment	1.8		.6	1.8	3.5	5.1	
	Marriage License	1.8		3.1	2.4			
	Military	1.2	1.8	1.9	1.2			
	Find out	30.3	35.7	27.2	31.0	36.0	20.5	
	Doctor referred	2.0	3.6		2.4	1.2	7.7	
	Pregnancy	16.4	26.8	29.0	12.5	1.2		
	Sex partner	.8		1.2	.6	1.2		
	Blood Donation	10.0	7.1	8.0	11.9	11.6	10.3	
	Routine Checkup	8.2	16.1	5.6	8.3	5.8	12.8	
	Occupational Exp	4.9	1.8	4.3	5.4	9.3		
	Illness	1.4	1.8	.6		3.5	5.1	
	At risk	.8		.6	.6	2.3		
	Don't know/Not sure	.2					2.6	
	Other	4.5		4.3	5.4	4.7	7.7	
	Refused	.6	3.6			1.2		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

What was the main reason you had your last blood test for HIV?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	984	111	282	305	204	82		
Hospitalization	62	5	12	13	24	8		
Health In	19	1	4	9	3	2		
Life Insurance	109	3	25	45	28	8		
Employment	32	3	9	9	5	6		
Marriage License	19	3	7	7	2			
Military	38	6	18	9	5			
Immigration	6	1	3		1	1		
Find out	275	35	82	85	54	19		
Doctor referred	14	2		4	4	4		
Pregnancy	84	15	47	21	1			
Sex partner	13		5	6	2			
Blood Donation	109	12	21	38	29	9		
Routine Checkup	96	16	18	27	17	18		
Occupational Exp	32	1	10	11	9	1		
Illness	16	2	4	2	6	2		
At risk	12		3	3	6			
Don't know/Not sure	2				1	1		
Other	40	4	13	14	6	3		
Refused	6	2	1	2	1			
Male	Total	473	55	120	137	118	43	
	Hospitalization	30	4	4	4	15	3	
	Health In	14	1	2	7	3	1	
	Life Insurance	68	3	13	28	21	3	
	Employment	23	3	8	6	2	4	
	Marriage License	10	3	2	3	2		
	Military	32	5	15	7	5		
	Immigration	6	1	3		1	1	
	Find out	120	15	38	33	23	11	
	Doctor referred	4				3	1	
	Sex partner	9		3	5	1		
	Blood Donation	58	8	8	18	19	5	
	Routine Checkup	54	7	9	13	12	13	
	Occupational Exp	7		3	2	1	1	

	Illness	9	1	3	2	3		
	At risk	8		2	2	4		
	Don't know/Not sure	1				1		
	Other	17	4	6	5	2		
	Refused	3		1	2			
Female	Total	511	56	162	168	86	39	
	Hospitalization	32	1	8	9	9	5	
	Health In	5		2	2		1	
	Life Insurance	41		12	17	7	5	
	Employment	9		1	3	3	2	
	Marriage License	9		5	4			
	Military	6	1	3	2			
	Find out	155	20	44	52	31	8	
	Doctor referred	10	2		4	1	3	
	Pregnancy	84	15	47	21	1		
	Sex partner	4		2	1	1		
	Blood Donation	51	4	13	20	10	4	
	Routine Checkup	42	9	9	14	5	5	
	Occupational Exp	25	1	7	9	8		
	Illness	7	1	1		3	2	
	At risk	4		1	1	2		
	Don't know/Not sure	1					1	
	Other	23		7	9	4	3	
Refused	3	2			1			
Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Where did you have your last blood test for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Private MD		31.7	30.3	30.7	34.1	27.4	38.4
Blood Bank		.7		.4	.7	1.7	
Health Dept.		8.6	11.1	8.0	10.9	6.9	2.7
AIDS clinic		1.9	2.0	3.4	1.9	.6	
Hospital		21.4	18.2	22.2	15.7	26.3	31.5
Family Planning		1.4	2.0	1.5	1.1	1.7	
Prenatal Clinic		.9	1.0	1.5	.7	.6	
STD Clinic		.5	2.0		.7		
Community Clinic		7.8	11.1	8.4	6.7	6.9	6.8
Employer		1.6	2.0	2.3	1.1	.6	2.7
Insurance Co.		1.5		.4	2.2	2.3	2.7
Other public		1.7	4.0	.8	1.1	2.9	1.4
Drug Treatment		.1	1.0				
Military		4.8	6.1	7.3	3.7	3.4	1.4
Immigration		.3		.8		.6	
Home visit		8.8	3.0	5.7	14.2	9.7	5.5
Self test kit		.2		.4	.4		
Jail prison		.7		.8	1.1	.6	
Don't know/Not sure		1.0	2.0	.4	.7	.6	4.1
87		4.0	4.0	3.8	2.6	6.9	2.7
Refused		.5		1.1		.6	
Male	Private MD	26.3	19.1	24.1	29.4	25.3	34.2
	Blood Bank	.5		.9		1.0	
	Health Dept.	7.2	6.4	7.1	10.1	6.1	2.6
	AIDS clinic	2.9	4.3	5.4	2.5	1.0	
	Hospital	21.4	29.8	21.4	12.6	24.2	31.6
	Family Planning	.2		.9			
	Prenatal Clinic	.2				1.0	
	STD Clinic	.5			1.7		
	Community Clinic	7.5	6.4	8.9	7.6	7.1	5.3
	Employer	2.4	2.1	3.6	1.7	1.0	5.3
	Insurance Co.	1.7			2.5	3.0	2.6
	Other public	1.4	6.4			2.0	2.6
	Drug Treatment	.2	2.1				
	Military	8.2	10.6	12.5	6.7	6.1	2.6

	Immigration	.5		.9		1.0	
	Home visit	10.6	6.4	4.5	18.5	12.1	5.3
	Self test kit	.5		.9	.8		
	Jail prison	1.2		1.8	1.7	1.0	
	Don't know/Not sure	1.2	2.1	.9	.8	1.0	2.6
	87	4.8	4.3	4.5	3.4	7.1	5.3
	Refused	.5		1.8			
Female	Private MD	36.5	40.4	35.6	37.8	30.3	42.9
	Blood Bank	.9			1.4	2.6	
	Health Dept.	9.8	15.4	8.7	11.5	7.9	2.9
	AIDS clinic	1.1		2.0	1.4		
	Hospital	21.3	7.7	22.8	18.2	28.9	31.4
	Family Planning	2.4	3.8	2.0	2.0	3.9	
	Prenatal Clinic	1.5	1.9	2.7	1.4		
	STD Clinic	.4	3.8				
	Community Clinic	8.0	15.4	8.1	6.1	6.6	8.6
	Employer	.9	1.9	1.3	.7		
	Insurance Co.	1.3		.7	2.0	1.3	2.9
	Other public	2.0	1.9	1.3	2.0	3.9	
	Military	1.7	1.9	3.4	1.4		
	Immigration	.2		.7			
	Home visit	7.2		6.7	10.8	6.6	5.7
	Jail prison	.2			.7		
	Don't know/Not sure	.9	1.9		.7		5.7
	87	3.3	3.8	3.4	2.0	6.6	
Refused	.4		.7		1.3		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Where did you have your last blood test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	875	99	261	267	175	73	
Private MD	277	30	80	91	48	28	
Blood Bank	6		1	2	3		
Health Dept.	75	11	21	29	12	2	
AIDS clinic	17	2	9	5	1		
Hospital	187	18	58	42	46	23	
Family Planning	12	2	4	3	3		
Prenatal Clinic	8	1	4	2	1		
STD Clinic	4	2		2			
Community Clinic	68	11	22	18	12	5	
Employer	14	2	6	3	1	2	
Insurance Co.	13		1	6	4	2	
Other public	15	4	2	3	5	1	
Drug Treatment	1	1					
Military	42	6	19	10	6	1	
Immigration	3		2		1		
Home visit	77	3	15	38	17	4	
Self test kit	2		1	1			
Jail prison	6		2	3	1		
Don't know/Not sure	9	2	1	2	1	3	
87	35	4	10	7	12	2	
Refused	4		3		1		
Male	Total	415	47	112	119	99	38
	Private MD	109	9	27	35	25	13
	Blood Bank	2		1		1	
	Health Dept.	30	3	8	12	6	1
	AIDS clinic	12	2	6	3	1	
	Hospital	89	14	24	15	24	12
	Family Planning	1		1			
	Prenatal Clinic	1				1	
	STD Clinic	2			2		
	Community Clinic	31	3	10	9	7	2
	Employer	10	1	4	2	1	2
	Insurance Co.	7			3	3	1

	Other public	6	3			2	1	
	Drug Treatment	1	1					
	Military	34	5	14	8	6	1	
	Immigration	2		1		1		
	Home visit	44	3	5	22	12	2	
	Self test kit	2		1	1			
	Jail prison	5		2	2	1		
	Don't know/Not sure	5	1	1	1	1	1	
	87	20	2	5	4	7	2	
	Refused	2		2				
Female	Total	460	52	149	148	76	35	
	Private MD	168	21	53	56	23	15	
	Blood Bank	4			2	2		
	Health Dept.	45	8	13	17	6	1	
	AIDS clinic	5		3	2			
	Hospital	98	4	34	27	22	11	
	Family Planning	11	2	3	3	3		
	Prenatal Clinic	7	1	4	2			
	STD Clinic	2	2					
	Community Clinic	37	8	12	9	5	3	
	Employer	4	1	2	1			
	Insurance Co.	6		1	3	1	1	
	Other public	9	1	2	3	3		
	Military	8	1	5	2			
	Immigration	1		1				
	Home visit	33		10	16	5	2	
	Jail prison	1			1			
	Don't know/Not sure	4	1		1		2	
	87	15	2	5	3	5		
Refused	2		1		1			
Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Did you receive the results of your last test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		85.3	85.1	86.4	84.2	84.4	87.8
No		13.6	14.9	12.1	14.7	15.0	9.5
Don't know/Not sure		1.0		1.5	.7	.6	2.7
Refused		.1			.4		
Male	Yes	81.9	77.1	83.2	79.5	81.7	92.3
	No	16.9	22.9	15.0	19.7	17.3	5.1
	Don't know/Not sure	1.2		1.8	.8	1.0	2.6
Female	Yes	88.4	92.5	88.7	88.0	88.2	82.9
	No	10.5	7.5	9.9	10.7	11.8	14.3
	Don't know/Not sure	.9		1.3	.7		2.9
	Refused	.2			.7		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Did you receive the results of your last test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		891	101	264	272	180	74
Yes		760	86	228	229	152	65
No		121	15	32	40	27	7
Don't know/Not sure		9		4	2	1	2
Refused		1			1		
Male	Total	426	48	113	122	104	39
	Yes	349	37	94	97	85	36
	No	72	11	17	24	18	2
	Don't know/Not sure	5		2	1	1	1
Female	Total	465	53	151	150	76	35
	Yes	411	49	134	132	67	29
	No	49	4	15	16	9	5
	Don't know/Not sure	4		2	1		1
	Refused	1			1		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Did you receive counseling or talk with a health care professional about the results of your test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		35.4	37.2	36.0	36.2	32.2	35.4
No		64.2	62.8	63.6	63.3	67.8	63.1
Don't know/Not sure		.1					1.5
Refused		.3		.4	.4		
Male	Yes	30.9	16.2	31.9	34.0	31.8	33.3
	No	68.5	83.8	67.0	64.9	68.2	66.7
	Refused	.6		1.1	1.0		
Female	Yes	39.2	53.1	38.8	37.9	32.8	37.9
	No	60.6	46.9	61.2	62.1	67.2	58.6
	Don't know/Not sure	.2					3.4

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Did you receive counseling or talk with a health care professional about the results of your test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		760	86	228	229	152	65
Yes		269	32	82	83	49	23
No		488	54	145	145	103	41
Don't know/Not sure		1					1
Refused		2		1	1		
Male	Total	349	37	94	97	85	36
	Yes	108	6	30	33	27	12
	No	239	31	63	63	58	24
	Refused	2		1	1		
Female	Total	411	49	134	132	67	29
	Yes	161	26	52	50	22	11
	No	249	23	82	82	45	17
	Don't know/Not sure	1					1

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Some people use condoms to keep from getting infected with HIV through sexual activity. How effective do you think a properly used condom is for this purpose?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Very		37.8	40.7	41.4	37.4	38.1	30.3	
Somewhat		50.3	53.1	49.9	50.3	49.3	50.2	
Not at all		4.5	3.9	3.4	5.4	4.8	4.6	
Don't know		6.7	1.9	5.3	5.6	7.1	14.1	
Don't know method		.3	.4		.4	.2	.6	
Refused		.4			.9	.5	.3	
Male	Very	42.3	44.9	45.9	41.8	40.8	38.2	
	Somewhat	45.3	51.7	41.9	45.2	45.8	44.9	
	Not at all	3.6	1.7	4.5	4.4	3.4	2.2	
	Don't know	7.9	1.7	7.7	6.8	9.2	14.0	
	Don't know method	.2			.3		.7	
	Refused	.6			1.4	.8		
Female	Very	34.3	37.1	38.1	34.2	35.6	24.6	
	Somewhat	54.1	54.3	55.7	54.0	52.5	53.9	
	Not at all	5.3	5.7	2.6	6.2	6.0	6.3	
	Don't know	5.7	2.1	3.6	4.7	5.3	14.1	
	Don't know method	.4	.7		.5	.4	.5	
	Refused	.3			.5	.4	.5	
Denominator is: All survey respondents less than 65 years old								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Some people use condoms to keep from getting infected with HIV through sexual activity. How effective do you think a properly used condom is for this purpose?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2358	258	529	698	546	327	
Very		892	105	219	261	208	99	
Somewhat		1185	137	264	351	269	164	
Not at all		107	10	18	38	26	15	
Don't know		157	5	28	39	39	46	
Don't know method		7	1		3	1	2	
Refused		10			6	3	1	
Male	Total	1032	118	222	294	262	136	
	Very	437	53	102	123	107	52	
	Somewhat	468	61	93	133	120	61	
	Not at all	37	2	10	13	9	3	
	Don't know	82	2	17	20	24	19	
	Don't know method	2			1		1	
	Refused	6			4	2		
Female	Total	1326	140	307	404	284	191	
	Very	455	52	117	138	101	47	
	Somewhat	717	76	171	218	149	103	
	Not at all	70	8	8	25	17	12	
	Don't know	75	3	11	19	15	27	
	Don't know method	5	1		2	1	1	
	Refused	4			2	1	1	
Denominator is: All survey respondents less than 65 years old								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Due to what you know about HIV, have you changed your sexual behavior in the last 12 months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		10.4	24.0	13.0	10.5	5.9	3.1	
No		87.6	74.8	85.6	87.0	91.8	95.4	
Don't know/Not sure		.3	.8	.8		.4		
Refused		1.6	.4	.6	2.6	2.0	1.5	
Male	Yes	10.6	20.3	14.0	11.9	5.7	2.9	
	No	87.4	78.0	84.7	85.0	92.0	96.3	
	Don't know/Not sure	.5	1.7	.9		.4		
	Refused	1.6		.5	3.1	1.9	.7	
Female	Yes	10.3	27.1	12.4	9.4	6.0	3.1	
	No	87.8	72.1	86.3	88.4	91.5	94.8	
	Don't know/Not sure	.2		.7		.4		
	Refused	1.7	.7	.7	2.2	2.1	2.1	
Denominator is: All survey respondents less than 65 years old								

Due to what you know about HIV, have you changed your sexual behavior in the last 12 months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2358	258	529	698	546	327	
Yes		246	62	69	73	32	10	
No		2066	193	453	607	501	312	
Don't know/Not sure		8	2	4		2		
Refused		38	1	3	18	11	5	
Male	Total	1032	118	222	294	262	136	
	Yes	109	24	31	35	15	4	
	No	902	92	188	250	241	131	
	Don't know/Not sure	5	2	2		1		
	Refused	16		1	9	5	1	
Female	Total	1326	140	307	404	284	191	
	Yes	137	38	38	38	17	6	
	No	1164	101	265	357	260	181	
	Don't know/Not sure	3		2		1		
	Refused	22	1	2	9	6	4	
Denominator is: All survey respondents less than 65 years old								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Have you had sexual intercourse with only one partner?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		71.1	61.3	72.5	72.6	81.3	80.0
No		28.9	38.7	27.5	27.4	18.8	20.0
Male	Yes	67.0	54.2	80.6	60.0	73.3	75.0
	No	33.0	45.8	19.4	40.0	26.7	25.0
Female	Yes	74.5	65.8	65.8	84.2	88.2	83.3
	No	25.5	34.2	34.2	15.8	11.8	16.7

Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months

Have you had sexual intercourse with only one partner?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		246	62	69	73	32	10
Yes		175	38	50	53	26	8
No		71	24	19	20	6	2
Male	Total	109	24	31	35	15	4
	Yes	73	13	25	21	11	3
	No	36	11	6	14	4	1
Female	Total	137	38	38	38	17	6
	Yes	102	25	25	32	15	5
	No	35	13	13	6	2	1

Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Have you used condoms for protection?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		63.8	71.0	71.0	63.0	46.9	30.0	
No		35.4	29.0	27.5	37.0	53.1	60.0	
Don't know/Not sure		.4		1.4				
Refused		.4					10.0	
Male	Yes	65.1	75.0	67.7	65.7	60.0		
	No	34.9	25.0	32.3	34.3	40.0	100.0	
Female	Yes	62.8	68.4	73.7	60.5	35.3	50.0	
	No	35.8	31.6	23.7	39.5	64.7	33.3	
	Don't know/Not sure	.7		2.6				
	Refused	.7					16.7	
Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months								

Have you used condoms for protection?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		246	62	69	73	32	10	
Yes		157	44	49	46	15	3	
No		87	18	19	27	17	6	
Don't know/Not sure		1		1				
Refused		1					1	
Male	Total	109	24	31	35	15	4	
	Yes	71	18	21	23	9		
	No	38	6	10	12	6	4	
Female	Total	137	38	38	38	17	6	
	Yes	86	26	28	23	6	3	
	No	49	12	9	15	11	2	
	Don't know/Not sure	1		1				
	Refused	1					1	
Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1996

Have you been more careful in selecting sexual partners?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		92.3	91.9	97.1	87.7	96.9	80.0	
No		6.1	4.8	2.9	11.0	3.1	10.0	
Don't know/Not sure		.4	1.6					
Refused		1.2	1.6		1.4		10.0	
Male	Yes	90.8	91.7	93.5	82.9	100.0	100.0	
	No	7.3	4.2	6.5	14.3			
	Don't know/Not sure	.9	4.2					
	Refused	.9			2.9			
Female	Yes	93.4	92.1	100.0	92.1	94.1	66.7	
	No	5.1	5.3		7.9	5.9	16.7	
	Refused	1.5	2.6				16.7	
Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months								

Have you been more careful in selecting sexual partners?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		246	62	69	73	32	10	
Yes		227	57	67	64	31	8	
No		15	3	2	8	1	1	
Don't know/Not sure		1	1					
Refused		3	1		1		1	
Male	Total	109	24	31	35	15	4	
	Yes	99	22	29	29	15	4	
	No	8	1	2	5			
	Don't know/Not sure	1	1					
	Refused	1			1			
Female	Total	137	38	38	38	17	6	
	Yes	128	35	38	35	16	4	
	No	7	2		3	1	1	
	Refused	2	1				1	
Denominator is: All survey respondents less than 65 years old and have changed their sexual behavior in the last twelve months								