

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

**During the past month, have you had at least one drink of any alcoholic beverage
such as beer, wine, wine coolers, or liquor?**
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		56.6	65.9	64.1	58.5	60.3	50.3	41.9
No		43.3	34.1	35.9	41.4	39.7	49.7	57.9
Don't know/Not sure		.1			.1			.2
Male	Yes	64.1	70.7	71.3	66.0	68.2	55.9	49.4
	No	35.8	29.3	28.7	34.0	31.8	44.1	50.1
	Don't know/Not sure	.1						.5
Female	Yes	49.6	60.8	56.8	51.3	52.4	45.0	36.5
	No	50.4	39.2	43.2	48.6	47.6	55.0	63.5
	Don't know/Not sure	.0			.1			

Denominator is: All survey respondents

**During the past month, have you had at least one drink of any alcoholic beverage
such as beer, wine, wine coolers, or liquor?**
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3308	292	607	750	592	391	676
Yes		1884	192	405	452	359	200	276
No		1422	100	202	297	233	191	399
Don't know/Not sure		2			1			1
Male	Total	1399	153	273	327	241	170	235
	Yes	917	106	199	223	169	98	122
	No	481	47	74	104	72	72	112
	Don't know/Not sure	1						1
Female	Total	1909	139	334	423	351	221	441
	Yes	967	86	206	229	190	102	154
	No	941	53	128	193	161	119	287
	Don't know/Not sure	1			1			

Denominator is: All survey respondents

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler,
1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks
did you drink on the average?
(Weighted Column Percents)

		Total	Age Groups						
			18-24	25-34	35-44	45-54	55-64	65+	
1		44.3	33.1	38.1	40.1	47.0	52.8	62.1	
2		29.0	23.1	32.1	30.5	29.7	32.6	23.8	
3		12.3	12.5	15.8	14.4	12.5	7.3	6.9	
4		4.2	10.6	2.6	4.8	3.0	2.9	2.2	
5		2.8	5.2	3.2	1.9	3.0	2.7	1.1	
6		3.9	10.9	2.7	5.2	2.1	1.0	1.3	
7		.7	1.8	.5	.7	.9			
8		.6	.7	1.8			.7	.3	
9		.1		.2	.1				
10		.4	.7	.9	.3	.3			
12		.4	.3		1.3	.2			
14		.1		.3	.1				
24		.2		.3	.4				
Don't know/Not sure		1.0	1.1	1.6	.1	1.1		1.8	
Refused		.1			.1	.2		.5	
Male	1	36.0	22.6	29.5	33.5	41.6	42.7	52.1	
	2	28.5	17.1	32.7	30.0	27.9	37.1	25.0	
	3	14.8	10.6	20.0	15.8	16.6	10.6	8.9	
	4	5.4	15.4	1.7	5.9	3.5	4.1	4.0	
	5	4.1	8.5	4.6	2.5	4.0	3.0	2.2	
	6	6.1	18.4	3.4	7.7	3.2	1.2	2.6	
	7	1.1	3.2	.6	1.1	1.6			
	8	.9	1.2	2.7			1.3	.6	
	9	.1		.3	.2				
	10	.8	1.2	1.6	.6	.6			
	12	.7	.6		2.3	.4			
	14	.2		.6	.2				
	24	.1		.6					
	Don't know/Not sure		1.1	1.2	1.8		.7		3.6
	Refused		.2			.2			1.0
		1	54.5	46.0	49.2	48.4	54.1	64.6	72.1
2		29.6	30.6	31.3	31.1	32.2	27.3	22.5	
3		9.4	15.0	10.3	12.6	7.1	3.5	4.9	
4		2.8	4.7	3.9	3.3	2.3	1.5	.5	

Female	5	1.2	1.1	1.3	1.2	1.6	2.3	
	6	1.2	1.6	1.7	2.0	.7	.8	
	7	.1		.3	.2			
	8	.1		.7				
	24	.2			.8			
	Don't know/Not sure	.8	1.1	1.3	.3	1.6		
	Refused	.1				.4		

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler,
1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks
did you drink on the average?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1864	192	402	451	357	196	266
1		819	63	148	178	166	101	163
2		570	45	131	147	115	64	68
3		236	31	70	63	40	15	17
4		77	17	14	21	12	8	5
5		46	13	11	9	7	4	2
6		59	13	11	19	9	3	4
7		9	3	2	3	1		
8		8	2	4			1	1
9		2		1	1			
10		7	2	3	1	1		
12		7	1		5	1		
14		2		1	1			
24		2		1	1			
Don't know/Not sure		17	2	5	1	4		5
Refused		3			1	1		1
Male	Total	909	106	198	223	167	96	119
	1	317	25	53	75	64	38	62
	2	273	21	64	69	53	35	31
	3	138	14	43	35	26	11	9
	4	49	13	6	13	7	6	4
	5	37	12	9	6	5	3	2
	6	50	12	10	14	8	2	4
	7	7	3	1	2	1		
	8	7	2	3			1	1
	9	2		1	1			
	10	7	2	3	1	1		
	12	7	1		5	1		
	14	2		1	1			
	24	1		1				
	Don't know/Not sure	10	1	3		1		5
	Refused	2			1			1
	Total		955	86	204	228	190	100
1		502	38	95	103	102	63	101

Female	2	297	24	67	78	62	29	37
	3	98	17	27	28	14	4	8
	4	28	4	8	8	5	2	1
	5	9	1	2	3	2	1	
	6	9	1	1	5	1	1	
	7	2		1	1			
	8	1		1				
	24	1			1			
	Don't know/Not sure	7	1	2	1	3		
	Refused	1				1		
	Denominator is: All survey respondents who had at least one drink of any alcoholic beverage							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

Considering all types of alcoholic beverages, how many times during the past month
did you have 5 or more drinks on an occasion?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		9.3	15.9	14.5	9.4	6.4	6.3	1.3
2		5.9	14.3	3.7	5.7	6.4	5.1	1.6
3		2.8	4.0	5.5	1.6	3.4	.6	.6
4		1.8	2.7	2.5	1.9	1.9	.8	
5		1.0	1.4	.7	1.4	1.5	.9	
6		.8	.4	1.6	.8	1.0		.3
7		.4	.8	1.3				
8		1.2	3.1	1.3	.9	1.2		.4
9		.1	.7					
10		.4	1.5	.1	.4	.1	.7	
12		.3	1.4	.2	.3			
15		.2	1.0	.1				.3
17		.1	.5		.1			
20		.4	.9	.4	.1	.9		.3
24		.0			.2			
28		.0		.2				
30		.5		.6	.7	.5	.7	.3
Don't know/Not sure		.7		.4	.1	1.1	.7	1.8
None		74.0	51.3	66.9	76.3	75.5	84.0	93.1
Refused		.0			.1			
Male	1	10.8	18.3	18.3	10.2	7.5	4.0	2.0
	2	8.1	21.5	4.4	5.1	9.9	8.4	3.1
	3	3.7	4.8	7.7	2.1	4.1	.4	1.1
	4	2.8	4.8	3.9	2.6	2.9	1.6	
	5	1.4	.8	.8	2.5	2.1	1.7	
	6	1.4	.8	2.4	1.5	1.7		.6
	7	.6	.6	2.4				
	8	1.8	5.1	1.8	1.3	2.1		.6
	9	.2	1.2					
	10	.8	2.8	.2	.8	.2	1.3	
	12	.5	2.6	.3	.5			
	15	.1		.2				.7
	17	.0			.2			
	20	.7	1.6	.7	.2	1.1		.6

	24	.1			.3				
	28	.1		.3					
	30	.8		1.1	1.3	.4	1.3	.7	
	Don't know/Not sure	.6			.2	1.2	.6	2.4	
	None	65.3	34.9	55.7	71.1	66.9	80.7	88.3	
	Refused	.0			.2				
Female	1	7.5	13.0	9.6	8.4	5.0	9.1	.6	
	2	3.2	5.5	2.8	6.3	1.8	1.3	.2	
	3	1.6	2.9	2.6	1.1	2.3	.8		
	4	.5		.9	1.0	.7			
	5	.5	2.2	.5		.8			
	6	.1		.7					
	7	.1	1.1						
	8	.4	.5	.7	.5			.3	
	15	.3	2.1						
	17	.1	1.1						
	20	.1				.7			
	30	.1				.7			
		Don't know/Not sure	.7		1.0		1.1	.8	1.2
		None	84.6	71.5	81.3	82.7	86.9	88.0	97.7
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage									

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

Considering all types of alcoholic beverages, how many times during the past month
did you have 5 or more drinks on an occasion?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1884	192	405	452	359	200	276
1		174	31	60	42	24	12	5
2		96	21	17	24	19	10	5
3		38	8	11	8	8	2	1
4		31	3	10	9	6	3	
5		20	2	4	6	6	2	
6		16	2	6	3	4		1
7		3	2	1				
8		23	7	5	5	4		2
9		1	1					
10		10	5	1	2	1	1	
12		6	3	1	2			
15		4	2	1				1
17		2	1		1			
20		9	2	2	1	3		1
24		1			1			
28		1		1				
30		7		2	1	2	1	1
Don't know/Not sure		15		2	1	5	2	5
None		1426	102	281	345	277	167	254
Refused		1			1			
Male	Total	917	106	199	223	169	98	122
	1	99	19	36	23	14	4	3
	2	63	15	11	10	14	9	4
	3	24	5	9	4	4	1	1
	4	26	3	8	7	5	3	
	5	14	1	2	6	3	2	
	6	15	2	5	3	4		1
	7	2	1	1				
	8	19	6	4	4	4		1
	9	1	1					
	10	10	5	1	2	1	1	
	12	6	3	1	2			
	15	2		1				1

	17	1			1			
	20	8	2	2	1	2		1
	24	1			1			
	28	1		1				
	30	6		2	1	1	1	1
	Don't know/Not sure	9			1	4	1	3
	None	609	43	115	156	113	76	106
	Refused	1			1			
Female	Total	967	86	206	229	190	102	154
	1	75	12	24	19	10	8	2
	2	33	6	6	14	5	1	1
	3	14	3	2	4	4	1	
	4	5		2	2	1		
	5	6	1	2		3		
	6	1		1				
	7	1	1					
	8	4	1	1	1			1
	15	2	2					
	17	1	1					
	20	1				1		
	30	1				1		
	Don't know/Not sure	6		2		1	1	2
	None	817	59	166	189	164	91	148
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

During the past month, how many times have you driven when you've had perhaps too much to drink?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		1.5	2.1	1.6	2.2	1.6	.6	
2		.7	1.5	1.8	.4			.3
3		.3		.8	.2	.3		
4		.0		.1				
6		.0						.3
8		.1	.8					.2
10		.1	.7					
12		.0			.1			
20		.0				.2		
Don't know/Not sure		.0				.2		
None		97.1	95.0	95.7	97.1	97.6	99.4	98.7
Refused		.1						.6
Male	1	2.1	2.4	2.4	2.9	2.2	1.1	
	2	1.0	2.7	2.6	.2			.6
	3	.5		1.5	.3	.6		
	6	.1						.6
	8	.0	.2					
	10	.2	1.2					
	12	.0			.2			
	20	.1				.4		
	Don't know/Not sure	.1				.4		
	None	95.8	93.5	93.4	96.5	96.5	98.9	97.7
Refused	.1							1.1
Female	1	.8	1.6	.5	1.4	.9		
	2	.3		.7	.7			
	4	.1		.3				
	8	.3	1.6					.3
	None	98.6	96.8	98.6	97.9	99.1	100.0	99.7
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

Acute Drinker (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
No risk		85.2	67.9	78.8	86.0	85.2	92.0	96.9
At risk		14.3	32.1	21.0	13.8	14.1	7.7	2.2
Unknown		.4		.3	.2	.7	.4	1.0
Male	No risk	77.7	54.0	68.4	80.9	77.4	89.2	93.7
	At risk	21.8	46.0	31.6	18.8	21.7	10.4	4.6
	Unknown	.5			.3	.8	.4	1.7
Female	No risk	92.4	82.7	89.4	91.0	93.1	94.6	99.2
	At risk	7.3	17.3	10.0	8.8	6.3	5.0	.4
	Unknown	.4		.6	.1	.6	.4	.4

Denominator is: All survey respondents

Acute Drinker (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3308	292	607	750	592	391	676
No risk		2848	202	483	642	510	358	653
At risk		442	90	122	105	77	31	17
Unknown		18		2	3	5	2	6
Male	Total	1399	153	273	327	241	170	235
	No risk	1090	90	189	260	185	148	218
	At risk	298	63	84	65	52	21	13
	Unknown	11			2	4	1	4
Female	Total	1909	139	334	423	351	221	441
	No risk	1758	112	294	382	325	210	435
	At risk	144	27	38	40	25	10	4
	Unknown	7		2	1	1	1	2

Denominator is: All survey respondents

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

Chronic Drinker (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
No risk		95.2	95.6	95.7	96.2	94.4	94.8	94.3

At risk		3.5	3.7	2.8	3.5	4.4	3.6	3.1
Unknown		1.3	.8	1.5	.3	1.2	1.5	2.6
Male	No risk	92.3	92.6	93.7	93.3	91.4	90.9	90.8
	At risk	6.2	6.5	4.6	6.5	7.3	7.1	5.6
	Unknown	1.5	.9	1.7	.1	1.3	1.9	3.6
Female	No risk	97.9	98.7	97.7	98.9	97.4	98.6	96.8
	At risk	1.0	.7	.9	.6	1.6	.3	1.3
	Unknown	1.1	.7	1.3	.4	1.0	1.1	1.9
Denominator is: All survey respondents								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Chronic Drinker (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3308	292	607	750	592	391	676
No risk		3148	276	580	717	562	373	640
At risk		118	14	19	29	23	14	19
Unknown		42	2	8	4	7	4	17
Male	Total	1399	153	273	327	241	170	235
	No risk	1280	139	252	301	221	155	212
	At risk	98	13	17	25	17	13	13
	Unknown	21	1	4	1	3	2	10
Female	Total	1909	139	334	423	351	221	441
	No risk	1868	137	328	416	341	218	428
	At risk	20	1	2	4	6	1	6
	Unknown	21	1	4	3	4	2	7
Denominator is: All survey respondents								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1887

Drinking and Driving (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
No risk		98.3	96.7	97.2	98.2	98.6	99.7	99.3
At risk		1.6	3.3	2.8	1.7	1.3	.3	.3
Unknown		.1			.1	.1		.4
Male	No risk	97.3	95.4	95.3	97.7	97.6	99.4	98.4
	At risk	2.5	4.6	4.7	2.3	2.1	.6	.6
	Unknown	.2				.3		1.0
Female	No risk	99.3	98.0	99.2	98.8	99.5	100.0	99.9
	At risk	.7	2.0	.8	1.1	.5		.1
	Unknown	.0			.1			

Denominator is: All survey respondents

Drinking and Driving (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3308	292	607	750	592	391	676
No risk		3246	280	588	736	581	390	671
At risk		58	12	19	13	10	1	3
Unknown		4			1	1		2
Male	Total	1399	153	273	327	241	170	235
	No risk	1350	143	258	317	232	169	231
	At risk	46	10	15	10	8	1	2
	Unknown	3				1		2
Female	Total	1909	139	334	423	351	221	441
	No risk	1896	137	330	419	349	221	440
	At risk	12	2	4	3	2		1
	Unknown	1			1			

Denominator is: All survey respondents