

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
1		11.2	7.4	10.7	12.3	10.5	15.3
2		4.4	3.0	4.8	5.3	3.9	4.4
3		10.6	6.2	12.0	13.0	10.6	7.9
4		11.5	12.1	10.8	10.4	13.2	11.1
5		16.9	22.6	18.7	12.0	16.5	18.9
6		20.8	25.2	19.4	25.0	17.6	14.8
7		9.2	11.6	9.6	5.4	12.3	8.6
8		3.0	1.7	4.4	4.0	1.6	2.3
9		2.2	3.5	.9	1.8	3.0	2.8
10		1.0		1.2	.9	1.1	2.0
11		.4			.4	1.1	
12		.6		.6	.8	.5	.7
Kindergarten		6.1	4.8	5.9	6.8	5.5	7.5
Never		2.0	1.9	.8	1.7	2.6	3.6
Male	1	12.7	6.2	12.8	14.8	9.7	21.0
	2	4.0	1.2	5.0	6.2	2.8	3.0
	3	9.6	3.7	9.0	14.1	7.8	10.8
	4	11.7	13.0	10.7	11.1	14.0	9.0
	5	15.6	22.2	15.4	11.6	16.3	15.6
	6	22.0	28.1	22.4	23.6	20.4	13.8
	7	9.8	14.8	11.5	5.0	11.1	9.0
	8	3.9	1.9	5.7	5.1	2.1	3.6
	9	2.4	1.2	1.8	1.9	5.0	1.6
	10	1.2		1.1	.9	1.4	3.0
	11	.7			.9	2.1	
	12	.3		.7	.4		
	Kindergarten	4.0	4.0	3.9	3.9	3.8	4.8
	Never	2.1	3.7		.4	3.5	4.8
	Female	1	9.7	8.7	8.6	10.0	11.2
2		4.8	4.9	4.6	4.4	4.9	5.8
3		11.6	9.0	15.1	11.9	13.4	5.1
4		11.2	11.3	10.9	9.7	12.4	13.1
5		18.3	23.0	22.0	12.5	16.7	22.1
6		19.6	22.0	16.5	26.2	14.9	15.8
7		8.6	8.2	7.7	5.8	13.5	8.3
8		2.1	1.5	3.1	2.9	1.2	1.0

9	2.1	5.9		1.7	1.2	3.9
10	.9		1.4	1.0	.8	1.0
12	.9		.6	1.2	1.0	1.5
Kindergarten	8.3	5.6	7.9	9.7	7.2	10.2
Never	1.9		1.7	2.9	1.7	2.4

Denominator is: All survey respondents less than 65 years old

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1512	155	350	381	372	254
1		164	12	37	42	39	34
2		66	7	16	17	15	11
3		146	12	37	46	36	15
4		161	15	39	36	45	26
5		239	32	61	48	57	41
6		283	36	65	90	59	33
7		132	15	31	24	41	21
8		40	3	12	13	7	5
9		27	6	3	6	7	5
10		16		5	3	5	3
11		3			1	2	
12		10		2	3	3	2
Kindergarten		93	8	21	28	21	15
Don't know/not sure		93	5	16	15	25	32
Never		29	4	3	7	7	8
Refused		10		2	2	3	3
Male	Total	637	62	158	142	164	111
	1	80	4	19	18	17	22
	2	25	1	8	8	5	3
	3	58	3	15	18	13	9
	4	65	6	15	15	21	8
	5	94	12	24	17	25	16
	6	128	18	34	32	31	13
	7	61	8	16	10	16	11
	8	21	1	7	6	4	3
	9	14	1	3	3	5	2
	10	6		2	1	2	1
	11	3			1	2	
	12	2		1	1		
	Kindergarten	24	3	5	5	6	5
	Don't know/not sure	37	1	7	5	12	12
	Never	14	4		1	4	5
	Refused	5		2	1	1	1
Total		875	93	192	239	208	143

Female	1	84	8	18	24	22	12
	2	41	6	8	9	10	8
	3	88	9	22	28	23	6
	4	96	9	24	21	24	18
	5	145	20	37	31	32	25
	6	155	18	31	58	28	20
	7	71	7	15	14	25	10
	8	19	2	5	7	3	2
	9	13	5		3	2	3
	10	10		3	2	3	2
	12	8		1	2	3	2
	Kindergarten	69	5	16	23	15	10
	Don't know/not sure	56	4	9	10	13	20
	Never	15		3	6	3	3
	Refused	5			1	2	2

Denominator is: All survey respondents less than 65 years old

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		89.3	93.2	93.8	88.2	87.2	83.8
No		2.6	.3	1.9	2.3	2.9	6.4
Would give other advice		8.1	6.5	4.3	9.5	10.0	9.8
Male	Yes	88.7	91.9	94.5	88.7	85.3	81.9
	No	2.6	.6	1.4	2.9	1.7	7.4
	Would give other advice	8.6	7.5	4.1	8.4	13.1	10.6
Female	Yes	89.8	94.6	93.1	87.8	89.0	85.5
	No	2.7		2.5	1.6	4.1	5.5
	Would give other advice	7.5	5.4	4.4	10.6	6.9	9.0

Denominator is: All survey respondents less than 65 years old

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1512	155	350	381	372	254
Yes		1336	143	323	335	326	209
No		39	1	7	6	9	16
Would give other advice		115	9	12	36	34	24
Don't know/not sure		16	2	5	2	3	4
Refused		6		3	2		1
Male	Total	637	62	158	142	164	111
	Yes	563	54	149	127	141	92
	No	17	1	2	3	2	9
	Would give other advice	48	5	5	10	19	9
	Don't know/not sure	8	2	2	1	2	1
	Refused	1			1		
Female	Total	875	93	192	239	208	143
	Yes	773	89	174	208	185	117
	No	22		5	3	7	7
	Would give other advice	67	4	7	26	15	15
	Don't know/not sure	8		3	1	1	3
	Refused	5		3	1		1

Denominator is: All survey respondents less than 65 years old

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
High		2.2	3.9	2.0	2.8	1.7	.5
Medium		3.7	6.4	4.1	4.9	2.4	.2
Low		27.9	30.9	33.4	32.2	23.4	15.4
None		66.1	58.7	60.5	60.1	72.5	83.8
Male	High	2.7	4.8	2.7	3.5	1.3	1.1
	Medium	4.6	10.6	4.4	5.8	2.3	
	Low	28.9	30.9	29.9	38.4	21.8	18.1
	None	63.9	53.6	63.0	52.4	74.6	80.9
Female	High	1.8	2.9	1.4	2.1	2.2	
	Medium	2.8	2.0	3.8	4.0	2.4	.4
	Low	27.0	31.0	37.0	26.2	25.1	12.9
	None	68.4	64.1	57.8	67.7	70.3	86.7

Denominator is: All survey respondents less than 65 years old

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1512	155	350	381	372	254
High		28	5	7	10	4	2
Medium		51	10	14	17	9	1
Low		430	49	123	122	89	47
None		989	90	203	227	268	201
Don't know/not sure		10	1	1	4	2	2
Refused		4		2	1		1
Male	Total	637	62	158	142	164	111
	High	15	2	4	5	2	2
	Medium	28	8	7	10	3	
	Low	196	20	53	58	38	27
	None	396	32	93	69	120	82
	Don't know/not sure	1				1	
	Refused	1		1			
Female	Total	875	93	192	239	208	143
	High	13	3	3	5	2	
	Medium	23	2	7	7	6	1
	Low	234	29	70	64	51	20

None	593	58	110	158	148	119
Don't know/not sure	9	1	1	4	1	2
Refused	3		1	1		1

Denominator is: All survey respondents less than 65 years old

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		44.9	50.9	58.0	52.0	33.6	23.2
No		55.1	49.1	42.0	48.0	66.4	76.8
Male	Yes	47.1	53.9	49.3	58.5	39.9	25.6
	No	52.9	46.1	50.7	41.5	60.1	74.4
Female	Yes	42.9	48.1	65.8	46.1	27.8	21.4
	No	57.1	51.9	34.2	53.9	72.2	78.6

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and their chances of getting HIV are not "not applicable"

Have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1127	112	254	280	267	214
Yes		463	52	141	138	91	41
No		630	60	107	137	168	158
Don't know/not sure		33		5	5	8	15
Refused		1		1			
Male	Total	448	43	109	101	111	84
	Yes	196	20	54	57	47	18
	No	237	23	52	41	62	59
	Don't know/not sure	15		3	3	2	7
Female	Total	679	69	145	179	156	130
	Yes	267	32	87	81	44	23
	No	393	37	55	96	106	99
	Don't know/not sure	18		2	2	6	8
	Refused	1		1			

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and their chances of getting HIV are not "not applicable"

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you donated blood since March 1985?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		25.7	27.0	25.4	25.9	31.3	15.6
No		74.3	73.0	74.6	74.1	68.7	84.4
Male	Yes	30.0	29.7	31.0	27.2	36.3	23.9
	No	70.0	70.3	69.0	72.8	63.7	76.1
Female	Yes	21.4	24.2	19.7	24.5	26.4	7.8
	No	78.6	75.8	80.3	75.5	73.6	92.2

Denominator is: All survey respondents less than 65 years old and their chances of getting HIV are not "not applicable"

Have you donated blood since March 1985?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1512	155	350	381	372	254
Yes		385	43	96	101	105	40
No		1117	112	253	277	263	212
Don't know/not sure		10		1	3	4	2
Male	Total	637	62	158	142	164	111
	Yes	189	19	49	41	53	27
	No	442	43	108	100	108	83
	Don't know/not sure	6		1	1	3	1
Female	Total	875	93	192	239	208	143
	Yes	196	24	47	60	52	13
	No	675	69	145	177	155	129
	Don't know/not sure	4			2	1	1

Denominator is: All survey respondents less than 65 years old and their chances of getting HIV are not "not applicable"

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you donated blood in the past twelve months?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		34.3	34.8	22.2	36.6	41.2	35.1
No		65.7	65.2	77.8	63.4	58.8	64.9
Male	Yes	35.1	36.7	18.3	41.9	39.8	41.8
	No	64.9	63.3	81.7	58.1	60.2	58.2
Female	Yes	33.2	32.3	28.6	30.7	43.1	15.8
	No	66.8	67.7	71.4	69.3	56.9	84.2

Denominator is: All survey respondents less than 65 years old and their chance of getting HIV is not "not applicable" and have donated blood since March 1985

Have you donated blood in the past twelve months?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		385	43	96	101	105	40
Yes		128	12	23	34	46	13
No		254	31	73	65	58	27
Don't know/not sure		3			2	1	
Male	Total	189	19	49	41	53	27
	Yes	67	5	10	16	25	11
	No	121	14	39	25	27	16
	Don't know/not sure	1				1	
Female	Total	196	24	47	60	52	13
	Yes	61	7	13	18	21	2
	No	133	17	34	40	31	11
	Don't know/not sure	2			2		

Denominator is: All survey respondents less than 65 years old and their chance of getting HIV is not "not applicable" and have donated blood since March 1985

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		48.4	39.0	63.0	59.8	41.7	11.5
No		51.6	61.0	37.0	40.2	58.3	88.5
Male	Yes	45.0	28.6	56.6	61.9	40.0	15.6
	No	55.0	71.4	43.4	38.1	60.0	84.4
Female	Yes	53.0	52.5	73.4	57.5	43.9	
	No	47.0	47.5	26.6	42.5	56.1	100.0

Denominator is: All survey respondents less than 65 years old and have donated blood since March 1985 and whose HIV risk is known

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		385	43	96	101	105	40
Yes		187	18	59	61	43	6
No		191	25	35	39	59	33
Don't know/not sure		7		2	1	3	1
Male	Total	189	19	49	41	53	27
	Yes	87	7	26	25	23	6
	No	99	12	22	16	29	20
	Don't know/not sure	3		1		1	1
Female	Total	196	24	47	60	52	13
	Yes	100	11	33	36	20	
	No	92	13	13	23	30	13
	Don't know/not sure	4		1	1	2	

Denominator is: All survey respondents less than 65 years old and have donated blood since March 1985 and whose HIV risk is known

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Not including your blood donations, have you been tested for HIV in the past twelve months?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		38.2	67.9	40.7	38.6	18.1	45.0
No		61.8	32.1	59.3	61.4	81.9	55.0
Male	Yes	37.0	71.4	36.6	39.3	19.0	45.0
	No	63.0	28.6	63.4	60.7	81.0	55.0
Female	Yes	39.6	65.4	45.7	37.8	16.9	
	No	60.4	34.6	54.3	62.2	83.1	
Denominator is: All survey respondents less than 65 years old and whose risk of HIV status is known and have donated blood							

Not including your blood donations, have you been tested for HIV in the past twelve months?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		187	18	59	61	43	6
Yes		68	11	24	22	9	2
No		119	7	35	39	34	4
Male	Total	87	7	26	25	23	6
	Yes	30	5	9	9	5	2
	No	57	2	17	16	18	4
Female	Total	100	11	33	36	20	
	Yes	38	6	15	13	4	
	No	62	5	18	23	16	
Denominator is: All survey respondents less than 65 years old and whose risk of HIV status is known and have donated blood							

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you been tested for HIV in the past twelve months?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		27.5	45.5	28.5	27.1	16.4	9.8
No		72.5	54.5	71.5	72.9	83.6	90.2
Male	Yes	25.5	39.2	29.3	23.8	16.7	10.8
	No	74.5	60.8	70.7	76.2	83.3	89.2
Female	Yes	29.4	52.3	28.0	30.7	16.2	8.9
	No	70.6	47.7	72.0	69.3	83.8	91.1

Denominator is: All survey respondents less than 65 years old and whose risk of HIV status is known and have been tested for HIV

Have you been tested for HIV in the past twelve months?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		463	52	141	138	91	41
Yes		122	24	43	36	13	6
No		335	28	97	99	77	34
Don't know/not sure		6		1	3	1	1
Male	Total	196	20	54	57	47	18
	Yes	49	9	17	13	7	3
	No	144	11	37	42	40	14
	Don't know/not sure	3			2		1
Female	Total	267	32	87	81	44	23
	Yes	73	15	26	23	6	3
	No	191	17	60	57	37	20
	Don't know/not sure	3		1	1	1	

Denominator is: All survey respondents less than 65 years old and whose risk of HIV status is known and have been tested for HIV

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

What was the main reason you had your last test for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Hospitalization		3.3		3.4	3.7	9.8	5.1
Health Insurance		3.4		5.1	2.8	10.3	
Life Insurance		12.9		14.2	21.8	10.3	20.5
Employment		3.9	3.9	4.3	1.8	4.7	20.5
Marriage License		2.2		1.5	5.3		
Military		4.6	5.6	3.6	6.6		
Find out		25.4	30.7	36.5	16.9	10.5	8.4
Doctor referred		3.3	5.9	1.9	2.6		16.7
Pregnancy		9.1	14.8	13.2	4.2		
Sex partner		2.0		1.9	3.8		8.4
Blood Donation		.9	2.6		.7		
Routine Checkup		12.8	15.1	9.5	12.3	22.6	
Occupational Exposure		1.0			1.5	5.1	
Illness		2.7			3.0	15.4	10.2
At risk		3.9	5.9	2.4	3.5	5.6	
Other		8.6	15.7	2.4	9.5	5.6	10.2
Male	Hospitalization	2.0		4.4		4.8	7.7
	Health Insurance	2.0			2.6	9.5	
	Life Insurance	16.6		24.2	23.1	9.5	30.8
	Employment	5.0	8.7	6.6			30.8
	Marriage License	2.6			7.7		
	Military	6.6	5.8	6.6	10.3		
	Find out	22.7	37.7	38.5	10.3		
	Doctor referred	3.9	4.3	4.4	5.1		
	Pregnancy	.9			2.6		
	Sex partner	3.8		4.4	7.7		
	Blood Donation	1.4	5.8				
	Routine Checkup	15.2	11.6	6.6	17.9	38.1	
	Occupational Exposure	.6				4.8	
	Illness	2.3				14.3	15.4
	At risk	4.7	8.7	2.2	2.6	9.5	
	Other	9.9	17.4	2.2	10.3	9.5	15.4
Hospitalization		4.5		2.6	7.4	17.1	
Health Insurance		4.7		9.1	2.9	11.4	
Life Insurance		9.4		6.5	20.6	11.4	

Female	Employment	2.9		2.6	3.7	11.4	
	Marriage License	1.8		2.6	2.9		
	Military	2.8	5.4	1.3	2.9		
	Find out	27.8	25.0	35.1	23.5	25.7	25.0
	Doctor referred	2.8	7.1				50.0
	Pregnancy	16.6	26.8	23.4	5.9		
	Sex partner	.4					25.0
	Blood Donation	.5			1.5		
	Routine Checkup	10.7	17.9	11.7	6.6		
	Occupational Exposure	1.4			2.9	5.7	
	Illness	3.2			5.9	17.1	
	At risk	3.2	3.6	2.6	4.4		
	Other	7.5	14.3	2.6	8.8		

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

What was the main reason you had your last test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	
Total	190	35	67	58	22	8	
Hospitalization	7		2	2	2	1	
Health Insurance	7		3	2	2		
Life Insurance	23		8	12	2	1	
Employment	8	1	3	2	1	1	
Marriage License	3		1	2			
Military	8	2	3	3			
Find out	47	9	23	11	3	1	
Doctor referred	5	2	1	1		1	
Pregnancy	19	7	9	3			
Sex partner	3		1	1		1	
Blood Donation	2	1		1			
Routine Checkup	23	6	7	5	5		
Occupational Exposure	4			2	2		
Illness	5			2	2	1	
At risk	8	3	2	2	1		
Other	16	4	3	7	1	1	
Refused	2		1		1		
Male	Total	79	14	26	22	12	5
	Hospitalization	3		1		1	1
	Health Insurance	2			1	1	
	Life Insurance	13		6	5	1	1
	Employment	4	1	2			1
	Marriage License	1			1		
	Military	5	1	2	2		
	Find out	15	3	9	3		
	Doctor referred	3	1	1	1		
	Pregnancy	1			1		
	Sex partner	2		1	1		
	Blood Donation	1	1				
	Routine Checkup	11	2	1	3	5	
	Occupational Exposure	1				1	
	Illness	2				1	1
	At risk	5	2	1	1	1	
	Other	9	3	1	3	1	1

	Refused	1		1			
Female	Total	111	21	41	36	10	3
	Hospitalization	4		1	2	1	
	Health Insurance	5		3	1	1	
	Life Insurance	10		2	7	1	
	Employment	4		1	2	1	
	Marriage License	2		1	1		
	Military	3	1	1	1		
	Find out	32	6	14	8	3	1
	Doctor referred	2	1				1
	Pregnancy	18	7	9	2		
	Sex partner	1					1
	Blood Donation	1			1		
	Routine Checkup	12	4	6	2		
	Occupational Exposure	3			2	1	
	Illness	3			2	1	
	At risk	3	1	1	1		
	Other	7	1	2	4		
Refused	1				1		

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Where did you have your last blood test for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Private MD		33.9	32.7	37.9	35.3	17.1	45.6
Blood Bank		.6				5.6	
Health Dept.		7.7	10.4	9.3	2.1	11.2	18.6
AIDS clinic		.6		1.9			
Hospital		15.6	20.7	9.4	9.7	43.5	5.1
Family Planning		6.2	18.6	3.6	1.5		
Prenatal Clinic		1.0			3.1		
STD Clinic		.7		2.3			
Community Clinic		5.1	3.0	8.6	4.5	2.3	
Employer		1.9		6.1			
Insurance Co.		2.8		3.1	2.6	10.2	
Other public		3.1		3.3	6.6		
Military		4.6	2.7	2.6	8.1	5.6	
Home visit		7.9		10.4	11.6	4.6	20.5
Self test kit		2.5	2.7		5.7		
Jail prison		1.0	4.0				
Other		4.9	5.3	1.4	9.1		10.2
Male	Private MD	24.0	16.9	25.3	32.4	9.5	30.8
	Blood Bank	1.2				9.5	
	Health Dept.	8.4	12.3	6.3	2.7	19.0	15.4
	AIDS clinic	1.2		4.2			
	Hospital	18.3	33.8	14.7	2.7	42.9	7.7
	Family Planning	.7	3.1				
	STD Clinic	1.5		5.3			
	Community Clinic	3.6		6.3	5.4		
	Employer	3.0		10.5			
	Insurance Co.	3.5		2.1	5.4	9.5	
	Other public	5.6		4.2	13.5		
	Military	8.2	6.2	4.2	13.5	9.5	
	Home visit	8.6		16.8	8.1		30.8
	Self test kit	3.2	6.2		5.4		
	Jail prison	2.1	9.2				
Other	6.9	12.3		10.8		15.4	
Private MD		42.9	44.6	48.1	38.1	27.8	75.0
Health Dept.		7.1	8.9	11.7	1.5		25.0

Female	Hospital	13.2	10.7	5.2	16.4	44.4	
	Family Planning	11.2	30.4	6.5	3.0		
	Prenatal Clinic	1.9			6.0		
	Community Clinic	6.4	5.4	10.4	3.7	5.6	
	Employer	.8		2.6			
	Insurance Co.	2.1		3.9		11.1	
	Other public	.8		2.6			
	Military	1.3		1.3	3.0		
	Home visit	7.2		5.2	14.9	11.1	
	Self test kit	1.9			6.0		
	Other	3.2		2.6	7.5		

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Where did you have your last blood test for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		188	34	67	57	22	8
Private MD		62	12	25	18	4	3
Blood Bank		1				1	
Health Dept.		19	5	8	2	2	2
AIDS clinic		1		1			
Hospital		28	5	6	7	9	1
Family Planning		10	6	3	1		
Prenatal Clinic		2			2		
STD Clinic		1		1			
Community Clinic		10	1	5	3	1	
Employer		3		3			
Insurance Co.		5		2	1	2	
Other public		5		3	2		
Military		9	1	3	4	1	
Home visit		15		6	7	1	1
Self test kit		4	1		3		
Jail prison		1	1				
Don't know/Not sure		1			1		
Other		10	2	1	6		1
Refused		1				1	
Male	Total	78	13	26	22	12	5
	Private MD	16	3	6	5	1	1
	Blood Bank	1				1	
	Health Dept.	9	2	3	1	2	1
	AIDS clinic	1		1			
	Hospital	14	2	4	1	6	1
	Family Planning	1	1				
	STD Clinic	1		1			
	Community Clinic	4		2	2		
	Employer	1		1			
	Insurance Co.	3		1	1	1	
	Other public	3		1	2		
	Military	7	1	2	3	1	
	Home visit	7		4	2		1
	Self test kit	2	1		1		

	Jail prison	1	1				
	Don't know/Not sure	1			1		
	Other	6	2		3		1
Female	Total	110	21	41	35	10	3
	Private MD	46	9	19	13	3	2
	Health Dept.	10	3	5	1		1
	Hospital	14	3	2	6	3	
	Family Planning	9	5	3	1		
	Prenatal Clinic	2			2		
	Community Clinic	6	1	3	1	1	
	Employer	2		2			
	Insurance Co.	2		1		1	
	Other public	2		2			
	Military	2		1	1		
	Home visit	8		2	5	1	
	Self test kit	2			2		
	Other	4		1	3		
	Refused	1				1	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Did you receive the results of your last test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		81.1	86.9	81.5	76.4	76.1	100.0
No		18.9	13.1	18.5	23.6	23.9	
Male	Yes	79.9	90.8	81.1	74.4	66.7	100.0
	No	20.1	9.2	18.9	25.6	33.3	
Female	Yes	82.2	83.9	81.8	78.4	89.2	100.0
	No	17.8	16.1	18.2	21.6	10.8	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process

Did you receive the results of your last test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		188	34	67	57	22	8
Yes		156	29	56	45	18	8
No		32	5	11	12	4	
Male	Total	78	13	26	22	12	5
	Yes	66	12	23	17	9	5
	No	12	1	3	5	3	
Female	Total	110	21	41	35	10	3
	Yes	90	17	33	28	9	3
	No	20	4	8	7	1	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Did you receive counseling or talk with a health care professional about the results of your test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		26.0	15.9	29.7	32.2	19.4	35.3
No		74.0	84.1	70.3	67.8	80.6	64.7
Male	Yes	24.5	11.9	31.2	37.9		15.4
	No	75.5	88.1	68.8	62.1	100.0	84.6
Female	Yes	27.3	19.1	28.6	26.7	39.4	75.0
	No	72.7	80.9	71.4	73.3	60.6	25.0

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process and received the results of their last test

Did you receive counseling or talk with a health care professional about the results of your test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		156	29	56	45	18	8
Yes		45	7	18	14	3	3
No		111	22	38	31	15	5
Male	Total	66	12	23	17	9	5
	Yes	18	3	8	6		1
	No	48	9	15	11	9	4
Female	Total	90	17	33	28	9	3
	Yes	27	4	10	8	3	2
	No	63	13	23	20	6	1

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months and the test was not part of the blood donation process and received the results of their last test