

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you visit a health professional for routine care, is diabetes discussed?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		11.5	4.9	7.4	10.1	11.1	16.7	18.3
Often		4.2	4.3	4.7	3.8	3.5	5.1	4.3
Sometimes		26.2	22.8	26.5	28.3	29.3	27.4	21.9
Never		58.1	67.9	61.4	57.9	56.0	50.9	55.6
Male	Always	9.8	2.5	4.7	8.6	9.9	15.8	18.4
	Often	3.9	3.8	4.5	3.4	3.3	4.5	4.0
	Sometimes	24.1	20.9	23.2	25.9	26.6	26.6	20.4
	Never	62.2	72.8	67.6	62.0	60.2	53.0	57.2
Female	Always	13.0	7.4	10.1	11.4	12.3	17.4	18.2
	Often	4.5	4.9	4.8	4.1	3.8	5.6	4.4
	Sometimes	28.2	24.8	29.9	30.5	32.0	28.0	23.0
	Never	54.3	62.9	55.2	53.9	51.9	49.0	54.4

Denominator is: All survey respondents.

When you visit a health professional for routine care, is diabetes discussed?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,196	639	1,385	1,484	1,486	892	1,310
Always		820	32	102	145	171	149	221
Often		289	20	59	58	54	45	53
Sometimes		1,842	151	355	403	422	235	276
Never		4,098	425	849	849	809	452	714
Don't know/Not sure		129	10	19	26	27	8	39
Refused		18	1	1	3	3	3	7
Male	Total	3,039	293	618	648	654	372	454
	Always	295	8	28	53	71	58	77
	Often	111	8	23	21	23	18	18
	Sometimes	707	60	139	159	164	97	88
	Never	1,841	208	409	397	376	191	260
	Don't know/Not sure	72	8	18	15	18	5	8
	Refused	13	1	1	3	2	3	3
Female	Total	4,157	346	767	836	832	520	856
	Always	525	24	74	92	100	91	144
	Often	178	12	36	37	31	27	35
	Sometimes	1,135	91	216	244	258	138	188

Never	2,257	217	440	452	433	261	454
Don't know/Not sure	57	2	1	11	9	3	31
Refused	5				1		4

Denominator is: All survey respondents.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional talked with you about diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		44.5	37.4	44.5	39.8	46.3	48.7	48.7
No		55.5	62.6	55.5	60.2	53.7	51.3	51.3
Male	Yes	39.4	25.6	30.6	34.7	44.2	48.3	47.4
	No	60.6	74.4	69.4	65.3	55.8	51.7	52.6
Female	Yes	48.5	46.4	54.7	43.8	47.9	49.0	49.6
	No	51.5	53.6	45.3	56.2	52.1	51.0	50.4

Denominator is: All survey respondents who have discussed diabetes with their doctors.

In the past 12 months, has a health professional talked with you about diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,951	203	516	606	647	429	550
Yes		1,345	84	236	249	302	209	265
No		1,588	118	277	356	342	218	277
Don't know/Not sure		18	1	3	1	3	2	8
Male	Total	1,113	76	190	233	258	173	183
	Yes	457	22	62	86	118	81	88
	No	652	54	128	146	139	92	93
	Don't know/Not sure	4			1	1		2
Female	Total	1,838	127	326	373	389	256	367
	Yes	888	62	174	163	184	128	177
	No	936	64	149	210	203	126	184
	Don't know/Not sure	14	1	3		2	2	6

Denominator is: All survey respondents who have discussed diabetes with their doctors.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, have you been tested for diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		29.2	17.7	20.2	21.0	30.0	41.4	47.9
No		70.8	82.3	79.8	79.0	70.0	58.6	52.1
Male	Yes	26.1	10.7	15.0	19.6	29.0	40.6	47.9
	No	73.9	89.3	85.0	80.4	71.0	59.4	52.1
Female	Yes	32.2	24.9	25.6	22.4	31.1	42.1	47.9
	No	67.8	75.1	74.4	77.6	68.9	57.9	52.1

Denominator is: All survey respondents who do not have diabetes.

In the past 12 months, have you been tested for diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,116	639	1,380	1,482	1,470	868	1,277
Yes		2,039	117	280	315	433	343	551
No		4,822	505	1,078	1,132	987	481	639
Don't know/Not sure		253	17	22	34	50	44	86
Refused		2			1			1
Male	Total	3,008	293	616	648	650	362	439
	Yes	764	31	88	129	182	137	197
	No	2,131	250	518	500	445	205	213
	Don't know/Not sure	111	12	10	18	23	20	28
	Refused	2			1			1
Female	Total	4,108	346	764	834	820	506	838
	Yes	1,275	86	192	186	251	206	354
	No	2,691	255	560	632	542	276	426
	Don't know/Not sure	142	5	12	16	27	24	58

Denominator is: All survey respondents who do not have diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you were tested for diabetes in the past 12 months, was this for routine screening or because you had symptoms?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
For screening		85.0	86.5	83.2	80.6	86.2	85.2	87.2
For symptoms		10.7	12.1	14.6	14.3	10.7	10.0	7.3
For both screening and symptoms		4.2	1.4	2.3	5.1	3.1	4.9	5.5
Male	For screening	87.9	97.8	86.7	83.8	90.6	85.0	89.0
	For symptoms	8.7		9.2	12.8	8.1	10.9	6.8
	For both screening and symptoms	3.3	2.2	4.0	3.4	1.2	4.2	4.2
Female	For screening	82.8	81.5	81.0	77.8	82.1	85.3	85.8
	For symptoms	12.3	17.5	17.8	15.6	13.0	9.1	7.7
	For both screening and symptoms	4.9	1.1	1.2	6.6	4.9	5.5	6.5

Denominator is: All survey respondents who do not currently have diabetes and have been tested for diabetes in the past 12 months.

When you were tested for diabetes in the past 12 months, was this for routine screening or because you had symptoms?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,047	117	281	315	436	343	555
For screening		1,699	98	223	247	366	289	476
For symptoms		235	16	49	46	48	35	41
For both screening and symptoms		84	2	6	15	16	16	29
Don't know/Not sure		26	1	3	6	5	3	8
Refused		3			1	1		1
Male	Total	769	31	89	129	183	137	200
	For screening	663	30	75	107	160	116	175
	For symptoms	70		9	16	16	15	14
	For both screening and symptoms	26	1	4	5	3	5	8
	Don't know/Not sure	9		1		4	1	3
	Refused	1			1			
Female	Total	1,278	86	192	186	253	206	355
	For screening	1,036	68	148	140	206	173	301
	For symptoms	165	16	40	30	32	20	27
	For both screening and symptoms	58	1	2	10	13	11	21
	Don't know/Not sure	17	1	2	6	1	2	5
	Refused	2				1		1

Denominator is: All survey respondents who do not currently have diabetes and have been tested for diabetes in the past 12 months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever been told by a doctor that you have diabetes? If YES AND FEMALE, "Was this only when you were pregnant?"
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		4.8	.6	1.4	3.2	4.1	8.3	11.0
Yes, but female told only during pregnancy		1.5	2.3	1.8	2.7	.9	.7	.2
No		93.7	97.2	96.8	94.1	95.0	91.0	88.8
Male	Yes	4.2	.4	1.2	3.0	3.3	7.4	10.8
	No	95.8	99.6	98.8	97.0	96.7	92.6	89.2
Female	Yes	5.3	.7	1.6	3.4	4.8	9.1	11.0
	Yes, but female told only during pregnancy	2.7	4.7	3.5	5.1	1.9	.5	.4
	No	92.0	94.6	94.9	91.5	93.3	90.4	88.5

Denominator is: All survey respondents.

Have you ever been told by a doctor that you have diabetes? If YES AND FEMALE, "Was this only when you were pregnant?"
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		5,401	456	1,041	1,142	1,118	681	963
Yes		269	3	16	35	48	61	106
Yes, but female told only during pregnancy		83	6	20	35	13	6	3
No		5,046	447	1,004	1,072	1,056	614	853
Don't know/Not sure		3		1		1		1
Male	Total	2,269	202	462	495	494	285	331
	Yes	104	1	6	15	21	22	39
	No	2,164	201	455	480	473	263	292
	Don't know/Not sure	1		1				
Female	Total	3,127	254	578	646	624	393	632
	Yes	165	2	10	20	27	39	67
	Yes, but female told only during pregnancy	78	6	19	34	13	3	3
	No	2,882	246	549	592	583	351	561
	Don't know/Not sure	2				1		1

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How old were you when you were told you have diabetes?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
2	.2			1.8			
4	.3				1.7		
5	.4			3.6			
6	.4					1.6	
8	.4						.9
9	.3	31.1					
10	1.0	37.8	4.4	2.8			
11	.8			6.3			
12	.3					1.3	
13	.3				1.7		
14	.5		8.2				
15	1.1		4.4		4.2		.5
16	1.8		23.1	3.6			
17	.5	31.1			.4	.6	
19	.6		6.6		1.1		
20	.2				1.1		
21	.8		4.4	1.8		1.3	
22	.5		2.2		2.2		
23	.8		4.4	1.8	1.9		
24	.4			2.8	.7		
25	1.8		15.3	6.9			
26	.5		4.4		1.7		
27	.7			5.5			
28	1.5		7.7	5.0			1.1
29	.3		5.4				
30	2.4		2.7	11.0	3.4		.9
31	.5		2.2			1.6	
33	.6		4.4	1.4		.6	
34	1.8			3.6	3.6	1.0	1.3
35	1.9			6.8	.8		2.3
36	.3				2.2		
37	1.3			10.5			
38	1.4			5.0	3.0	1.3	
39	2.2			4.1	.8	1.6	2.9

40	3.2		2.8	4.7	4.1	2.8
41	1.2		8.2	1.7		
42	2.4			7.6	2.9	1.4
43	2.3		5.0	8.0	1.9	
44	1.1			3.0	1.9	.4
45	3.1			8.3	3.1	2.7
46	1.0			4.5	1.3	
47	2.1			7.2	2.5	.9
48	1.4			3.8	2.5	.4
49	1.3			3.9	3.1	
50	4.3			5.0	10.7	2.4
51	1.5			8.4		.4
52	2.0				3.2	2.9
53	1.8			3.3	5.4	
54	2.1				8.9	
55	2.9				9.6	1.5
56	2.0				6.3	1.3
57	.8				1.6	.9
58	2.8				7.5	2.6
59	.7				2.1	.4
60	5.0				1.9	10.7
61	.9				1.3	1.5
62	2.9				4.6	4.3
63	1.3				1.9	2.0
64	1.2				.6	2.4
65	3.4					8.0
66	1.1					2.5
67	.9					2.0
68	2.0					4.7
69	1.2					2.9
70	2.3					5.5
71	.6					1.5
72	3.0					7.1
73	1.3					3.1
74	.6					1.5
75	1.5					3.5
76	.4					.9
77	.9					2.1
78	.6					1.3
79	.5					1.1

Male

2	.5			4.3			
5	1.0			8.5			
6	.9					3.6	
10	.9	100.0					
11	1.0			8.5			
14	1.2		21.4				
15	.5						1.3
16	1.8		14.3	8.5			
19	.4				2.9		
20	.4				2.9		
21	.5			4.3			
22	.8				5.9		
23	.9			4.3	2.9		
24	.3				2.0		
25	1.6		28.6				
28	2.9		14.3	8.5			2.5
29	.8		14.3				
30	.4		7.1				
31	.9					3.6	
34	1.4			8.5	2.9		
35	2.1			12.8			1.3
36	.8				5.9		
37	1.0			8.5			
38	1.8			8.5	5.9		
39	2.5					3.6	3.8
40	4.1				5.9	9.1	2.5
41	.8			6.4			
42	1.4					3.6	1.3
43	3.1			8.5	14.6		
44	.8				5.9		
45	2.6				8.8	5.5	
46	.4				2.9		
47	.8				5.9		
48	1.4				10.2		
49	2.2				5.9	5.5	
50	5.6					18.2	2.5
52	1.6						3.8
53	2.1				8.8	3.6	
54	3.2					12.7	
55	2.9					7.3	2.5
57	.9					3.6	

58	4.9					10.9	5.0
59	.5					1.8	
60	4.3						10.1
61	1.1						2.5
62	3.4					7.3	3.8
63	1.1						2.5
64	1.1						2.5
65	2.7						6.3
66	1.6						3.8
67	1.6						3.8
68	1.6						3.8
69	3.0						6.9
70	1.1						2.5
71	1.1						2.5
72	2.7						6.3
74	1.1						2.5
75	2.7						6.3
77	2.2						5.0
79	1.1						2.5
4	.4				2.7		
8	.7						1.5
9	.5	50.0					
10	1.0		7.1	4.8			
11	.6			4.8			
12	.5					2.3	
13	.4				2.7		
15	1.6		7.1		6.7		
16	1.9		28.6				
17	.9	50.0			.7	1.2	
19	.7		10.7				
21	1.0		7.1			2.3	
22	.2		3.6				
23	.7		7.1		1.3		
24	.6			4.8			
25	1.9		7.1	11.9			
26	.9		7.1		2.7		
27	1.1			9.5			
28	.5		3.6	2.4			
30	3.8			19.0	5.4		1.5
31	.2		3.6				
33	1.0		7.1	2.4		1.2	

Female

34	2.0			4.0	1.7	2.3
35	1.8		2.4	1.3		3.1
37	1.4		11.9			
38	1.0		2.4	1.3	2.3	
39	2.1		7.1	1.3		2.3
40	2.5		4.8	4.0		3.1
41	1.6		9.5	2.7		
42	3.2			12.1	2.3	1.5
43	1.7		2.4	4.0	3.5	
44	1.3			1.3	3.5	.8
45	3.5			8.1	1.2	4.6
46	1.4			5.4	2.3	
47	3.0			8.1	4.6	1.5
48	1.3				4.6	.8
49	.7			2.7	1.2	
50	3.3			8.1	4.6	2.3
51	2.6			13.4		.8
52	2.2				5.8	2.3
53	1.5				6.9	
54	1.3				5.8	
55	2.8				11.6	.8
56	3.5				11.6	2.3
57	.7					1.5
58	1.3				4.6	.8
59	.8				2.3	.8
60	5.5				3.5	11.2
61	.8				2.3	.8
62	2.5				2.3	4.6
63	1.4				3.5	1.5
64	1.2				1.2	2.3
65	3.9					9.3
66	.7					1.5
67	.3					.8
68	2.3					5.4
70	3.3					7.7
71	.3					.8
72	3.3					7.7
73	2.3					5.4
74	.3					.8
75	.7					1.5
	.7					1.5

	76							
	78	1.0						2.3
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How old were you when you were told you have diabetes?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	349	3	21	37	64	85	139
2	1			1			
4	1				1		
5	1			1			
6	1					1	
8	1						1
9	1	1					
10	3	1	1	1			
11	2			2			
12	1					1	
13	1				1		
14	2		2				
15	3		1		1		1
16	3		2	1			
17	3	1			1	1	
19	3		2		1		
20	1				1		
21	3		1	1		1	
22	2		1		1		
23	4		1	1	2		
24	2			1	1		
25	5		3	2			
26	2		1		1		
27	1			1			
28	5		2	2			1
29	1		1				
30	8		1	3	2		2
31	2		1			1	
33	3		1	1		1	
34	5			1	2	1	1
35	7			3	1		3
36	1				1		
37	3			3			
38	5			2	2	1	

39	7			1	1	1	4
40	12			2	3	3	4
41	5			4	1		
42	10				5	3	2
43	8			2	5	1	
44	4				2	1	1
45	11				4	3	4
46	6				5	1	
47	8				5	2	1
48	6				3	2	1
49	4				2	2	
50	13				2	8	3
51	4				3		1
52	9					5	4
53	6				2	4	
54	7					7	
55	11					9	2
56	7					5	2
57	2					1	1
58	8					5	3
59	4					3	1
60	12					2	10
61	4					2	2
62	9					3	6
63	5					2	3
64	4					1	3
65	10						10
66	3						3
67	3						3
68	6						6
69	4						4
70	8						8
71	2						2
72	9						9
73	4						4
74	2						2
75	5						5
76	1						1
77	3						3
78	2						2

79		1						1
Don't know/Not sure		13			1	2	1	9
Male	Total	135	1	8	15	25	32	54
	2	1			1			
	5	1			1			
	6	1					1	
	10	1	1					
	11	1			1			
	14	2		2				
	15	1						1
	16	2		1	1			
	19	1				1		
	20	1				1		
	21	1			1			
	22	1				1		
	23	2			1	1		
	24	1				1		
	25	2		2				
	28	3		1	1			1
	29	1		1				
	30	1		1				
	31	1						1
	34	2			1	1		
	35	3			2			1
	36	1				1		
	37	1			1			
	38	2			1	1		
	39	3					1	2
	40	5				1	3	1
	41	1			1			
	42	3					2	1
	43	4			1	3		
	44	1				1		
45	5				3	2		
46	1				1			
47	2				2			
48	3				3			
49	2				1	1		
50	6					5	1	
52	2						2	
53	3				2	1		

54	4					4	
55	4					3	1
57	1					1	
58	5					3	2
59	1					1	
60	4						4
61	1						1
62	4					2	2
63	1						1
64	1						1
65	3						3
66	2						2
67	2						2
68	2						2
69	4						4
70	1						1
71	1						1
72	3						3
74	1						1
75	3						3
77	3						3
79	1						1
Don't know/Not sure	8				1	1	6
Total	214	2	13	22	39	53	85
4	1				1		
8	1						1
9	1	1					
10	2		1	1			
11	1			1			
12	1					1	
13	1				1		
15	2		1		1		
16	1		1				
17	3	1			1	1	
19	2		2				
21	2		1			1	
22	1		1				
23	2		1		1		
24	1			1			
25	3		1	2			
26	2		1		1		

Female

27	1			1			
28	2		1	1			
30	7			3	2		2
31	1		1				
33	3		1	1		1	
34	3				1	1	1
35	4			1	1		2
37	2			2			
38	3			1	1	1	
39	4			1	1		2
40	7			2	2		3
41	4			3	1		
42	7				5	1	1
43	4			1	2	1	
44	3				1	1	1
45	6				1	1	4
46	5				4	1	
47	6				3	2	1
48	3					2	1
49	2				1	1	
50	7				2	3	2
51	4				3		1
52	7					5	2
53	3					3	
54	3					3	
55	7					6	1
56	7					5	2
57	1						1
58	3					2	1
59	3					2	1
60	8					2	6
61	3					2	1
62	5					1	4
63	4					2	2
64	3					1	2
65	7						7
66	1						1
67	1						1
68	4						4
70	7						7
	1						1

71							
72	6						6
73	4						4
74	1						1
75	2						2
76	1						1
78	2						2
Don't know/Not sure	5					2	3

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How concerned are you about the long term complications of diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at all concerned		13.6		10.9	5.3	2.5	9.0	22.8
Slightly concerned		23.3	37.8	43.4	23.9	23.2	17.5	23.0
Somewhat concerned		22.2	62.2	18.7	16.8	24.0	27.9	19.7
Very concerned		39.3		27.0	54.0	46.0	42.8	33.5
Don't know/Not sure		1.5				2.7	2.9	.9
Refused		.3				1.6		
Male	Not at all concerned	17.7		28.6			14.3	28.9
	Slightly concerned	25.8	100.0	50.0	45.1	41.0	10.7	19.7
	Somewhat concerned	18.3		14.3	7.8	21.0	32.1	13.9
	Very concerned	36.4		7.1	47.1	35.1	39.3	36.4
	Don't know/Not sure	1.8				2.9	3.6	1.2
Female	Not at all concerned	10.5			9.5	3.9	4.6	18.1
	Slightly concerned	21.4		39.3	7.1	12.9	23.1	25.7
	Somewhat concerned	25.0	100.0	21.4	23.8	25.8	24.3	24.2
	Very concerned	41.4		39.3	59.5	52.3	45.7	31.3
	Don't know/Not sure	1.3				2.6	2.3	.8
	Refused	.4				2.6		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

How concerned are you about the long term complications of diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Not at all concerned		43		2	2	2	7	30
Slightly concerned		79	1	7	9	16	15	31
Somewhat concerned		83	2	4	6	17	26	28
Very concerned		137		8	20	26	35	48
Don't know/Not sure		6				2	2	2
Refused		1				1		
Male	Total	135	1	8	15	25	32	54
	Not at all concerned	21		2			4	15
	Slightly concerned	35	1	4	6	10	4	10
	Somewhat concerned	27		1	1	6	11	8
	Very concerned	49		1	8	8	12	20
	Don't know/Not sure	3				1	1	1

Female	Total	214	2	13	22	39	53	85
	Not at all concerned	22			2	2	3	15
	Slightly concerned	44		3	3	6	11	21
	Somewhat concerned	56	2	3	5	11	15	20
	Very concerned	88		7	12	18	23	28
	Don't know/Not sure	3				1	1	1
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you now taking insulin?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		35.2	100.0	46.1	45.1	33.4	28.1	33.9
No		64.8		53.9	54.9	66.6	71.9	66.1
Male	Yes	35.6	100.0	57.1	56.9	34.1	28.6	30.1
	No	64.4		42.9	43.1	65.9	71.4	69.9
Female	Yes	34.9	100.0	39.3	35.7	32.9	27.7	37.0
	No	65.1		60.7	64.3	67.1	72.3	63.0

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Are you now taking insulin?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		123	3	10	16	22	24	48
No		224		11	21	42	61	89
Don't know/Not sure		2						2
Male	Total	135	1	8	15	25	32	54
	Yes	48	1	4	9	8	9	17
	No	87		4	6	17	23	37
Female	Total	214	2	13	22	39	53	85
	Yes	75	2	6	7	14	15	31
	No	137		7	15	25	38	52
	Don't know/Not sure	2						2

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Currently, about how often do you use insulin?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
101		16.7			12.2	27.0	13.8	20.2
102		57.8	31.1	42.8	46.4	33.7	71.4	69.1
103		8.9		11.8	12.5	25.1	4.5	3.8
104		7.3		28.8	12.5	7.4	5.8	2.5
105		1.6			8.2	2.5		
106		2.1	31.1		8.2			
202		.9		11.8				
214		.5						1.3
221		.5				3.2		
Use insulin pump		3.7	37.8	4.8		1.2	4.5	3.0
Male	101	19.4			23.1		25.0	26.9
	102	57.3		50.0	46.2	57.1	62.5	65.4
	103	6.6		25.0		34.3		
	104	2.5					12.5	
	105	2.8			15.4			
	106	2.8			15.4			
	202	2.2		25.0				
	221	1.1				8.6		
	Use insulin pump	5.4	100.0					7.7
Female	101	14.7				43.1	4.2	15.8
	102	58.2	50.0	36.4	46.7	19.6	79.2	71.6
	103	10.6			26.7	19.6	8.3	6.3
	104	11.0		54.5	26.7	11.8		4.2
	105	.6				3.9		
	106	1.5	50.0					
	214	.9						2.1
	Use insulin pump	2.4		9.1		2.0	8.3	
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Currently, about how often do you use insulin?
(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		123	3	10	16	22	24	48
101		19			2	5	3	9
102		70	1	4	6	8	18	33
103		13		1	3	5	1	3
104		8		3	2	1	1	1
105		2			1	1		
106		2	1		1			
202		1		1				
214		1						1
221		1				1		
Use insulin pump		5	1	1		1	1	1
Don't know/Not sure		1			1			
Male	Total	48	1	4	9	8	9	17
	101	8			2		2	4
	102	29		2	4	5	6	12
	103	3		1		2		
	104	1					1	
	105	1			1			
	106	1			1			
	202	1		1				
	221	1				1		
	Use insulin pump	2	1					1
	Don't know/Not sure	1			1			
Female	Total	75	2	6	7	14	15	31
	101	11				5	1	5
	102	41	1	2	2	3	12	21
	103	10			3	3	1	3
	104	7		3	2	1		1
	105	1				1		
	106	1	1					
	214	1						1
	Use insulin pump	3		1		1	1	
	Denominator is: All survey respondents who were told by their doctors that they had diabetes.							

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

About how often do you check your blood for glucose or sugar?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
101	21.8	31.1	4.4	3.5	13.7	25.7	29.8
102	18.6		25.2	21.9	13.5	18.5	18.8
103	9.4			21.5	13.8	3.9	8.9
104	5.7		17.7	12.8	6.0	5.3	2.2
105	2.2	31.1		4.4		3.8	1.0
106	.7		5.4			1.6	
108	.3				2.4		
109	.8	37.8		1.3		1.3	
201	5.6			6.9	13.1	3.1	5.0
202	3.9		5.4	6.1		3.7	4.5
203	5.0			1.3	2.4	8.7	5.9
204	1.0				1.8	1.3	1.0
205	1.0				3.3	1.6	.4
206	.2				1.2		
208	.2						.4
214	.3				1.8		
221	.4				1.2		.4
301	1.6					5.5	.9
302	1.2				2.4	1.3	1.3
303	.4			3.5			
305	.6		4.4				.9
308	.3				1.8		
315	.4						1.0
330	.4					1.6	
401	.8				1.8		1.4
402	1.3			1.3	2.4		1.9
403	.4					.8	.5
404	.4		6.6				
Never	15.1		30.8	15.4	17.8	12.4	13.8
	101	21.1		7.8	11.7	23.2	29.5
	102	15.8	42.9	25.5		8.9	18.5
	103	7.6		15.7	10.7	7.1	5.8
	104	2.3		7.8	5.9		1.2
	105	1.5		3.9			2.3
	106	1.6	14.3			3.6	

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

About how often do you check your blood for glucose or sugar?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	349	3	21	37	64	85	139	
101	78	1	1	2	10	23	41	
102	63		5	7	8	17	26	
103	33			7	11	3	12	
104	22		5	5	3	5	4	
105	6	1		2		2	1	
106	2		1			1		
108	1				1			
109	3	1		1		1		
201	18			2	6	2	8	
202	12		1	3		3	5	
203	20			1	2	8	9	
204	4				1	2	1	
205	4				2	1	1	
206	1				1			
208	1						1	
214	1				1			
221	2				1		1	
301	5					4	1	
302	4				1	1	2	
303	1			1				
305	2		1				1	
308	1				1			
315	1						1	
330	1					1		
401	3				1		2	
402	4			1	1		2	
403	2					1	1	
404	2		2					
Don't know/Not sure	4				3		1	
Never	48		5	5	10	10	18	
	Total	135	1	8	15	25	32	54
	101	28			2	3	7	16
	102	21		3	4		4	10

Male	103	11			2	4	2	3
	104	3			1	1		1
	105	2			1			1
	106	2		1			1	
	108	1				1		
	109	1	1					
	201	9			2	3	1	3
	202	6		1	1		2	2
	203	8				2	4	2
	204	1						1
	205	2				1	1	
	206	1				1		
	221	1				1		
	301	3					3	
	302	1				1		
	303	1			1			
	315	1						1
	330	1					1	
	401	1						1
	402	2				1		1
403	2					1	1	
Never	26		3	1	6	5	11	
Female	Total	214	2	13	22	39	53	85
	101	50	1	1		7	16	25
	102	42		2	3	8	13	16
	103	22			5	7	1	9
	104	19		5	4	2	5	3
	105	4	1		1		2	
	109	2			1		1	
	201	9				3	1	5
	202	6			2		1	3
	203	12			1		4	7
	204	3				1	2	
	205	2				1		1
	208	1						1
	214	1				1		
	221	1						1
	301	2					1	1
	302	3					1	2
	305	2		1				1
	308	1				1		

401	2				1		1
402	2			1			1
404	2		2				
Don't know/Not sure	4				3		1
Never	22		2	4	4	5	7

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

About how many times in the last year have you seen a health professional for your diabetes?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
0	.4						1.0
1	10.9	31.1		5.2	13.8	12.7	11.7
2	21.7		33.0	19.8	20.4	19.2	22.8
3	9.8		9.9	14.0	7.6	15.2	6.7
4	18.7		14.3	12.4	17.3	15.6	23.6
5	2.1			4.0	.8	4.7	1.0
6	5.5	31.1	4.4	14.4	7.9	4.3	2.2
7	.7				3.3		.4
8	1.7		5.4	4.8	2.5	1.7	
9	1.0		4.4	3.5	2.2		
10	1.3			3.5		3.9	
12	8.7		13.3	2.7	4.2	10.6	10.6
14	.3				1.7		
15	.3					1.3	
16	.1		2.2				
20	1.6	37.8	2.2			1.3	1.9
24	.9			1.3	2.2		.9
25	.4						1.0
26	.1					.7	
30	.5			1.3	2.2		
60	.4				2.5		
76 or more	.9					1.7	1.3
None	12.0		10.9	13.2	11.6	7.3	14.8
Male	0	1.0					2.3
	1	11.5		11.8	14.6	14.3	10.5
	2	18.1		28.6	11.8	14.6	22.2
	3	8.6		14.3	13.7	5.9	8.2
	4	22.4		14.3	3.9	26.3	27.5
	5	2.2					7.1
	6	4.8			23.5	7.8	3.6
	8	2.6		14.3	7.8		3.6
	9	1.8			7.8	5.9	
	10	1.0			7.8		
	12	9.5					16.1
	20	1.9	100.0				

	24	.8				5.9		
	25	1.0						2.3
	30	.8				5.9		
	76 or more	.9					3.6	
	None	11.1		28.6	11.8	13.2	7.1	10.5
Female	1	10.5	50.0			13.2	11.2	12.6
	2	24.4		35.7	26.2	23.8	23.6	23.3
	3	10.7		7.1	14.3	8.6	22.4	5.5
	4	15.8		14.3	19.0	11.9	8.7	20.6
	5	1.9			7.1	1.3	2.5	.8
	6	6.0	50.0	7.1	7.1	7.9	5.0	4.0
	7	1.2				5.3		.8
	8	1.0			2.4	4.0		
	9	.5		7.1				
	10	1.5					7.5	
	12	8.0		21.4	4.8	6.6	5.6	8.7
	14	.5				2.6		
	15	.5					2.5	
	16	.2		3.6				
	20	1.4		3.6			2.5	1.6
	24	1.0			2.4			1.6
	26	.3					1.2	
	30	.3			2.4			
	60	.7				4.0		
	76 or more	1.0						2.4
None	12.8			14.3	10.6	7.5	18.2	
Denominator is: All survey respondents who were told by their doctors that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

About how many times in the last year have you seen a health professional for your diabetes?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	349	3	21	37	64	85	139	
0	1						1	
1	32	1		2	6	8	15	
2	70		4	7	10	21	28	
3	34		2	6	6	11	9	
4	66		4	5	12	12	33	
5	7			1	1	3	2	
6	21	1	1	4	9	3	3	
7	2				1		1	
8	6		1	2	2	1		
9	3		1	1	1			
10	4			1		3		
12	31		3	1	3	8	16	
14	1				1			
15	1					1		
16	1		1					
20	5	1	1			1	2	
24	4			1	1		2	
25	1						1	
26	1					1		
30	2			1	1			
60	1				1			
76 or more	3					1	2	
Don't know/Not sure	9				1	4	4	
None	42		3	5	8	7	19	
Refused	1						1	
	Total	135	1	8	15	25	32	54
	0	1					1	
	1	15		2	3	4	6	
	2	25		2	2	6	12	
	3	11		1	2	2	4	
	4	30		1	1	7	14	
	5	3				2	1	
	6	7		3	3	1		
	8	3		1	1	1		

Male	9	2			1	1		
	10	1			1			
	12	12					5	7
	20	2	1					1
	24	1				1		
	25	1						1
	30	1				1		
	76 or more	1					1	
	None	18		3	2	4	3	6
	Refused	1						1
	Female	Total	214	2	13	22	39	53
1		17	1			3	4	9
2		45		2	5	7	15	16
3		23		1	4	4	9	5
4		36		3	4	5	5	19
5		4			1	1	1	1
6		14	1	1	1	6	2	3
7		2				1		1
8		3			1	2		
9		1		1				
10		3					3	
12		19		3	1	3	3	9
14		1				1		
15		1					1	
16		1		1				
20		3		1			1	1
24		3			1			2
26		1					1	
30		1			1			
60		1				1		
76 or more		2						2
Don't know/Not sure	9				1	4	4	
None	24			3	4	4	13	
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Was there a time in the past 12 months when you needed to see a doctor for your diabetes or to get your medicine but could not because of cost?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		13.6		27.6	31.3	20.9	6.6	8.1
No		86.4	100.0	72.4	68.7	79.1	93.4	91.9
Male	Yes	8.6		14.3	19.6	14.6	1.8	6.9
	No	91.4	100.0	85.7	80.4	85.4	98.2	93.1
Female	Yes	17.4		35.7	40.5	24.5	10.7	9.1
	No	82.6	100.0	64.3	59.5	75.5	89.3	90.9

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Was there a time in the past 12 months when you needed to see a doctor for your diabetes or to get your medicine but could not because of cost?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		44		3	11	13	5	12
No		304	3	18	26	51	79	127
Don't know/Not sure		1					1	
Male	Total	135	1	8	15	25	32	54
	Yes	12		1	3	3	1	4
	No	123	1	7	12	22	31	50
Female	Total	214	2	13	22	39	53	85
	Yes	32		2	8	10	4	8
	No	181	2	11	14	29	48	77
	Don't know/Not sure	1					1	

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-a-ted he-mo-glo-bin) or hemoglobin (A one C)?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		40.6	100.0	56.5	44.1	41.7	37.0	37.7
No		59.4		43.5	55.9	58.3	63.0	62.3
Male	Yes	39.5	100.0	78.6	45.8	45.1	33.3	33.3
	No	60.5		21.4	54.2	54.9	66.7	66.7

Female	Yes	41.4	100.0	42.9	42.9	39.9	40.1	41.2
	No	58.6		57.1	57.1	60.1	59.9	58.8

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-a-ted he-mo-glo-bin) or hemoglobin (A one C)?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		143	2	14	17	28	30	52
No		190		7	19	34	52	78
Don't know/Not sure		16	1		1	2	3	9
Male	Total	135	1	8	15	25	32	54
	Yes	54	1	6	7	11	10	19
	No	76		2	7	13	21	33
	Don't know/Not sure	5			1	1	1	2
Female	Total	214	2	13	22	39	53	85
	Yes	89	1	8	10	17	20	33
	No	114		5	12	21	31	45
	Don't know/Not sure	11	1			1	2	7

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Do you know the results of your last glycosylated hemoglobin test?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		64.2	100.0	68.6	63.1	65.8	69.6	56.3
No		35.8		31.4	36.9	34.2	30.4	43.7
Male	Yes	68.4	100.0	66.7	77.8	81.8	62.5	61.7
	No	31.6		33.3	22.2	18.2	37.5	38.3
Female	Yes	60.6	100.0	70.0	52.9	55.6	74.6	50.0
	No	39.4		30.0	47.1	44.4	25.4	50.0

Denominator is: All survey respondents who were told by their doctors that they had diabetes, have seen a health professional in the past 12 months about diabetes, heard of glycosylated hemoglobin, and had their blood checked for glycosylated hemoglobin in the last year.

Do you know the results of your last glycosylated hemoglobin test?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		112	2	10	15	23	27	35
Yes		69	2	7	9	16	17	18
No		37		3	5	5	9	15
Don't know/Not sure		6			1	2	1	2
Male	Total	45	1	3	6	8	10	17
	Yes	29	1	2	4	7	5	10
	No	13		1	1	1	4	6
	Don't know/Not sure	3			1		1	1
Female	Total	67	1	7	9	15	17	18
	Yes	40	1	5	5	9	12	8
	No	24		2	4	4	5	9
	Don't know/Not sure	3				2		1

Denominator is: All survey respondents who were told by their doctors that they had diabetes, have seen a health professional in the past 12 months about diabetes, heard of glycosylated hemoglobin, and had their blood checked for glycosylated hemoglobin in the last year.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional explained to you the importance of testing your blood glucose?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		79.5	100.0	74.1	82.4	70.2	83.6	80.1
Yes, but you are still confused by this		9.0		17.7	10.6	17.0	10.1	4.1
No, no one has explained this to you		11.5		8.2	6.9	12.8	6.3	15.8
Male	Yes, and you understand completely	83.0	100.0	78.6	84.3	71.4	89.3	82.7
	Yes, but you are still confused by this	5.0				21.1	5.4	2.3
	No, no one has explained this to you	12.0		21.4	15.7	7.5	5.4	15.0
Female	Yes, and you understand completely	76.9	100.0	71.4	81.0	69.5	78.7	78.0
	Yes, but you are still confused by this	12.0		28.6	19.0	14.6	14.2	5.5
	No, no one has explained this to you	11.1				15.9	7.1	16.5

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional explained to you the importance of testing your blood glucose?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes, and you understand completely		280	3	18	32	44	71	112
Yes, but you are still confused by this		27		1	3	9	7	7
No, no one has explained this to you		37		2	2	9	6	18
Don't know/Not sure		4				1	1	2
Refused		1				1		
Male	Total	135	1	8	15	25	32	54
	Yes, and you understand completely	110	1	6	13	17	28	45
	Yes, but you are still confused by this	7				4	2	1
	No, no one has explained this to you	17		2	2	3	2	8
	Don't know/Not sure	1				1		
Female	Total	214	2	13	22	39	53	85
	Yes, and you understand completely	170	2	12	19	27	43	67
	Yes, but you are still confused by this	20		1	3	5	5	6
	No, no one has explained this to you	20				6	4	10
	Don't know/Not sure	3					1	2
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional explained to you how and when to test your blood glucose?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		76.7	62.2	79.6	81.1	64.7	83.8	76.0
Yes, but you are still confused by this		6.7			10.1	17.2	4.5	4.2
No, no one has explained this to you		16.6	37.8	20.4	8.8	18.0	11.7	19.8
Male	Yes, and you understand completely	79.4		92.9	84.3	59.3	85.7	80.3
	Yes, but you are still confused by this	5.3			7.8	18.1		4.6
	No, no one has explained this to you	15.2	100.0	7.1	7.8	22.6	14.3	15.0
Female	Yes, and you understand completely	74.7	100.0	71.4	78.6	67.7	82.2	72.6
	Yes, but you are still confused by this	7.6			11.9	16.8	8.3	3.8
	No, no one has explained this to you	17.6		28.6	9.5	15.5	9.5	23.6

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional explained to you how and when to test your blood glucose?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes, and you understand completely		273	2	19	31	42	71	108
Yes, but you are still confused by this		18			3	8	2	5
No, no one has explained this to you		55	1	2	3	13	11	25
Don't know/Not sure		3				1	1	1
Male	Total	135	1	8	15	25	32	54
	Yes, and you understand completely	104		7	13	14	27	43
	Yes, but you are still confused by this	6			1	3		2
	No, no one has explained this to you	24	1	1	1	7	5	9
	Don't know/Not sure	1				1		
Female	Total	214	2	13	22	39	53	85
	Yes, and you understand completely	169	2	12	18	28	44	65
	Yes, but you are still confused by this	12			2	5	2	3
	No, no one has explained this to you	31		1	2	6	6	16
	Don't know/Not sure	2					1	1

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional explained how to adjust your food choices to help manage your blood glucose?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		70.2	31.1	59.9	68.3	66.7	73.7	72.4
Yes, but you are still confused by this		9.5	37.8	8.8	19.4	6.6	9.4	7.4
No, no one has explained this to you		20.3	31.1	31.3	12.2	26.8	16.9	20.2
Male	Yes, and you understand completely	72.8		64.3	76.5	53.3	80.4	75.7
	Yes, but you are still confused by this	7.9	100.0		7.8	9.0	5.4	8.1
	No, no one has explained this to you	19.3		35.7	15.7	37.7	14.3	16.2
Female	Yes, and you understand completely	68.3	50.0	57.1	61.9	74.2	68.2	69.8
	Yes, but you are still confused by this	10.8		14.3	28.6	5.2	12.7	6.8
	No, no one has explained this to you	21.0	50.0	28.6	9.5	20.6	19.1	23.4

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional explained how to adjust your food choices to help manage your blood glucose?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes, and you understand completely		252	1	15	25	44	62	105
Yes, but you are still confused by this		31	1	2	6	5	7	10
No, no one has explained this to you		65	1	4	6	14	16	24
Don't know/Not sure		1				1		
Male	Total	135	1	8	15	25	32	54
	Yes, and you understand completely	95		5	11	13	25	41
	Yes, but you are still confused by this	10	1		1	2	2	4
	No, no one has explained this to you	29		3	3	9	5	9
	Don't know/Not sure	1				1		
Female	Total	214	2	13	22	39	53	85
	Yes, and you understand completely	157	1	10	14	31	37	64
	Yes, but you are still confused by this	21		2	5	3	5	6
	No, no one has explained this to you	36	1	1	3	5	11	15

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional explained to you about getting exercise?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		87.3	31.1	74.1	86.0	85.8	90.9	89.5
Yes, but you are still confused by this		1.4			4.8	5.2		
No, no one has explained this to you		11.3	68.9	25.9	9.2	9.1	9.1	10.5
Male	Yes, and you understand completely	85.8		78.6	80.4	83.4	91.1	87.7
	Yes, but you are still confused by this	2.5			7.8	12.1		
	No, no one has explained this to you	11.7	100.0	21.4	11.8	4.5	8.9	12.3
Female	Yes, and you understand completely	88.4	50.0	71.4	90.5	87.1	90.8	90.8
	Yes, but you are still confused by this	.5			2.4	1.3		
	No, no one has explained this to you	11.1	50.0	28.6	7.1	11.6	9.2	9.2

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional explained to you about getting exercise?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes, and you understand completely		306	1	18	31	55	77	124
Yes, but you are still confused by this		5			2	3		
No, no one has explained this to you		35	2	3	4	5	8	13
Don't know/Not sure		2				1		1
Refused		1						1
Male	Total	135	1	8	15	25	32	54
	Yes, and you understand completely	112		6	12	20	29	45
	Yes, but you are still confused by this	3			1	2		
	No, no one has explained this to you	18	1	2	2	2	3	8
	Don't know/Not sure	1				1		
	Refused	1						1
Female	Total	214	2	13	22	39	53	85
	Yes, and you understand completely	194	1	12	19	35	48	79
	Yes, but you are still confused by this	2			1	1		
	No, no one has explained this to you	17	1	1	2	3	5	5
	Don't know/Not sure	1						1

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional explained to you about the long-term consequences of diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		83.2	62.2	91.8	78.2	83.2	82.3	84.2
Yes, but you are still confused by this		3.0		5.4	3.5	2.1	2.9	2.9
No, no one has explained this to you		13.5	37.8	2.7	18.4	13.6	14.8	12.5
Don't know/Not sure		.3				1.1		.4
Male	Yes, and you understand completely	83.0		78.6	68.6	81.0	87.5	87.3
	Yes, but you are still confused by this	5.4		14.3	7.8	5.9	3.6	4.6
	No, no one has explained this to you	11.2	100.0	7.1	23.5	10.2	8.9	8.1
	Don't know/Not sure	.4				2.9		
Female	Yes, and you understand completely	83.3	100.0	100.0	85.7	84.5	78.0	81.9
	Yes, but you are still confused by this	1.1					2.3	1.5
	No, no one has explained this to you	15.2			14.3	15.5	19.7	15.8
	Don't know/Not sure	.3						.8

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional explained to you about the long-term consequences of diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes, and you understand completely		294	2	19	29	54	71	119
Yes, but you are still confused by this		8		1	1	1	2	3
No, no one has explained this to you		45	1	1	7	8	12	16
Don't know/Not sure		2				1		1
Male	Total	135	1	8	15	25	32	54
	Yes, and you understand completely	111		6	10	20	28	47
	Yes, but you are still confused by this	6		1	1	1	1	2
	No, no one has explained this to you	17	1	1	4	3	3	5
	Don't know/Not sure	1				1		
Female	Total	214	2	13	22	39	53	85
	Yes, and you understand completely	183	2	13	19	34	43	72
	Yes, but you are still confused by this	2					1	1
	No, no one has explained this to you	28			3	5	9	11
	Don't know/Not sure	1						1

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 12 months, has a health professional watched you test your blood glucose?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		29.4	37.8	39.6	41.3	21.0	28.3	27.9
No		70.1	62.2	60.4	58.7	77.4	70.4	72.1
Don't know/Not sure		.5				1.6	1.3	
Male	Yes	30.3	100.0	28.6	33.3	28.3	30.4	28.9
	No	69.7		71.4	66.7	71.7	69.6	71.1
Female	Yes	28.6		46.4	47.6	16.8	26.6	27.2
	No	70.4	100.0	53.6	52.4	80.6	71.1	72.8
	Don't know/Not sure	.9				2.6	2.3	

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional watched you test your blood glucose?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		105	1	10	15	14	25	40
No		242	2	11	22	49	59	99
Don't know/Not sure		2				1	1	
Male	Total	135	1	8	15	25	32	54
	Yes	41	1	2	5	7	10	16
	No	94		6	10	18	22	38
Female	Total	214	2	13	22	39	53	85
	Yes	64		8	10	7	15	24
	No	148	2	5	12	31	37	61
	Don't know/Not sure	2				1	1	

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When, if ever, was the most recent time that a health professional tested the feeling in your feet or legs by touching you with something and asking if you could feel it?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		73.6	68.9	62.1	80.2	68.9	80.3	71.5
No		25.5	31.1	37.9	19.8	31.1	19.7	26.3
Don't know/Not sure		.9						2.1
Male	Yes	76.9	100.0	64.3	88.2	57.6	85.7	75.7
	No	23.1		35.7	11.8	42.4	14.3	24.3
Female	Yes	71.1	50.0	60.7	73.8	75.5	75.7	68.3
	No	27.3	50.0	39.3	26.2	24.5	24.3	27.9
	Don't know/Not sure	1.6						3.8

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

When, if ever, was the most recent time that a health professional tested the feeling in your feet or legs by touching you with something and asking if you could feel it?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		262	2	15	30	42	71	102
No		84	1	6	7	22	14	34
Don't know/Not sure		3						3
Male	Total	135	1	8	15	25	32	54
	Yes	100	1	5	13	13	27	41
	No	35		3	2	12	5	13
Female	Total	214	2	13	22	39	53	85
	Yes	162	1	10	17	29	44	61
	No	49	1	3	5	10	9	21
	Don't know/Not sure	3						3

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How important is following your self-management recommendations such as diet, exercise, and glucose testing for controlling your diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at all difficult		59.1	68.9	35.7	29.9	52.5	48.1	78.3
Slightly difficult		14.6	31.1	33.0	28.5	6.7	12.7	11.7
Somewhat difficult		12.7		19.7	26.2	18.5	16.6	4.2
Very difficult		8.3		9.4	14.0	13.3	15.3	1.3
Don't know/Not sure		3.7		2.2	1.3	7.3	4.8	2.8
Refused		1.6				1.6	2.5	1.7
Male	Not at all difficult	63.3	100.0	35.7	19.6	54.1	57.1	84.4
	Slightly difficult	12.0		28.6	25.5	4.9	10.7	9.2
	Somewhat difficult	13.3		28.6	35.3	20.5	14.3	2.9
	Very difficult	7.8		7.1	19.6	11.7	14.3	
	Don't know/Not sure	3.5				8.8	3.6	3.5
Female	Not at all difficult	55.9	50.0	35.7	38.1	51.6	40.5	73.6
	Slightly difficult	16.6	50.0	35.7	31.0	7.7	14.5	13.6
	Somewhat difficult	12.3		14.3	19.0	17.4	18.5	5.3
	Very difficult	8.6		10.7	9.5	14.2	16.2	2.3
	Don't know/Not sure	3.8		3.6	2.4	6.5	5.8	2.3
	Refused	2.7				2.6	4.6	3.0
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

How important is following your self-management recommendations such as diet, exercise, and glucose testing for controlling your diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Not at all difficult		198	2	9	11	32	40	104
Slightly difficult		51	1	4	10	7	11	18
Somewhat difficult		49		4	8	13	16	8
Very difficult		31		3	7	8	11	2
Don't know/Not sure		15		1	1	3	5	5
Refused		5				1	2	2
Male	Total	135	1	8	15	25	32	54
	Not at all difficult	85	1	3	3	14	19	45
	Slightly difficult	16		2	4	2	3	5
	Somewhat difficult	19		2	5	5	5	2
	Very difficult	10		1	3	2	4	
	Don't know/Not sure	5				2	1	2

Female	Total	214	2	13	22	39	53	85
	Not at all difficult	113	1	6	8	18	21	59
	Slightly difficult	35	1	2	6	5	8	13
	Somewhat difficult	30		2	3	8	11	6
	Very difficult	21		2	4	6	7	2
	Don't know/Not sure	10		1	1	1	4	3
	Refused	5				1	2	2

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On a daily basis, how difficult is it for you to eat the right kinds of foods to help you manage your blood glucose test levels?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at all difficult		34.9	31.1	49.0	19.2	27.6	20.7	47.5
Slightly difficult		25.6		26.2	26.4	21.8	32.2	23.7
Somewhat difficult		23.7	68.9	15.5	24.5	26.7	27.3	20.6
Very difficult		14.9		9.4	29.9	22.2	18.5	7.2
Don't know/Not sure		.7					1.3	.9
Refused		.3				1.6		
Male	Not at all difficult	32.0		35.7	31.4	26.3	17.9	41.6
	Slightly difficult	28.4		57.1	17.6	28.3	37.5	23.7
	Somewhat difficult	26.7	100.0		31.4	24.9	26.8	27.7
	Very difficult	12.4		7.1	19.6	20.5	17.9	5.8
	Don't know/Not sure	.5						1.2
Female	Not at all difficult	37.2	50.0	57.1	9.5	28.4	23.1	52.1
	Slightly difficult	23.5		7.1	33.3	18.1	27.7	23.8
	Somewhat difficult	21.4	50.0	25.0	19.0	27.7	27.7	15.1
	Very difficult	16.7		10.7	38.1	23.2	19.1	8.3
	Don't know/Not sure	.8					2.3	.8
	Refused	.4				2.6		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

On a daily basis, how difficult is it for you to eat the right kinds of foods to help you manage your blood glucose test levels?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Not at all difficult		113	1	9	6	16	17	64
Slightly difficult		91		5	11	15	25	35
Somewhat difficult		88	2	4	10	18	27	27
Very difficult		53		3	10	14	15	11
Don't know/Not sure		3					1	2
Refused		1				1		
Male	Total	135	1	8	15	25	32	54
	Not at all difficult	41		3	4	7	5	22
	Slightly difficult	41		4	3	8	12	14
	Somewhat difficult	35	1		5	6	9	14
	Very difficult	17		1	3	4	6	3
	Don't know/Not sure	1						1

Female	Total	214	2	13	22	39	53	85
	Not at all difficult	72	1	6	2	9	12	42
	Slightly difficult	50		1	8	7	13	21
	Somewhat difficult	53	1	4	5	12	18	13
	Very difficult	36		2	7	10	9	8
	Don't know/Not sure	2					1	1
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On a daily basis, how difficult is it for you to get the right amount of exercise you need to help you manage your blood glucose levels?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at all difficult		37.1	68.9	33.8	20.5	35.4	34.3	43.5
Slightly difficult		17.4		18.7	24.1	18.4	15.1	16.6
Somewhat difficult		25.9	31.1	36.4	32.5	29.2	26.0	21.2
Very difficult		18.3		11.1	22.9	15.3	24.6	16.2
Don't know/Not sure		.4						.8
Refused		1.0				1.6		1.7
Male	Not at all difficult	52.1	100.0	71.4	31.4	34.1	51.8	60.1
	Slightly difficult	14.0		14.3	21.6	14.6	12.5	12.7
	Somewhat difficult	23.2		14.3	31.4	30.7	23.2	20.2
	Very difficult	10.7			15.7	20.5	12.5	6.9
Female	Not at all difficult	25.9	50.0	10.7	11.9	36.1	19.7	30.6
	Slightly difficult	20.0		21.4	26.2	20.6	17.3	19.6
	Somewhat difficult	27.8	50.0	50.0	33.3	28.4	28.3	21.9
	Very difficult	23.9		17.9	28.6	12.3	34.7	23.4
	Don't know/Not sure	.6						1.5
	Refused	1.7				2.6		3.0

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

On a daily basis, how difficult is it for you to get the right amount of exercise you need to help you manage your blood glucose levels?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Not at all difficult		125	2	8	8	20	27	60
Slightly difficult		59		5	8	12	13	21
Somewhat difficult		95	1	5	13	19	27	30
Very difficult		65		3	8	12	18	24
Don't know/Not sure		1						1
Refused		4				1		3
Male	Total	135	1	8	15	25	32	54
	Not at all difficult	71	1	6	5	9	16	34
	Slightly difficult	19		1	3	4	5	6
	Somewhat difficult	32		1	5	7	8	11
	Very difficult	13			2	5	3	3
	Total	214	2	13	22	39	53	85
	Not at all difficult	54	1	2	3	11	11	26

Female	Slightly difficult	40		4	5	8	8	15
	Somewhat difficult	63	1	4	8	12	19	19
	Very difficult	52		3	6	7	15	21
	Don't know/Not sure	1						1
	Refused	4				1		3

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On a daily basis, how difficult is it for you to eat meals and snacks when you should to help you manage your blood glucose levels?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at all difficult		47.4	31.1	53.4	11.8	33.6	46.2	62.4
Slightly difficult		23.6		25.7	35.5	22.8	20.1	22.7
Somewhat difficult		19.4	68.9	18.7	29.4	22.4	25.4	11.5
Very difficult		8.9		2.2	22.0	21.2	8.3	2.4
Don't know/Not sure		.2			1.3			
Refused		.4						1.0
Male	Not at all difficult	46.9		35.7	11.8	29.3	48.2	63.6
	Slightly difficult	26.3		50.0	41.2	25.4	30.4	17.9
	Somewhat difficult	17.7	100.0	14.3	27.5	27.8	14.3	12.7
	Very difficult	8.0			19.6	17.6	7.1	3.5
	Refused	1.0						2.3
Female	Not at all difficult	47.8	50.0	64.3	11.9	36.1	44.5	61.5
	Slightly difficult	21.6		10.7	31.0	21.3	11.6	26.4
	Somewhat difficult	20.7	50.0	21.4	31.0	19.4	34.7	10.6
	Very difficult	9.6		3.6	23.8	23.2	9.2	1.5
	Don't know/Not sure	.3			2.4			

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

On a daily basis, how difficult is it for you to eat meals and snacks when you should to help you manage your blood glucose levels?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Not at all difficult		162	1	10	5	20	39	87
Slightly difficult		82		6	13	15	17	31
Somewhat difficult		70	2	4	10	17	21	16
Very difficult		33		1	8	12	8	4
Don't know/Not sure		1			1			
Refused		1						1
Male	Total	135	1	8	15	25	32	54
	Not at all difficult	63		3	2	8	15	35
	Slightly difficult	36		4	6	7	10	9
	Somewhat difficult	25	1	1	4	7	5	7
	Very difficult	10			3	3	2	2
	Refused	1						1
Total		214	2	13	22	39	53	85

Female	Not at all difficult	99	1	7	3	12	24	52
	Slightly difficult	46		2	7	8	7	22
	Somewhat difficult	45	1	3	6	10	16	9
	Very difficult	23		1	5	9	6	2
	Don't know/Not sure	1			1			

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month		12.4	31.1	4.4	7.4	12.1	12.3	14.6
Within the past year		54.7	37.8	35.2	39.5	42.7	58.7	64.1
Within the past 2 years		14.1	31.1	14.3	13.1	16.7	14.2	12.9
2 or more years ago		11.5		4.4	25.1	15.6	11.9	7.2
Don't know/Not sure		1.7		10.9	3.5	2.7		.4
Never		5.8		30.8	11.4	10.1	2.9	.8
Male	Within the past month	14.4			13.7	10.7	21.4	13.9
	Within the past year	52.4	100.0	28.6	35.3	35.1	53.6	63.6
	Within the past 2 years	16.8		14.3	23.5	23.4	16.1	13.9
	2 or more years ago	9.9			11.8	24.9	5.4	8.7
	Don't know/Not sure	2.9		28.6	7.8	2.9		
	Never	3.7		28.6	7.8	2.9	3.6	
Female	Within the past month	10.8	50.0	7.1	2.4	12.9	4.6	15.1
	Within the past year	56.4		39.3	42.9	47.1	63.0	64.5
	Within the past 2 years	12.0	50.0	14.3	4.8	12.9	12.7	12.1
	2 or more years ago	12.7		7.1	35.7	10.3	17.3	6.0
	Don't know/Not sure	.8				2.6		.8
	Never	7.3		32.1	14.3	14.2	2.3	1.5

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Within the past month		44	1	2	3	9	9	20
Within the past year		193	1	8	15	29	49	91
Within the past 2 years		49	1	3	5	11	14	15
2 or more years ago		42		1	10	9	11	11
Don't know/Not sure		6		2	1	2		1
Never		15		5	3	4	2	1
Male	Total	135	1	8	15	25	32	54
	Within the past month	18			2	3	6	7
	Within the past year	69	1	2	6	8	17	35
	Within the past 2 years	23		1	3	6	6	7

	2 or more years ago	15			2	6	2	5
	Don't know/Not sure	4		2	1	1		
	Never	6		3	1	1	1	
Female	Total	214	2	13	22	39	53	85
	Within the past month	26	1	2	1	6	3	13
	Within the past year	124		6	9	21	32	56
	Within the past 2 years	26	1	2	2	5	8	8
	2 or more years ago	27		1	8	3	9	6
	Don't know/Not sure	2				1		1
	Never	9		2	2	3	1	1
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever attended any formal diabetes education programs, such as a class or one-on-one training with a diabetes educator?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		62.1	100.0	54.4	66.3	63.0	66.0	58.8
No		37.9		45.6	33.7	37.0	34.0	41.2
Male	Yes	58.7	100.0	50.0	56.9	65.9	69.6	51.4
	No	41.3		50.0	43.1	34.1	30.4	48.6
Female	Yes	64.6	100.0	57.1	73.8	61.3	63.0	64.5
	No	35.4		42.9	26.2	38.7	37.0	35.5

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Have you ever attended any formal diabetes education programs, such as a class or one-on-one training with a diabetes educator?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		220	3	13	24	42	55	83
No		129		8	13	22	30	56
Male	Total	135	1	8	15	25	32	54
	Yes	78	1	4	8	16	21	28
	No	57		4	7	9	11	26
Female	Total	214	2	13	22	39	53	85
	Yes	142	2	9	16	26	34	55
	No	72		4	6	13	19	30

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When was the last time you took a diabetes education class or training?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month		6.1	37.8		7.2	6.8	4.4	6.1
Within the past year		25.1		42.5	31.0	15.4	29.6	23.0
Within the past 2 years		16.8		8.1	12.0	11.2	20.1	20.2
2 or more years ago		51.3	62.2	49.4	49.7	66.5	45.9	49.0
Don't know/Not sure		.7						1.7
Male	Within the past month	8.9	100.0		13.8	17.8	5.1	4.5
	Within the past year	29.6		28.6	44.8	26.7	35.9	22.5
	Within the past 2 years	12.0				2.2	17.9	16.9
	2 or more years ago	47.8		71.4	41.4	53.3	41.0	51.7
	Don't know/Not sure	1.7						4.5
Female	Within the past month	4.2			3.2		3.7	7.0
	Within the past year	22.1		50.0	22.6	8.4	23.9	23.4
	Within the past 2 years	20.0		12.5	19.4	16.8	22.0	22.2
	2 or more years ago	53.7	100.0	37.5	54.8	74.7	50.5	47.4

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.

When was the last time you took a diabetes education class or training?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		220	3	13	24	42	55	83
Within the past month		13	1		2	2	3	5
Within the past year		57		6	8	7	16	20
Within the past 2 years		37		1	2	6	11	17
2 or more years ago		112	2	6	12	27	25	40
Don't know/Not sure		1						1
Male	Total	78	1	4	8	16	21	28
	Within the past month	6	1		1	2	1	1
	Within the past year	22		1	4	4	8	5
	Within the past 2 years	11				1	4	6
	2 or more years ago	38		3	3	9	8	15
	Don't know/Not sure	1						1
Female	Total	142	2	9	16	26	34	55
	Within the past month	7			1		2	4
	Within the past year	35		5	4	3	8	15
	Within the past 2 years	26		1	2	5	7	11

2 or more years ago	74	2	3	9	18	17	25
---------------------	----	---	---	---	----	----	----

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What type of diabetes education was this?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
A formal diabetes education class		45.4	31.1	44.4	57.0	45.4	40.1	45.5
A one-on-one training with a diabetes educator		31.0	37.8	30.3	31.9	31.9	37.2	26.7
A one-on-one training with a physician or nurse		18.4	31.1	21.2	11.1	18.0	15.5	21.8
Don't know/Not sure		.6						1.4
None of these		4.6		4.1		4.7	7.2	4.6
Male	A formal diabetes education class	39.7		57.1	55.2	13.3	35.9	47.2
	A one-on-one training with a diabetes educator	28.1	100.0	28.6	20.7	51.1	30.8	16.9
	A one-on-one training with a physician or nurse	27.7		14.3	24.1	26.7	28.2	31.5
	None of these	4.5				8.9	5.1	4.5
Female	A formal diabetes education class	49.2	50.0	37.5	58.1	65.3	44.0	44.4
	A one-on-one training with a diabetes educator	33.0		31.3	38.7	20.0	43.1	32.7
	A one-on-one training with a physician or nurse	12.1	50.0	25.0	3.2	12.6	3.7	15.8
	Don't know/Not sure	1.0						2.3
	None of these	4.6		6.3		2.1	9.2	4.7

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.

What type of diabetes education was this?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		220	3	13	24	42	55	83
A formal diabetes education class		96	1	5	11	18	22	39
A one-on-one training with a diabetes educator		73	1	4	10	14	22	22
A one-on-one training with a physician or nurse		39	1	3	3	8	8	16
Don't know/Not sure		2						2
None of these		10		1		2	3	4
Male	Total	78	1	4	8	16	21	28
	A formal diabetes education class	31		2	4	3	8	14
	A one-on-one training with a diabetes educator	22	1	1	2	7	6	5
	A one-on-one training with a physician or nurse	22		1	2	5	6	8
	None of these	3				1	1	1
Female	Total	142	2	9	16	26	34	55
	A formal diabetes education class	65	1	3	7	15	14	25
	A one-on-one training with a diabetes educator	51		3	8	7	16	17
	A one-on-one training with a physician or nurse	17	1	2	1	3	2	8
	Don't know/Not sure	2						2

None of these	7	1	1	2	3
Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.					

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		55.7	100.0	70.8	62.0	50.9	51.0	55.1
No		12.5		8.0	2.0	15.6	12.7	14.8
Don't know/Not sure		31.8		21.2	35.9	33.6	36.3	30.1
Male	Yes	58.5	100.0	50.0	64.4	51.9	58.5	59.0
	No	9.6		14.3	4.4	6.4	9.4	11.6
	Don't know/Not sure	31.9		35.7	31.1	41.7	32.1	29.5
Female	Yes	53.6	100.0	84.6	60.0	50.3	45.0	52.1
	No	14.7		3.8		20.7	15.4	17.4
	Don't know/Not sure	31.7		11.5	40.0	29.0	39.6	30.6

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have health insurance.

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		332	3	20	31	58	81	139
Yes		186	3	13	19	35	41	75
No		40		2	1	6	11	20
Don't know/Not sure		106		5	11	17	29	44
Male	Total	128	1	8	13	23	29	54
	Yes	74	1	4	8	13	17	31
	No	12		1	1	1	3	6
	Don't know/Not sure	42		3	4	9	9	17
Female	Total	204	2	12	18	35	52	85
	Yes	112	2	9	11	22	24	44
	No	28		1		5	8	14
	Don't know/Not sure	64		2	7	8	20	27

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have health insurance.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Do you currently have a personal target for your fasting blood glucose level?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		75.2	68.9	61.9	75.8	75.8	78.0	75.1
No		24.8	31.1	38.1	24.2	24.2	22.0	24.9
Male	Yes	73.0	100.0	60.0	66.0	73.7	71.1	77.0
	No	27.0		40.0	34.0	26.3	28.9	23.0
Female	Yes	76.8	50.0	63.2	84.8	77.1	83.4	73.8
	No	23.2	50.0	36.8	15.2	22.9	16.6	26.2

Denominator is: All survey respondents who were told by their doctors that they had diabetes and who check their blood for glucose or sugar.

Do you currently have a personal target for your fasting blood glucose level?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		297	3	16	32	51	75	120
Yes		219	2	10	25	40	57	85
No		69	1	6	7	9	14	32
Don't know/Not sure		9				2	4	3
Male	Total	109	1	5	14	19	27	43
	Yes	78	1	3	10	15	19	30
	No	29		2	4	4	7	12
	Don't know/Not sure	2					1	1
Female	Total	188	2	11	18	32	48	77
	Yes	141	1	7	15	25	38	55
	No	40	1	4	3	5	7	20
	Don't know/Not sure	7				2	3	2

Denominator is: All survey respondents who were told by their doctors that they had diabetes and who check their blood for glucose or sugar.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you taking aspirin daily or every other day in order to reduce your risk of heart disease or other disease?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		40.6		6.6	14.4	33.7	46.4	52.9
No		59.4	100.0	93.4	85.6	66.3	53.6	47.1
Male	Yes	47.4			23.5	43.9	53.6	58.4
	No	52.6	100.0	100.0	76.5	56.1	46.4	41.6
Female	Yes	35.5		10.7	7.1	27.7	40.5	48.7
	No	64.5	100.0	89.3	92.9	72.3	59.5	51.3

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Are you taking aspirin daily or every other day in order to reduce your risk of heart disease or other disease?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		349	3	21	37	64	85	139
Yes		147		2	6	24	41	74
No		202	3	19	31	40	44	65
Male	Total	135	1	8	15	25	32	54
	Yes	63			4	11	17	31
	No	72	1	8	11	14	15	23
Female	Total	214	2	13	22	39	53	85
	Yes	84		2	2	13	24	43
	No	130	2	11	20	26	29	42

Denominator is: All survey respondents who were told by their doctors that they had diabetes.