

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you limited in any way in any activities because of any impairment or health problem?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		19.0	7.0	12.1	14.7	21.8	25.6	30.9
<b>No</b>		81.0	93.0	87.9	85.3	78.2	74.4	69.1
<b>Male</b>	<b>Yes</b>	17.6	7.0	12.4	13.6	20.0	23.7	29.5
	<b>No</b>	82.4	93.0	87.6	86.4	80.0	76.3	70.5
<b>Female</b>	<b>Yes</b>	20.3	7.1	11.8	15.7	23.6	27.4	32.0
	<b>No</b>	79.7	92.9	88.2	84.3	76.4	72.6	68.0

Denominator is: All survey respondents.

Are you limited in any way in any activities because of any impairment or health problem?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,346	478	1,039	1,075	1,134	639	981
<b>Yes</b>		1,082	39	130	167	256	177	313
<b>No</b>		4,253	439	908	907	876	461	662
<b>Don't know/Not sure</b>		9		1	1	2	1	4
<b>Refused</b>		2						2
<b>Male</b>	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>Yes</b>	404	17	56	65	97	68	101
	<b>No</b>	1,865	206	413	409	403	204	230
	<b>Don't know/Not sure</b>	3						3
	<b>Refused</b>	1						1
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	<b>Yes</b>	678	22	74	102	159	109	212
	<b>No</b>	2,388	233	495	498	473	257	432
	<b>Don't know/Not sure</b>	6		1	1	2	1	1
	<b>Refused</b>	1						1

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Because of any impairment or health problem, do you have any trouble learning, remembering, or concentrating?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		7.6	5.8	5.3	6.7	9.5	8.3	9.6
<b>No</b>		92.4	94.2	94.7	93.3	90.5	91.7	90.4
<b>Male</b>	<b>Yes</b>	7.0	5.5	4.8	4.8	9.6	7.2	10.2
	<b>No</b>	93.0	94.5	95.2	95.2	90.4	92.8	89.8
<b>Female</b>	<b>Yes</b>	8.1	6.1	5.8	8.4	9.3	9.4	9.1
	<b>No</b>	91.9	93.9	94.2	91.6	90.7	90.6	90.9

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

Because of any impairment or health problem, do you have any trouble learning, remembering, or concentrating?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,346	478	1,039	1,075	1,134	639	981
<b>Yes</b>		426	24	59	77	108	60	98
<b>No</b>		4,896	453	979	997	1,018	577	872
<b>Don't know/Not sure</b>		20	1	1	1	8	2	7
<b>Refused</b>		4						4
<b>Male</b>	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>Yes</b>	169	12	23	28	48	24	34
	<b>No</b>	2,097	211	446	446	449	247	298
	<b>Don't know/Not sure</b>	5				3	1	1
	<b>Refused</b>	2						2
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	<b>Yes</b>	257	12	36	49	60	36	64
	<b>No</b>	2,799	242	533	551	569	330	574
	<b>Don't know/Not sure</b>	15	1	1	1	5	1	6
	<b>Refused</b>	2						2

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

For how long have your activities been limited because of a major impairment or health problem?  
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
101	.2	1.7				.3	.2
102	.5		.2	1.2	.6		.5
103	.1		.4		.3		
104	.2	.6	1.2				
106	.1		.7				
107	.0			.2			
108	.1			.5			
110	.0			.2			
111	.1		.8				.2
130	.1			.6			
140	.1				.3		
160	.1					.7	
201	.2			.5			.3
202	.3			1.1	.4		.2
203	.6	1.4	2.3	.6	.5	.3	
204	.5		1.0	1.4	.5		
206	.5						1.8
217	.0		.3				
301	.9	1.7	.7	1.6	1.5	.5	.3
302	1.7	4.0	.7	1.9	1.1	2.2	1.7
303	1.6	3.3	2.2	1.2	.7	2.9	1.1
304	1.2	.8	2.1	1.7	1.0	.9	.8
305	.7		1.3	1.9	.5		.3
306	2.8	3.8	2.6	2.4	3.1	.5	3.8
307	.4		1.0	.7	.2	.7	.2
308	.9	2.1	2.3	1.0	.4	1.7	.2
309	.7		2.5	1.2	.3		.5
310	.1		.3	.5			
311	.2	2.5	.7				
314	.2	1.4					.3
315	.1		.8				
316	.1			.5			
318	.6		.7	.7	.7	.3	.8
319	.1					.5	

320	.1			.3			
322	.1		.7				
330	.1		.3				.3
336	.1			.5			
399	.1			.3			
401	7.7	12.1	7.2	5.2	4.3	5.4	12.3
402	10.0	5.4	7.4	10.7	7.8	13.4	11.4
403	7.9	7.6	3.8	8.4	10.0	5.1	8.9
404	5.6	1.4	8.2	4.8	6.0	7.4	4.9
405	9.1		6.9	7.2	11.0	12.6	9.7
406	3.5	4.6	8.7	2.9	3.2	1.5	3.0
407	2.9	12.1	1.6	1.6	1.8	4.2	2.3
408	3.4	2.2	3.2	1.9	3.2	3.3	4.7
409	1.3		2.1		1.5	2.9	1.2
410	7.7	7.8	5.6	8.0	6.0	8.7	9.1
411	1.1	4.2	.7	.2	.5	2.0	1.2
412	1.8		2.4	2.6	2.1	2.1	1.0
413	1.0	.7	1.0	1.6	.3	2.1	.8
414	1.2		1.4	2.7	1.1	1.2	.4
415	2.9	3.8	2.1	3.9	2.0	4.0	2.6
416	1.0	2.5	.7	1.4	2.0		.2
417	.5	1.4			.8	.7	.4
418	1.1	2.5		1.0	2.4	.7	.6
419	.6	.8	1.2	.1	.9	1.2	
420	3.2	2.1	2.3	1.8	6.0	1.9	3.4
421	.9	3.1		2.5	.2	.3	.4
422	.5	2.5			1.2		.4
423	.5			.5	.8	.5	.4
424	.2					.5	.4
425	1.1		1.6	1.4	2.2	.9	.2
426	.4		1.3	.5	.2	.3	.2
427	.4		2.0		.4		.3
428	.1					.3	
429	.0		.4				
430	1.4		.8	1.4	1.9	1.4	1.5
431	.4		1.0		.6		.7
432	.2		.8		.6		
433	.2			.2	.6		
435	.2			.6	.2	.7	
436	.3			.9	.2		.2

437		.0					.3	
438		.1						.4
439		.2			1.3			
440		.5				.7	.8	.9
441		.0				.2		
442		.1			.6			
443		.2			.8	.3		
444		.0				.2		
445		.2				1.2		
447		.1				.5		
448		.2				1.0		
449		.1				.3	.3	
450		.3				.2		.9
451		.1				.5		
452		.2				.9		
455		.1					.5	
462		.1					.7	
469		.1						.3
470		.1						.3
475		.1						.3
477		.0						.2
486		.0						.2
499		.1					.4	
	<b>101</b>	.3	3.2				.8	
	<b>102</b>	.0		.4				
	<b>103</b>	.1		.8				
	<b>104</b>	.4	1.2	2.4				
	<b>111</b>	.3		1.6				.5
	<b>130</b>	.3			1.4			
	<b>160</b>	.2					1.5	
	<b>202</b>	.4			1.4	.9		
	<b>203</b>	.6		1.6	1.4		.8	
	<b>204</b>	.3			1.4			
	<b>206</b>	.6						2.2
	<b>301</b>	1.3	3.2	.8	3.4	1.7		
	<b>302</b>	2.8	6.4		4.1	1.7	3.1	3.0
	<b>303</b>	1.5	6.4	3.2			2.3	1.5
	<b>304</b>	.5	1.6	1.6		.4	.8	
	<b>305</b>	.6			2.8	.4		
	<b>306</b>	1.8	3.2	3.2		3.0		2.0
	<b>307</b>	.2					1.5	

Male

308	1.1			2.1	.9	3.8	
309	.3		2.4				
311	.3	4.8					
315	.2		1.6				
318	.5				.4		1.5
320	.1			.7			
399	.1			.7			
401	5.8	6.4	9.6	5.5	3.0	7.7	5.4
402	9.6	6.4	6.4	9.0	8.1	14.5	10.6
403	7.0	3.2	2.4	8.3	12.0	2.3	7.4
404	6.0		9.6	4.8	6.4	7.7	5.4
405	8.8		8.0	8.3	12.8	10.5	7.4
406	4.3	4.8	9.6	3.1	3.4	1.5	5.0
407	2.2	11.2	3.2	1.4	1.1	3.8	
408	3.1	1.6	3.2	2.1	1.7	3.1	5.4
409	2.1		1.6		2.1	4.6	3.0
410	7.8	1.6	8.0	5.5	6.0	3.8	14.4
411	1.7	8.0				3.8	2.5
412	1.2		2.8	1.4	1.3	1.5	.5
413	.9			1.4		1.5	1.5
414	1.4		1.6	4.8		1.5	.5
415	3.1	3.2	1.6	4.8	2.6	1.5	4.0
416	1.5	4.8		2.1	3.4		
417	.5					1.5	1.0
418	1.6	4.8		.7	3.0	1.5	1.0
419	.9	1.6	2.4		1.3	1.5	
420	4.3	4.0	2.4	2.8	6.8	3.1	5.0
421	1.7	3.2		5.5	.4	.8	1.0
422	.9	4.8			2.1		.5
423	.3						1.0
424	.3						1.0
425	.9			2.1	1.3	.8	.5
426	.2				.4		.5
427	.6		4.0		.4		
428	.1					.8	
429	.1		.8				
430	1.5		1.6	.3	1.3	3.1	2.0
431	.2				.9		
432	.4		1.6		.9		
433	.2				.9		
435	.4			.7	.4	1.5	

436	.4			1.4			.5
438	.3						1.0
439	.5			2.8			
440	.5				.9		1.0
441	.1				.4		
442	.3			1.4			
443	.1			.7			
444	.1				.4		
445	.3				1.3		
447	.1				.4		
448	.5				2.1		
450	.1						.5
452	.2				.9		
462	.2					1.5	
101	.1						.3
102	.9			2.3	1.2		.9
103	.1				.6		
106	.1		1.3				
107	.1			.5			
108	.2			.9			
110	.1			.5			
140	.1				.6		
201	.3			.9			.6
202	.3			.9			.3
203	.6	2.9	2.9		.9		
204	.6		1.9	1.4	.9		
206	.5						1.4
217	.1		.6				
301	.6		.6		1.2	1.0	.6
302	.8	1.4	1.3		.6	1.5	.9
303	1.6		1.3	2.3	1.4	3.5	.9
304	1.7		2.6	3.2	1.5	1.0	1.4
305	.8		2.6	1.1	.6		.6
306	3.6	4.3	1.9	4.5	3.2	1.0	5.1
307	.6		1.9	1.4	.3		.3
308	.8	4.3	4.5				.3
309	1.1		2.6	2.3	.6		.9
310	.2		.6	.9			
311	.1		1.3				
314	.3	2.9					.6
	.2			.9			

Female

316							
318	.7		1.3	1.4	.9	.5	.3
319	.1					1.0	
322	.1		1.3				
330	.2		.6				.6
336	.2			.9			
401	9.4	18.1	4.9	5.0	5.5	3.5	17.0
402	10.4	4.3	8.4	12.2	7.4	12.4	11.9
403	8.6	12.3	5.2	8.6	8.2	7.4	9.9
404	5.3	2.9	6.8	4.8	5.6	7.2	4.5
405	9.3		5.8	6.3	9.2	14.4	11.4
406	2.9	4.3	7.8	2.7	3.0	1.5	1.7
407	3.4	13.0		1.8	2.4	4.5	4.0
408	3.6	2.9	3.2	1.8	4.5	3.5	4.3
409	.7		2.6		.9	1.5	
410	7.7	14.5	3.2	10.2	6.1	12.7	5.4
411	.6		1.3	.5	.9	.5	.3
412	2.2		1.9	3.6	2.9	2.5	1.4
413	1.2	1.4	1.9	1.8	.6	2.5	.3
414	1.0		1.3	.9	2.1	1.0	.3
415	2.8	4.3	2.6	3.2	1.5	6.0	1.7
416	.5		1.3	.9	.8		.3
417	.5	2.9			1.5		
418	.7			1.4	1.8		.3
419	.3			.2	.6	1.0	
420	2.3		2.3	.9	5.2	1.0	2.3
421	.2	2.9					
422	.2				.3		.3
423	.6			.9	1.5	1.0	
424	.1					1.0	
425	1.2		3.2	.9	3.0	1.0	
426	.5		2.6	.9		.5	
427	.2				.3		.6
430	1.3			2.3	2.4		1.1
431	.6		1.9		.3		1.1
432	.1				.3		
433	.1			.5	.3		
435	.1			.5			
436	.1			.5	.3		
437	.1					.5	
440	.6				.6	1.5	.9

443	.3			.9	.6		
445	.2				1.1		
447	.1				.6		
449	.2				.6	.5	
450	.5				.5		1.1
451	.2				.9		
452	.2				.9		
455	.1					1.0	
469	.2						.6
470	.2						.6
475	.2						.6
477	.1						.3
486	.1						.3
499	.1					.7	

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

For how long have your activities been limited because of a major impairment or health problem?  
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>	1,395	63	166	224	322	214	406
101	3	1				1	1
102	6		1	2	1		2
103	2		1		1		
104	2	1	1				
106	1		1				
107	1			1			
108	1			1			
110	1			1			
111	2		1				1
130	1			1			
140	1				1		
160	1					1	
201	2			1			1
202	4			2	1		1
203	8	1	3	1	2	1	
204	5		1	2	2		
206	6						6
217	1		1				
301	12	1	2	3	3	2	1
302	20	2	1	4	3	4	6
303	21	1	3	2	4	6	5
304	18	1	4	2	5	3	3
305	10		2	5	2		1
306	32	3	5	5	5	1	13
307	6		2	1	1	1	1
308	13	1	4	2	2	3	1
309	10		4	2	2		2
310	2		1	1			
311	2	1	1				
314	2	1					1
315	1		1				
316	1			1			
318	8		1	1	2	1	3

319	1					1	
320	1			1			
322	1		1				
330	2		1				1
336	1			1			
399	1			1			
401	105	8	12	11	15	10	49
402	127	3	13	22	24	23	42
403	109	6	7	18	29	12	37
404	75	1	12	12	18	16	16
405	119		10	16	31	25	37
406	49	2	13	7	12	4	11
407	36	4	2	3	8	9	10
408	45	2	6	4	10	6	17
409	20		4		5	8	3
410	102	5	6	19	21	19	32
411	13	2	1	1	2	4	3
412	29		4	7	9	4	5
413	14	1	2	3	1	4	3
414	15		2	5	3	3	2
415	43	2	3	9	9	10	10
416	10	1	1	3	4		1
417	6	1			3	1	1
418	13	1		3	6	1	2
419	8	1	1	1	2	3	
420	43	1	5	5	17	2	13
421	8	2		3	1	1	1
422	7	1			4		2
423	5			1	2	1	1
424	2					1	1
425	16		2	4	7	2	1
426	6		2	1	1	1	1
427	6		2		2		2
428	1					1	
429	1		1				
430	19		1	3	7	2	6
431	4		1		2		1
432	3		1		2		
433	3			1	2		
435	5			2	1	2	

436		4			2	1		1
437		1					1	
438		1						1
439		2			2			
440		8				2	2	4
441		1				1		
442		1			1			
443		3			2	1		
444		1				1		
445		3				3		
447		2				2		
448		3				3		
449		2				1	1	
450		4				1		3
451		2				2		
452		3				3		
455		1					1	
462		1					1	
469		1						1
470		2						2
475		1						1
477		1						1
486		1						1
499		1					1	
<b>Don't know/Not sure</b>		52	3	7	7	4	7	24
<b>Refused</b>		13	2	2	2			7
	<b>Total</b>	541	31	69	90	135	84	132
	101	2	1				1	
	102	1		1				
	103	1		1				
	104	2	1	1				
	111	2		1				1
	130	1			1			
	160	1					1	
	202	2			1	1		
	203	3		1	1		1	
	204	1			1			
	206	3						3
	301	7	1	1	3	2		
	302	12	1		4	2	2	3

Male

303	7	1	2			2	2
304	4	1	1		1	1	
305	3			2	1		
306	8	1	2		2		3
307	1					1	
308	7			2	2	3	
309	2		2				
311	1	1					
315	1		1				
318	3				1		2
320	1			1			
399	1			1			
401	30	2	5	4	5	6	8
402	48	1	5	8	10	11	13
403	39	2	2	7	16	2	10
404	29		6	4	8	6	5
405	44		5	7	15	8	9
406	22	1	6	3	5	1	6
407	10	2	2	1	2	3	
408	15	1	2	2	2	2	6
409	12		2		2	5	3
410	39	1	3	6	9	3	17
411	7	2				3	2
412	8		2	2	2	1	1
413	4			1		1	2
414	8		1	4		2	1
415	19	1	1	4	5	2	6
416	6	1		2	3		
417	2					1	1
418	8	1		1	4	1	1
419	5	1	1		1	2	
420	21	1	2	3	8	1	6
421	7	1		3	1	1	1
422	5	1			3		1
423	1						1
424	1						1
425	6			2	2	1	1
426	2				1		1
427	3		2		1		
428	1					1	
429	1		1				

430	9		1	1	2	2	3
431	1				1		
432	2		1		1		
433	1				1		
435	4			1	1	2	
436	2			1			1
438	1						1
439	2			2			
440	3				1		2
441	1				1		
442	1			1			
443	1			1			
444	1				1		
445	1				1		
447	1				1		
448	3				3		
450	1						1
452	1				1		
462	1					1	
<b>Don't know/Not sure</b>	20	3	3	1	3	3	7
<b>Refused</b>	4	1	2	1			
<b>Total</b>	854	32	97	134	187	130	274
101	1						1
102	5			2	1		2
103	1				1		
106	1		1				
107	1			1			
108	1			1			
110	1			1			
140	1				1		
201	2			1			1
202	2			1			1
203	5	1	2		2		
204	4		1	1	2		
206	3						3
217	1		1				
301	5		1		1	2	1
302	8	1	1		1	2	3
303	14		1	2	4	4	3
304	14		3	2	4	2	3
305	7		2	3	1		1

Female

306	24	2	3	5	3	1	10
307	5		2	1	1		1
308	6	1	4				1
309	8		2	2	2		2
310	2		1	1			
311	1		1				
314	2	1					1
316	1			1			
318	5		1	1	1	1	1
319	1					1	
322	1		1				
330	2		1				1
336	1			1			
401	75	6	7	7	10	4	41
402	79	2	8	14	14	12	29
403	70	4	5	11	13	10	27
404	46	1	6	8	10	10	11
405	75		5	9	16	17	28
406	27	1	7	4	7	3	5
407	26	2		2	6	6	10
408	30	1	4	2	8	4	11
409	8		2		3	3	
410	63	4	3	13	12	16	15
411	6		1	1	2	1	1
412	21		2	5	7	3	4
413	10	1	2	2	1	3	1
414	7		1	1	3	1	1
415	24	1	2	5	4	8	4
416	4		1	1	1		1
417	4	1			3		
418	5			2	2		1
419	3			1	1	1	
420	22		3	2	9	1	7
421	1	1					
422	2				1		1
423	4			1	2	1	
424	1					1	
425	10		2	2	5	1	
426	4		2	1		1	
427	3				1		2
	10			2	5		3

430							
431	3		1		1		1
432	1				1		
433	2			1	1		
435	1			1			
436	2			1	1		
437	1					1	
440	5				1	2	2
443	2			1	1		
445	2				2		
447	1				1		
449	2				1	1	
450	3				1		2
451	2				2		
452	2				2		
455	1					1	
469	1						1
470	2						2
475	1						1
477	1						1
486	1						1
499	1					1	
<b>Don't know/Not sure</b>	32		4	6	1	4	17
<b>Refused</b>	9	1		1			7

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Because of any impairment of health problem, do you need the help of other persons with your personal care needs?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		6.4	4.1	9.4	7.2	6.8	6.3	5.0
<b>No</b>		93.6	95.9	90.6	92.8	93.2	93.7	95.0
<b>Male</b>	<b>Yes</b>	6.6	2.8	14.8	5.5	5.9	5.2	6.1
	<b>No</b>	93.4	97.2	85.2	94.5	94.1	94.8	93.9
<b>Female</b>	<b>Yes</b>	6.2	5.6	4.2	8.6	7.6	7.3	4.2
	<b>No</b>	93.8	94.4	95.8	91.4	92.4	92.7	95.8

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

Because of any impairment of health problem, do you need the help of other persons with your personal care needs?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,395	63	166	224	322	214	406
<b>Yes</b>		84	3	12	15	21	13	20
<b>No</b>		1,308	60	153	209	300	200	386
<b>Don't know/Not sure</b>		2				1	1	
<b>Refused</b>		1		1				
<b>Male</b>	<b>Total</b>	541	31	69	90	135	84	132
	<b>Yes</b>	32	1	8	5	7	3	8
	<b>No</b>	508	30	60	85	128	81	124
	<b>Refused</b>	1		1				
<b>Female</b>	<b>Total</b>	854	32	97	134	187	130	274
	<b>Yes</b>	52	2	4	10	14	10	12
	<b>No</b>	800	30	93	124	172	119	262
	<b>Don't know/Not sure</b>	2				1	1	

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Because of any impairment or health problem, do you need the help of other persons in handling your ROUTINE needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		23.5	14.6	23.2	21.1	25.0	22.1	26.4
<b>No</b>		76.5	85.4	76.8	78.9	75.0	77.9	73.6
<b>Male</b>	<b>Yes</b>	18.2	7.0	22.7	17.6	22.3	15.5	17.8
	<b>No</b>	81.8	93.0	77.3	82.4	77.7	84.5	82.2
<b>Female</b>	<b>Yes</b>	27.8	23.6	23.6	23.9	27.6	27.7	32.2
	<b>No</b>	72.2	76.4	76.4	76.1	72.4	72.3	67.8

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

Because of any impairment or health problem, do you need the help of other persons in handling your ROUTINE needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,395	63	166	224	322	214	406
<b>Yes</b>		330	11	35	50	77	45	112
<b>No</b>		1,054	52	130	173	242	166	291
<b>Don't know/Not sure</b>		9			1	3	3	2
<b>Refused</b>		2		1				1
<b>Male</b>	<b>Total</b>	541	31	69	90	135	84	132
	<b>Yes</b>	93	2	13	17	27	11	23
	<b>No</b>	444	29	55	72	107	73	108
	<b>Don't know/Not sure</b>	2			1	1		
	<b>Refused</b>	2		1				1
<b>Female</b>	<b>Total</b>	854	32	97	134	187	130	274
	<b>Yes</b>	237	9	22	33	50	34	89
	<b>No</b>	610	23	75	101	135	93	183
	<b>Don't know/Not sure</b>	7				2	3	2

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you use special equipment or help from others to get around, what type do you use?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
No special quipment or help used		95.7	99.6	98.4	99.1	96.1	94.0	87.7
Other people		.2		.3	.1	.5		.4
Cane or Walking stick		2.1		.4	.4	1.8	3.6	6.4
Walker		.6				.2	.6	2.5
Crutch or crutches		.2		.2		.2	.2	.8
Manual wheelchair		.3		.2	.1	.4	.4	.8
Motorized wheelchair		.0					.1	
Electric mobility scooter		.1				.1	.3	.4
Artificial leg		.0		.1		.1		
Brace		.2		.3	.1	.2	.1	.3
Service animal		.0			.1			.1
Oxygen/breathing equipment		.1			.1	.1		.5
Other		.2	.4	.1	.1	.3	.7	.1
Male	No special quipment or help used	96.5	99.8	97.7	98.8	96.5	95.3	90.3
	Other people	.1		.3		.1		
	Cane or Walking stick	1.8		.7	.5	2.2	3.4	4.5
	Walker	.4				.2	.4	1.6
	Crutch or crutches	.3		.4			.4	1.1
	Manual wheelchair	.2		.2	.2			.5
	Motorized wheelchair	.0					.2	
	Electric mobility scooter	.1				.1		.7
	Artificial leg	.0				.2		
	Brace	.2		.4	.1	.2	.2	.3
	Oxygen/breathing equipment	.2			.1	.2		.9
	Other	.2	.2	.2	.2	.1		.2
Female	No special quipment or help used	95.0	99.5	99.0	99.4	95.8	92.7	85.9
	Other people	.4		.3	.2	.8		.6
	Cane or Walking stick	2.4		.2	.3	1.4	3.8	7.7
	Walker	.8				.2	.8	3.2
	Crutch or crutches	.2		.1		.3		.5
	Manual wheelchair	.5		.1		.8	.8	1.1
	Electric mobility scooter	.1				.1	.6	.2
	Artificial leg	.0		.2				
	Brace	.1		.1		.2		.3
	Service animal	.1			.2			.2

<b>Oxygen/breathing equipment</b>	.0						.2
<b>Other</b>	.3	.5			.4	1.3	

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you use special equipment or help from others to get around, what type do you use?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,346	478	1,039	1,075	1,134	639	981
<b>No special quipment or help used</b>		5,084	472	1,022	1,060	1,086	598	846
<b>Other people</b>		12		3	1	5		3
<b>Cane or Walking stick</b>		126		2	6	21	24	73
<b>Walker</b>		35				3	4	28
<b>Crutch or crutches</b>		12		3		2	1	6
<b>Manual wheelchair</b>		19		2	2	4	2	9
<b>Motorized wheelchair</b>		1					1	
<b>Electric mobility scooter</b>		8				2	2	4
<b>Artificial leg</b>		2		1		1		
<b>Brace</b>		11		3	1	2	1	4
<b>Service animal</b>		2			1			1
<b>Oxygen/breathing equipment</b>		6			1	1		4
<b>Other</b>		14	2	1	1	4	5	1
<b>Don't know/Not sure</b>		11	4	1	1	3	1	1
<b>Refused</b>		3		1	1			1
<b>Male</b>	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>No special quipment or help used</b>	2,187	220	460	466	483	259	299
	<b>Other people</b>	2		1		1		
	<b>Cane or Walking stick</b>	37		1	3	9	9	15
	<b>Walker</b>	8				1	1	6
	<b>Crutch or crutches</b>	6		2			1	3
	<b>Manual wheelchair</b>	5		1	2			2
	<b>Motorized wheelchair</b>	1					1	
	<b>Electric mobility scooter</b>	4				1		3
	<b>Artificial leg</b>	1				1		
	<b>Brace</b>	7		2	1	1	1	2
	<b>Oxygen/breathing equipment</b>	5			1	1		3
	<b>Other</b>	5	1	1	1	1		1
	<b>Don't know/Not sure</b>	5	2	1		1		1
	<b>Total</b>	3,073	255	570	601	634	367	646
	<b>No special quipment or help used</b>	2,897	252	562	594	603	339	547
	<b>Other people</b>	10		2	1	4		3
	<b>Cane or Walking stick</b>	89		1	3	12	15	58
	<b>Walker</b>	27				2	3	22

<b>Female</b>	<b>Crutch or crutches</b>	6		1		2		3
	<b>Manual wheelchair</b>	14		1		4	2	7
	<b>Electric mobility scooter</b>	4				1	2	1
	<b>Artificial leg</b>	1		1				
	<b>Brace</b>	4		1		1		2
	<b>Service animal</b>	2			1			1
	<b>Oxygen/breathing equipment</b>	1						1
	<b>Other</b>	9	1			3	5	
	<b>Don't know/Not sure</b>	6	2		1	2	1	
	<b>Refused</b>	3		1	1			1

Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Using special equipment or help, what is the farthest distance that you can go?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Across a small room		6.8		1.6		11.9	7.2	7.3
About the length of typical house		13.7		14.8	4.5	10.0	16.5	16.1
About one or two city blocks		39.8		36.0	50.9	45.8	45.7	39.7
About one mile		15.5	20.7	9.0	5.9	10.7	13.7	18.9
More than one mile		24.2	79.3	38.6	38.7	21.6	16.9	17.9
Male	Across a small room	8.1		2.3		6.5	18.2	9.2
	About the length of typical house	5.6		14.0		9.7	9.1	1.8
	About one or two city blocks	43.0		37.2	40.0	58.1	50.0	40.4
	About one mile	14.0		9.3	10.0	6.5	9.1	22.0
	More than one mile	29.3	100.0	37.2	50.0	19.4	13.6	26.6
Female	Across a small room	5.9				16.3		6.3
	About the length of typical house	19.1		16.7	11.1	10.2	21.4	23.6
	About one or two city blocks	37.6		33.3	66.7	35.7	42.9	39.4
	About one mile	16.6	29.4	8.3		14.3	16.7	17.3
	More than one mile	20.7	70.6	41.7	22.2	23.5	19.0	13.4
Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem and use special equipment or help from others.								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Using special equipment or help, what is the farthest distance that you can go?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		262	6	17	15	48	41	135
Across a small room		15		1		5	2	7
About the length of typical house		37		3	1	5	6	22
About one or two city blocks		95		4	7	18	15	51
About one mile		44	2	2	1	4	7	28
More than one mile		56	4	7	5	13	7	20
Don't know/Not sure		12			1	3	3	5
Refused		3					1	2
<b>Male</b>	<b>Total</b>	86	3	9	8	17	13	36
	Across a small room	7		1		1	2	3
	About the length of typical house	5		1		2	1	1
	About one or two city blocks	33		2	3	8	6	14
	About one mile	13		1	1	1	2	8
	More than one mile	26	3	4	4	4	2	9
	Don't know/Not sure	2				1		1
<b>Female</b>	<b>Total</b>	176	3	8	7	31	28	99
	Across a small room	8				4		4
	About the length of typical house	32		2	1	3	5	21
	About one or two city blocks	62		2	4	10	9	37
	About one mile	31	2	1		3	5	20
	More than one mile	30	1	3	1	9	5	11
	Don't know/Not sure	10			1	2	3	4
	Refused	3					1	2
Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem and use special equipment or help from others.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the farthest distance you can walk by yourself, without any special equipment or help from others?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	
Not any distance		.8	.4	.2	.2	.9	.6	2.1
Across a small room		.7		.3	.2	.4	.9	2.0
About the length of typical house		1.4	.6	.4	.4	1.0	2.6	3.9
About one or two city blocks		5.5	.5	1.9	2.6	4.3	7.9	15.4
About one mile		6.7	1.4	2.8	4.3	5.7	9.1	16.0
More than one mile		84.9	97.2	94.4	92.3	87.7	78.9	60.7
Male	Not any distance	.8	.6	.4	.1	.8	.9	2.2
	Across a small room	.4		.3	.4	.2		1.4
	About the length of typical house	.8	.8	.8		.8	1.4	1.4
	About one or two city blocks	3.8		1.8	1.2	3.5	7.7	10.3
	About one mile	4.0	.2	1.9	3.1	3.7	3.6	10.9
	More than one mile	90.2	98.4	94.8	95.2	91.0	86.4	73.8
Female	Not any distance	.8	.2	.1	.4	1.0	.3	2.1
	Across a small room	.9		.3	.1	.6	1.8	2.4
	About the length of typical house	2.0	.3		.7	1.3	3.7	5.6
	About one or two city blocks	7.2	1.0	1.9	3.9	5.1	8.2	19.2
	About one mile	9.2	2.6	3.6	5.4	7.7	14.2	19.7
	More than one mile	79.9	95.8	94.1	89.5	84.3	71.8	51.0
Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem and use special equipment or help from others.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the farthest distance you can walk by yourself, without any special equipment or help from others?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,346	478	1,039	1,075	1,134	639	981
<b>Not any distance</b>		46	3	4	4	9	5	21
<b>Across a small room</b>		36		3	3	5	6	19
<b>About the length of typical house</b>		75	2	2	6	11	16	38
<b>About one or two city blocks</b>		319	2	17	28	49	51	172
<b>About one mile</b>		375	9	27	47	64	58	170
<b>More than one mile</b>		4,463	461	984	986	989	499	544
<b>Don't know/Not sure</b>		25		2	1	6	4	12
<b>Refused</b>		7	1			1		5
<b>Male</b>	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>Not any distance</b>	20	2	3	1	3	3	8
	<b>Across a small room</b>	8		1	2	1		4
	<b>About the length of typical house</b>	17	1	2		4	5	5
	<b>About one or two city blocks</b>	91		8	7	16	20	40
	<b>About one mile</b>	90	1	7	16	18	11	37
	<b>More than one mile</b>	2,040	218	447	448	457	232	238
	<b>Don't know/Not sure</b>	3		1		1	1	
	<b>Refused</b>	4	1					3
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	<b>Not any distance</b>	26	1	1	3	6	2	13
	<b>Across a small room</b>	28		2	1	4	6	15
	<b>About the length of typical house</b>	58	1		6	7	11	33
	<b>About one or two city blocks</b>	228	2	9	21	33	31	132
	<b>About one mile</b>	285	8	20	31	46	47	133
	<b>More than one mile</b>	2,423	243	537	538	532	267	306
	<b>Don't know/Not sure</b>	22		1	1	5	3	12
	<b>Refused</b>	3				1		2
Denominator is: All survey respondents who are limited in any activities because of impairment or a health problem and use special equipment or help from others.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you limited in the kind or amount of work you can do because of any impairment or a health problem?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		16.3	4.2	8.7	14.0	18.7	23.6	27.0
<b>No</b>		83.7	95.8	91.3	86.0	81.3	76.4	73.0
<b>Male</b>	<b>Yes</b>	15.5	4.3	9.1	12.7	18.4	23.0	26.6
	<b>No</b>	84.5	95.7	90.9	87.3	81.6	77.0	73.4
<b>Female</b>	<b>Yes</b>	17.1	4.1	8.2	15.2	19.1	24.3	27.3
	<b>No</b>	82.9	95.9	91.8	84.8	80.9	75.7	72.7

Denominator is: All survey respondents.

Are you limited in the kind or amount of work you can do because of any impairment or a health problem?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		5,346	478	1,039	1,075	1,134	639	981
<b>Yes</b>		919	23	93	156	220	158	269
<b>No</b>		4,401	454	941	919	909	479	699
<b>Don't know/Not sure</b>		25	1	5		5	2	12
<b>Refused</b>		1						1
<b>Male</b>	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>Yes</b>	364	10	39	62	96	68	89
	<b>No</b>	1,902	212	429	412	404	203	242
	<b>Don't know/Not sure</b>	6	1	1			1	3
	<b>Refused</b>	1						1
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	<b>Yes</b>	555	13	54	94	124	90	180
	<b>No</b>	2,499	242	512	507	505	276	457
	<b>Don't know/Not sure</b>	19		4		5	1	9

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would lose your Supplemental Security Income, Supplemental Security Disability Income, or other sources of income if you went to work?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		30.4		17.8	31.9	28.8	44.4	
<b>Minor barrier</b>		10.3	24.5	20.4	8.9	6.7	9.9	
<b>No barrier</b>		21.2	12.3	41.4	17.5	16.4	24.2	
<b>Not applicable</b>		38.0	63.2	20.4	41.8	48.2	21.5	
<b>Male</b>	<b>Major barrier</b>	29.3		25.0	28.0	25.0	50.0	
	<b>Minor barrier</b>	10.4		16.7	8.0	11.4	11.1	
	<b>No barrier</b>	19.4		41.7	20.0	13.6	22.2	
	<b>Not applicable</b>	40.8	100.0	16.7	44.0	50.0	16.7	
<b>Female</b>	<b>Major barrier</b>	31.7		11.8	36.1	34.2	39.1	
	<b>Minor barrier</b>	10.3	66.7	23.5	9.8		8.7	
	<b>No barrier</b>	23.2	33.3	41.2	14.8	20.3	26.1	
	<b>Not applicable</b>	34.9		23.5	39.3	45.6	26.1	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would lose your Supplemental Security Income, Supplemental Security Disability Income, or other sources of income if you went to work?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		137	3	17	35	51	31	
<b>Major barrier</b>		42		3	12	16	11	
<b>Minor barrier</b>		15	1	4	3	3	4	
<b>No barrier</b>		31	1	6	7	9	8	
<b>Not applicable</b>		45	1	4	12	22	6	
<b>Don't know/Not sure</b>		4			1	1	2	
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13	
	<b>Major barrier</b>	19		2	6	6	5	
	<b>Minor barrier</b>	7		1	1	3	2	
	<b>No barrier</b>	11		2	3	3	3	
	<b>Not applicable</b>	23	1	1	6	13	2	
	<b>Don't know/Not sure</b>	2				1	1	
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18	
	<b>Major barrier</b>	23		1	6	10	6	
	<b>Minor barrier</b>	8	1	3	2		2	
	<b>No barrier</b>	20	1	4	4	6	5	

<b>Not applicable</b>	22		3	6	9	4
<b>Don't know/Not sure</b>	2			1		1

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would lose your subsidized housing if you went to work?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Major barrier		10.7		11.4	12.4	10.5	10.2	
Minor barrier		8.9	24.5		16.1	3.5	9.8	
No barrier		15.0		33.2	14.0	12.0	13.1	
Not applicable		65.5	75.5	55.4	57.5	74.0	66.9	
Male	Major barrier	11.0		25.0	8.7	15.9		
	Minor barrier	8.5			13.0	2.3	20.0	
	No barrier	10.4		16.7	8.7	11.4	10.0	
	Not applicable	70.2	100.0	58.3	69.6	70.5	70.0	
Female	Major barrier	10.4			15.9	2.6	20.0	
	Minor barrier	9.4	66.7		19.0	5.2		
	No barrier	20.0		47.1	19.0	13.0	16.0	
	Not applicable	60.3	33.3	52.9	46.0	79.2	64.0	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would lose your subsidized housing if you went to work?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		137	3	17	35	51	31	
Major barrier		17		2	5	6	4	
Minor barrier		10	1		5	2	2	
No barrier		23		6	5	7	5	
Not applicable		83	2	9	18	34	20	
Don't know/Not sure		3			2	1		
Refused		1				1		
Male	Total	62	1	6	16	26	13	
	Major barrier	9		2	2	5		
	Minor barrier	5			2	1	2	
	No barrier	7		1	1	3	2	
	Not applicable	38	1	3	9	16	9	
	Don't know/Not sure	3			2	1		
Female	Total	75	2	11	19	25	18	
	Major barrier	8			3	1	4	
	Minor barrier	5	1		3	1		
	No barrier	16		5	4	4	3	

<b>Not applicable</b>	45	1	6	9	18	11
<b>Refused</b>	1				1	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would lose your Medicare or Medicaid coverage if you went to work?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		30.1		25.4	29.4	31.9	36.4	
<b>Minor barrier</b>		8.0	36.8	9.6	10.8	2.4	7.1	
<b>No barrier</b>		20.2		31.8	17.0	22.2	18.4	
<b>Not applicable</b>		41.7	63.2	33.2	42.8	43.6	38.1	
<b>Male</b>	<b>Major barrier</b>	30.5		41.7	24.0	32.6	36.8	
	<b>Minor barrier</b>	6.2			12.0	2.2	10.5	
	<b>No barrier</b>	21.6		41.7	12.0	26.1	21.1	
	<b>Not applicable</b>	41.7	100.0	16.7	52.0	39.1	31.6	
<b>Female</b>	<b>Major barrier</b>	29.7		11.8	34.9	30.7	36.0	
	<b>Minor barrier</b>	10.1	100.0	17.6	9.5	2.7	4.0	
	<b>No barrier</b>	18.6		23.5	22.2	16.0	16.0	
	<b>Not applicable</b>	41.6		47.1	33.3	50.7	44.0	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would lose your Medicare or Medicaid coverage if you went to work?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		137	3	17	35	51	31	
<b>Major barrier</b>		41		4	11	16	10	
<b>Minor barrier</b>		13	2	2	4	2	3	
<b>No barrier</b>		27		5	7	9	6	
<b>Not applicable</b>		54	1	6	13	23	11	
<b>Don't know/Not sure</b>		2				1	1	
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13	
	<b>Major barrier</b>	19		3	5	8	3	
	<b>Minor barrier</b>	5			2	1	2	
	<b>No barrier</b>	12		2	2	5	3	
	<b>Not applicable</b>	25	1	1	7	12	4	
	<b>Don't know/Not sure</b>	1					1	
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18	
	<b>Major barrier</b>	22		1	6	8	7	
	<b>Minor barrier</b>	8	2	2	2	1	1	
	<b>No barrier</b>	15		3	5	4	3	
	<b>Not applicable</b>	29		5	6	11	7	



## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would not be able to find a job offering affordable health insurance as a benefit?  
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
<b>Major barrier</b>		49.1	24.5	48.6	54.6	50.5	44.2
<b>Minor barrier</b>		17.3		25.0	12.2	17.7	21.9
<b>No barrier</b>		13.5	12.3	19.8	15.1	11.4	11.6
<b>Not applicable</b>		20.1	63.2	6.6	18.2	20.3	22.3
<b>Male</b>	<b>Major barrier</b>	49.7		75.0	47.6	52.2	44.4
	<b>Minor barrier</b>	19.6		25.0	14.3	17.4	33.3
	<b>No barrier</b>	8.0			9.5	8.7	11.1
	<b>Not applicable</b>	22.7	100.0		28.6	21.7	11.1
<b>Female</b>	<b>Major barrier</b>	48.4	66.7	25.0	61.0	48.1	44.0
	<b>Minor barrier</b>	14.6		25.0	10.2	18.2	12.0
	<b>No barrier</b>	19.6	33.3	37.5	20.3	15.6	12.0
	<b>Not applicable</b>	17.3		12.5	8.5	18.2	32.0

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would not be able to find a job offering affordable health insurance as a benefit?  
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
<b>Total</b>		137	3	17	35	51	31
<b>Major barrier</b>		67	1	8	17	26	15
<b>Minor barrier</b>		21		4	4	8	5
<b>No barrier</b>		18	1	3	4	6	4
<b>Not applicable</b>		23	1	1	5	10	6
<b>Don't know/Not sure</b>		7		1	5		1
<b>Refused</b>		1				1	
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13
	<b>Major barrier</b>	32		5	7	14	6
	<b>Minor barrier</b>	10		1	2	4	3
	<b>No barrier</b>	5			1	2	2
	<b>Not applicable</b>	11	1		3	6	1
	<b>Don't know/Not sure</b>	4			3		1
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18
	<b>Major barrier</b>	35	1	3	10	12	9
	<b>Minor barrier</b>	11		3	2	4	2
	<b>No barrier</b>	13	1	3	3	4	2

<b>Not applicable</b>	12		1	2	4	5	
<b>Don't know/Not sure</b>	3		1	2			
<b>Refused</b>	1				1		

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would lose your subsidized personal attendant services if you went to work?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		23.3	24.5	6.4	35.1	13.4	31.9	
<b>Minor barrier</b>		6.4		17.8	8.4	5.1		
<b>No barrier</b>		17.2	12.3	41.4	7.3	18.2	16.6	
<b>Not applicable</b>		53.1	63.2	34.4	49.2	63.3	51.5	
<b>Male</b>	<b>Major barrier</b>	21.4			28.0	14.0	42.1	
	<b>Minor barrier</b>	6.4		25.0	4.0	7.0		
	<b>No barrier</b>	14.9		41.7	8.0	14.0	15.8	
	<b>Not applicable</b>	57.4	100.0	33.3	60.0	65.1	42.1	
<b>Female</b>	<b>Major barrier</b>	25.4	66.7	11.8	42.6	12.7	21.7	
	<b>Minor barrier</b>	6.5		11.8	13.1	2.5		
	<b>No barrier</b>	19.9	33.3	41.2	6.6	24.1	17.4	
	<b>Not applicable</b>	48.2		35.3	37.7	60.8	60.9	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would lose your subsidized personal attendant services if you went to work?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		137	3	17	35	51	31	
<b>Major barrier</b>		26	1	1	11	5	8	
<b>Minor barrier</b>		10		4	3	3		
<b>No barrier</b>		24	1	6	2	9	6	
<b>Not applicable</b>		72	1	6	18	32	15	
<b>Don't know/Not sure</b>		5			1	2	2	
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13	
	<b>Major barrier</b>	12			5	3	4	
	<b>Minor barrier</b>	5		2	1	2		
	<b>No barrier</b>	9		2	1	3	3	
	<b>Not applicable</b>	33	1	2	9	16	5	
	<b>Don't know/Not sure</b>	3				2	1	
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18	
	<b>Major barrier</b>	14	1	1	6	2	4	
	<b>Minor barrier</b>	5		2	2	1		
	<b>No barrier</b>	15	1	4	1	6	3	
	<b>Not applicable</b>	39		4	9	16	10	

<b>Don't know/Not sure</b>	2		1	1
----------------------------	---	--	---	---

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you would need work accommodations, such as accessible work space?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		20.6		16.6	24.7	21.5	19.3	
<b>Minor barrier</b>		20.8	24.5	24.8	19.4	24.4	14.5	
<b>No barrier</b>		23.4	12.3	35.0	18.9	18.1	32.9	
<b>Not applicable</b>		35.2	63.2	23.6	37.0	36.1	33.3	
<b>Male</b>	<b>Major barrier</b>	19.4		8.3	17.4	25.6	22.2	
	<b>Minor barrier</b>	19.9		33.3	13.0	25.6	16.7	
	<b>No barrier</b>	28.0		41.7	30.4	25.6	27.8	
	<b>Not applicable</b>	32.7	100.0	16.7	39.1	23.1	33.3	
<b>Female</b>	<b>Major barrier</b>	21.8		23.5	31.7	16.0	16.7	
	<b>Minor barrier</b>	21.8	66.7	17.6	25.4	22.7	12.5	
	<b>No barrier</b>	18.5	33.3	29.4	7.9	8.0	37.5	
	<b>Not applicable</b>	37.9		29.4	34.9	53.3	33.3	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you would need work accommodations, such as accessible work space?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		137	3	17	35	51	31	
<b>Major barrier</b>		30		4	9	11	6	
<b>Minor barrier</b>		27	1	4	7	11	4	
<b>No barrier</b>		30	1	6	6	8	9	
<b>Not applicable</b>		41	1	3	11	16	10	
<b>Don't know/Not sure</b>		8			2	4	2	
<b>Refused</b>		1				1		
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13	
	<b>Major barrier</b>	13		1	3	6	3	
	<b>Minor barrier</b>	13		2	2	7	2	
	<b>No barrier</b>	15		2	4	5	4	
	<b>Not applicable</b>	15	1	1	5	5	3	
	<b>Don't know/Not sure</b>	6			2	3	1	
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18	
	<b>Major barrier</b>	17		3	6	5	3	
	<b>Minor barrier</b>	14	1	2	5	4	2	
	<b>No barrier</b>	15	1	4	2	3	5	

<b>Not applicable</b>	26		2	6	11	7	
<b>Don't know/Not sure</b>	2				1	1	
<b>Refused</b>	1				1		

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you wouldn't have control over the pace or scheduling of work activities?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		48.0		33.8	42.6	60.8	51.9	
<b>Minor barrier</b>		17.5	36.8	28.0	18.8	13.8	12.0	
<b>No barrier</b>		19.8		38.2	23.9	11.7	19.7	
<b>Not applicable</b>		14.7	63.2		14.7	13.8	16.3	
<b>Male</b>	<b>Major barrier</b>	50.4		25.0	37.5	67.4	61.1	
	<b>Minor barrier</b>	17.8		33.3	25.0	10.9	16.7	
	<b>No barrier</b>	15.5		41.7	20.8	10.9	5.6	
	<b>Not applicable</b>	16.4	100.0		16.7	10.9	16.7	
<b>Female</b>	<b>Major barrier</b>	45.4		41.2	47.6	50.6	44.0	
	<b>Minor barrier</b>	17.2	100.0	23.5	12.7	18.2	8.0	
	<b>No barrier</b>	24.6		35.3	27.0	13.0	32.0	
	<b>Not applicable</b>	12.9			12.7	18.2	16.0	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you wouldn't have control over the pace or scheduling of work activities?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		137	3	17	35	51	31	
<b>Major barrier</b>		67		7	16	29	15	
<b>Minor barrier</b>		25	2	5	6	8	4	
<b>No barrier</b>		26		5	8	7	6	
<b>Not applicable</b>		16	1		4	6	5	
<b>Don't know/Not sure</b>		2			1		1	
<b>Refused</b>		1				1		
<b>Male</b>	<b>Total</b>	62	1	6	16	26	13	
	<b>Major barrier</b>	31		2	6	16	7	
	<b>Minor barrier</b>	12		2	4	4	2	
	<b>No barrier</b>	9		2	3	3	1	
	<b>Not applicable</b>	8	1		2	3	2	
	<b>Don't know/Not sure</b>	2			1		1	
<b>Female</b>	<b>Total</b>	75	2	11	19	25	18	
	<b>Major barrier</b>	36		5	10	13	8	
	<b>Minor barrier</b>	13	2	3	2	4	2	
	<b>No barrier</b>	17		3	5	4	5	

<b>Not applicable</b>	8			2	3	3
<b>Refused</b>	1				1	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you don't have convenient or accessible transportation?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Major barrier		21.5	100.0	24.1	25.2	11.2	12.9	
Minor barrier		11.4			19.0	13.2	8.0	
No barrier		43.3		40.7	25.6	53.1	63.2	
Not applicable		23.7		35.2	30.2	22.5	16.0	
Male	Major barrier	24.9	100.0	33.3	30.0	13.0	11.1	
	Minor barrier	12.6			30.0	13.0		
	No barrier	43.8		33.3	20.0	47.8	88.9	
	Not applicable	18.8		33.3	20.0	26.1		
Female	Major barrier	18.3	100.0	18.2	21.6	8.9	14.3	
	Minor barrier	10.4			10.8	13.3	14.3	
	No barrier	42.9		45.5	29.7	60.0	42.9	
	Not applicable	28.4		36.4	37.8	17.8	28.6	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you don't have convenient or accessible transportation?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		74	2	10	18	29	15	
Major barrier		15	2	3	4	4	2	
Minor barrier		10			4	5	1	
No barrier		31		3	6	13	9	
Not applicable		17		3	4	7	3	
Don't know/Not sure		1		1				
Male	Total	31	1	3	6	15	6	
	Major barrier	8	1	1	2	3	1	
	Minor barrier	4			2	2		
	No barrier	13		1	1	6	5	
	Not applicable	6		1	1	4		
Female	Total	43	1	7	12	14	9	
	Major barrier	7	1	2	2	1	1	
	Minor barrier	6			2	3	1	
	No barrier	18		2	5	7	4	
	Not applicable	11		2	3	3	3	
	Don't know/Not sure	1		1				

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

**Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)**

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that you wouldn't earn enough money to make up for the disability-related benefits that you would lose by becoming employed?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		33.1	33.4	40.4	33.3	29.2	34.7	
<b>Minor barrier</b>		11.9			12.4	11.7	22.7	
<b>No barrier</b>		22.4		49.1	14.7	22.5	20.9	
<b>Not applicable</b>		32.6	66.6	10.5	39.6	36.6	21.8	
<b>Male</b>	<b>Major barrier</b>	21.1		66.7	20.0	8.7	33.3	
	<b>Minor barrier</b>	13.1				17.4	33.3	
	<b>No barrier</b>	20.8		33.3	20.0	26.1	11.1	
	<b>Not applicable</b>	45.0	100.0		60.0	47.8	22.2	
<b>Female</b>	<b>Major barrier</b>	44.2	100.0	25.0	43.2	55.6	35.7	
	<b>Minor barrier</b>	10.9			21.6	4.4	14.3	
	<b>No barrier</b>	23.9		58.3	10.8	17.8	28.6	
	<b>Not applicable</b>	21.1		16.7	24.3	22.2	21.4	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and are not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that you wouldn't earn enough money to make up for the disability-related benefits that you would lose by becoming employed?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		74	2	10	18	29	15	
<b>Major barrier</b>		27	1	4	7	10	5	
<b>Minor barrier</b>		8			2	3	3	
<b>No barrier</b>		18		5	3	6	4	
<b>Not applicable</b>		21	1	1	6	10	3	
<b>Male</b>	<b>Total</b>	31	1	3	6	15	6	
	<b>Major barrier</b>	8		2	2	2	2	
	<b>Minor barrier</b>	4				2	2	
	<b>No barrier</b>	6		1	1	3	1	
	<b>Not applicable</b>	13	1		3	8	1	
<b>Female</b>	<b>Total</b>	43	1	7	12	14	9	
	<b>Major barrier</b>	19	1	2	5	8	3	
	<b>Minor barrier</b>	4			2	1	1	
	<b>No barrier</b>	12		4	2	3	3	
	<b>Not applicable</b>	8		1	3	2	2	

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and are not limited in the amount of work they can do because of any impairment or a health problem.

**Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)**

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that employers have negative attitudes toward people with disabilities?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		57.2	66.6	28.1	68.0	55.1	63.2	
<b>Minor barrier</b>		17.2	33.4	28.1	12.0	22.7	4.0	
<b>No barrier</b>		18.7		43.8	1.6	16.8	32.9	
<b>Not applicable</b>		6.8			18.4	5.4		
<b>Male</b>	<b>Major barrier</b>	63.1	100.0	33.3	60.0	52.6	88.9	
	<b>Minor barrier</b>	16.4		33.3	20.0	21.1		
	<b>No barrier</b>	11.5		33.3		15.8	11.1	
	<b>Not applicable</b>	9.0			20.0	10.5		
<b>Female</b>	<b>Major barrier</b>	52.1		25.0	74.3	57.8	42.9	
	<b>Minor barrier</b>	17.9	100.0	25.0	5.7	24.4	7.1	
	<b>No barrier</b>	25.1		50.0	2.9	17.8	50.0	
	<b>Not applicable</b>	4.9			17.1			

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that employers have negative attitudes toward people with disabilities?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		74	2	10	18	29	15	
<b>Major barrier</b>		38	1	3	11	14	9	
<b>Minor barrier</b>		14	1	3	2	7	1	
<b>No barrier</b>		15		4	1	5	5	
<b>Not applicable</b>		4			3	1		
<b>Don't know/Not sure</b>		3			1	2		
<b>Male</b>	<b>Total</b>	31	1	3	6	15	6	
	<b>Major barrier</b>	18	1	1	4	7	5	
	<b>Minor barrier</b>	5		1	1	3		
	<b>No barrier</b>	4		1		2	1	
	<b>Not applicable</b>	2			1	1		
	<b>Don't know/Not sure</b>	2				2		
<b>Female</b>	<b>Total</b>	43	1	7	12	14	9	
	<b>Major barrier</b>	20		2	7	7	4	
	<b>Minor barrier</b>	9	1	2	1	4	1	
	<b>No barrier</b>	11		3	1	3	4	
	<b>Not applicable</b>	2			2			



## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that your training or skills are not adequate to be employed?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Major barrier</b>		39.4		40.4	21.3	55.1	46.3	
<b>Minor barrier</b>		19.8	66.6	26.3	24.5	12.7	9.8	
<b>No barrier</b>		25.7	33.4	33.3	17.8	17.6	43.9	
<b>Not applicable</b>		15.0			36.4	14.6		
<b>Male</b>	<b>Major barrier</b>	46.2		66.7	10.0	56.5	77.8	
	<b>Minor barrier</b>	26.7	100.0		50.0	8.7	22.2	
	<b>No barrier</b>	15.2		33.3	20.0	17.4		
	<b>Not applicable</b>	11.9			20.0	17.4		
<b>Female</b>	<b>Major barrier</b>	33.1		25.0	29.7	53.3	21.4	
	<b>Minor barrier</b>	13.5		41.7	5.4	17.8		
	<b>No barrier</b>	35.5	100.0	33.3	16.2	17.8	78.6	
	<b>Not applicable</b>	17.9			48.6	11.1		

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that your training or skills are not adequate to be employed?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		74	2	10	18	29	15	
<b>Major barrier</b>		31		4	5	15	7	
<b>Minor barrier</b>		13	1	3	4	4	1	
<b>No barrier</b>		21	1	3	3	7	7	
<b>Not applicable</b>		9			6	3		
<b>Male</b>	<b>Total</b>	31	1	3	6	15	6	
	<b>Major barrier</b>	17		2	1	9	5	
	<b>Minor barrier</b>	6	1		3	1	1	
	<b>No barrier</b>	5		1	1	3		
	<b>Not applicable</b>	3			1	2		
<b>Female</b>	<b>Total</b>	43	1	7	12	14	9	
	<b>Major barrier</b>	14		2	4	6	2	
	<b>Minor barrier</b>	7		3	1	3		
	<b>No barrier</b>	16	1	2	2	4	7	
	<b>Not applicable</b>	6			5	1		

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you concerned that there you would not be able to take time off for health-related reasons?  
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
<b>Major barrier</b>		41.3	33.4	21.0	58.0	40.4	37.0
<b>Minor barrier</b>		15.4		17.6		24.5	21.7
<b>No barrier</b>		15.3		38.6	11.8	4.4	27.8
<b>Not applicable</b>		28.0	66.6	22.8	30.2	30.7	13.4
<b>Male</b>	<b>Major barrier</b>	25.4			37.5	21.7	44.4
	<b>Minor barrier</b>	24.2		33.3		43.5	11.1
	<b>No barrier</b>	11.7		33.3		4.3	33.3
	<b>Not applicable</b>	38.7	100.0	33.3	62.5	30.4	11.1
<b>Female</b>	<b>Major barrier</b>	55.6	100.0	33.3	70.3	64.4	30.8
	<b>Minor barrier</b>	7.6		8.3			30.8
	<b>No barrier</b>	18.5		41.7	18.9	4.4	23.1
	<b>Not applicable</b>	18.4		16.7	10.8	31.1	15.4

Denominator is: All survey respondents who are limited in any activities because of impairment or health problem, are unable to work, are out of work, are less than 65 years old, and not limited in the amount of work they can do because of any impairment or a health problem.

Are you concerned that there you would not be able to take time off for health-related reasons?  
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
<b>Total</b>		74	2	10	18	29	15
<b>Major barrier</b>		34	1	3	11	14	5
<b>Minor barrier</b>		11		2		6	3
<b>No barrier</b>		11		3	2	2	4
<b>Not applicable</b>		16	1	2	4	7	2
<b>Don't know/Not sure</b>		2			1		1
<b>Male</b>	<b>Total</b>	31	1	3	6	15	6
	<b>Major barrier</b>	8			2	4	2
	<b>Minor barrier</b>	8		1		6	1
	<b>No barrier</b>	4		1		1	2
	<b>Not applicable</b>	10	1	1	3	4	1
	<b>Don't know/Not sure</b>	1			1		
<b>Female</b>	<b>Total</b>	43	1	7	12	14	9
	<b>Major barrier</b>	26	1	3	9	10	3
	<b>Minor barrier</b>	3		1			2
	<b>No barrier</b>	7		2	2	1	2
	<b>Not applicable</b>	6		1	1	3	1



# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	3.1	4.9	4.3	2.7	2.6	2.4	2.1	
2	4.0	3.9	4.0	5.3	4.5	4.0	1.9	
3	1.7	1.0	1.3	1.9	2.0	1.8	1.9	
4	1.2	.4	1.0	2.1	1.3	1.1	.9	
5	2.0	1.5	2.5	1.7	2.5	2.6	1.1	
6	.5		.7	.5	.3	1.2	.4	
7	1.0	.5	.5	1.1	1.0	1.3	1.3	
8	.3	.3	.4	.3	.2		.3	
9	.1	.3	.2	.1				
10	1.1	.5	1.0	.8	1.6	1.7	1.4	
11	.0				.2			
12	.1	.2	.1	.2	.0	.3		
14	.7	.4	.8	.3	1.0	.7	.7	
15	1.5	.4	1.0	2.0	1.7	2.4	1.6	
16	.0		.2					
17	.0		.0					
18	.0				.2			
20	.9	1.3	.6	1.6	.7	1.0	.4	
21	.2		.1	.3	.6	.2	.1	
24	.0				.1			
25	.2	.2	.1	.1	.6	.2	.2	
27	.0				.1		.1	
28	.0		.0	.1		.1		
29	.1		.2		.2	.1	.1	
30	5.4	.9	2.3	4.2	8.1	7.4	8.6	
None	75.7	83.4	78.5	74.5	70.7	71.5	77.1	
	1	3.4	6.2	4.3	3.3	2.5	1.9	2.2
	2	3.5	2.1	3.9	3.7	4.7	4.1	2.0
	3	1.4	.8	1.3	1.4	1.9	1.3	1.4
	4	1.5	.5	.8	2.2	1.7	2.3	.9
	5	1.7	.8	2.7	.9	1.9	3.6	.5
	6	.5		.2	.6		2.1	.5
	7	.9	.2	.4	1.2	.6	1.6	1.1
	8	.2	.0	.3	.4	.2		.2
	.1		.4	.2				

<b>Male</b>	<b>9</b>							
	<b>10</b>	.7		.8	.5	.8	.6	1.1
	<b>11</b>	.1				.3		
	<b>12</b>	.1			.2		.4	
	<b>14</b>	.3		.2	.2	.7	.2	
	<b>15</b>	1.8	.5	1.2	2.0	2.7	2.6	1.8
	<b>16</b>	.1		.3				
	<b>18</b>	.1				.3		
	<b>20</b>	.8	1.0	.7	1.1	.9	1.1	.4
	<b>21</b>	.1		.2		.2	.4	
	<b>24</b>	.0				.2		
	<b>25</b>	.3	.4	.2	.2	.6		.4
	<b>29</b>	.2		.3		.3	.2	
	<b>30</b>	5.1	.8	2.5	4.9	8.1	5.3	7.9
	<b>None</b>	77.3	86.7	79.0	76.7	71.2	72.2	79.6
<b>Female</b>	<b>1</b>	2.8	3.5	4.4	2.1	2.6	2.8	2.0
	<b>2</b>	4.4	5.8	4.1	6.8	4.3	3.9	1.8
	<b>3</b>	2.0	1.2	1.2	2.4	2.1	2.3	2.3
	<b>4</b>	1.0	.3	1.2	2.0	.8		.9
	<b>5</b>	2.3	2.3	2.4	2.5	3.1	1.8	1.4
	<b>6</b>	.5		1.2	.4	.5	.3	.3
	<b>7</b>	1.1	.9	.6	1.0	1.4	1.0	1.4
	<b>8</b>	.3	.5	.5	.3	.2		.3
	<b>9</b>	.1	.7					
	<b>10</b>	1.6	1.0	1.2	1.1	2.4	2.7	1.5
	<b>12</b>	.2	.3	.3	.2	.1	.2	
	<b>14</b>	1.0	.9	1.4	.4	1.3	1.1	1.2
	<b>15</b>	1.3	.3	.8	2.0	.7	2.3	1.4
	<b>17</b>	.0		.1				
	<b>20</b>	1.0	1.6	.5	2.1	.4	1.0	.4
	<b>21</b>	.4			.7	1.0		.2
	<b>25</b>	.2				.7	.3	
	<b>27</b>	.1				.2		.1
	<b>28</b>	.1		.1	.2		.2	
	<b>29</b>	.0						.1
<b>30</b>	5.7	1.0	2.1	3.5	8.1	9.4	9.2	
<b>None</b>	74.2	79.8	77.9	72.3	70.2	70.9	75.2	

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	5,346	478	1,039	1,075	1,134	639	981	
<b>1</b>	163	26	43	33	27	16	18	
<b>2</b>	213	20	44	57	51	23	18	
<b>3</b>	108	6	16	24	28	12	22	
<b>4</b>	57	3	10	15	14	6	9	
<b>5</b>	109	9	24	20	28	17	11	
<b>6</b>	28		8	6	4	6	4	
<b>7</b>	49	3	6	10	11	9	10	
<b>8</b>	17	2	5	4	3		3	
<b>9</b>	4	1	2	1				
<b>10</b>	71	4	11	11	20	12	13	
<b>11</b>	1				1			
<b>12</b>	7	1	1	2	1	2		
<b>14</b>	38	2	7	3	12	5	9	
<b>15</b>	83	2	11	22	18	15	15	
<b>16</b>	1		1					
<b>17</b>	1		1					
<b>18</b>	1				1			
<b>20</b>	52	7	7	17	8	8	5	
<b>21</b>	13		1	4	5	1	2	
<b>24</b>	1				1			
<b>25</b>	13	1	1	2	6	2	1	
<b>27</b>	2				1		1	
<b>28</b>	3		1	1		1		
<b>29</b>	5		1		2	1	1	
<b>30</b>	305	4	26	46	94	50	85	
<b>Don't know/Not sure</b>	56	1	2	6	7	7	33	
<b>None</b>	3,938	386	810	789	790	446	717	
<b>Refused</b>	7			2	1		4	
	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>1</b>	75	14	19	18	13	5	6
	<b>2</b>	81	6	19	18	22	9	7
	<b>3</b>	39	1	8	8	13	3	6
	<b>4</b>	29	2	3	7	8	6	3
		39	3	12	5	7	10	2

<b>Male</b>	5							
	6	12		1	4		5	2
	7	18	1	2	4	3	5	3
	8	6	1	1	2	1		1
	9	3		2	1			
	10	18		5	3	5	2	3
	11	1				1		
	12	2			1		1	
	14	7		1	1	4	1	
	15	41	1	6	9	12	7	6
	16	1		1				
	18	1				1		
	20	20	2	3	5	5	4	1
	21	3		1		1	1	
	24	1				1		
	25	7	1	1	2	2		1
	29	4		1		2	1	
	30	118	1	11	24	39	17	26
	Don't know/Not sure	10			1	2	1	6
	None	1,734	190	372	360	357	194	261
Refused	3			1	1		1	
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	1	88	12	24	15	14	11	12
	2	132	14	25	39	29	14	11
	3	69	5	8	16	15	9	16
	4	28	1	7	8	6		6
	5	70	6	12	15	21	7	9
	6	16		7	2	4	1	2
	7	31	2	4	6	8	4	7
	8	11	1	4	2	2		2
	9	1	1					
	10	53	4	6	8	15	10	10
	12	5	1	1	1	1	1	
	14	31	2	6	2	8	4	9
	15	42	1	5	13	6	8	9
	17	1		1				
	20	32	5	4	12	3	4	4
	21	10			4	4		2
	25	6				4	2	
	27	2				1		1
	28	3		1	1		1	

<b>29</b>	1						1
<b>30</b>	187	3	15	22	55	33	59
<b>Don't know/Not sure</b>	46	1	2	5	5	6	27
<b>None</b>	2,204	196	438	429	433	252	456
<b>Refused</b>	4			1			3

Denominator is: All survey respondents.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Is there anyone else in your household who is limited in any way in any activities because of any impairment or health problem?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		16.4	10.8	10.0	11.3	18.1	24.0	29.2
<b>no</b>		83.6	89.2	90.0	88.7	81.9	76.0	70.8
<b>Male</b>	<b>Yes</b>	15.3	9.7	10.4	9.5	17.4	20.2	28.2
	<b>no</b>	84.7	90.3	89.6	90.5	82.6	79.8	71.8
<b>Female</b>	<b>Yes</b>	17.6	11.8	9.5	13.0	18.8	27.8	30.1
	<b>no</b>	82.4	88.2	90.5	87.0	81.2	72.2	69.9

Denominator is: All survey respondents who live with another person.

Is there anyone else in your household who is limited in any way in any activities because of any impairment or health problem?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		4,045	396	881	907	896	450	515
<b>Yes</b>		636	40	84	102	157	107	146
<b>no</b>		3,403	356	796	804	738	343	366
<b>Don't know/Not sure</b>		4		1	1			2
<b>Refused</b>		2				1		1
<b>Male</b>	<b>Total</b>	1,728	175	381	365	380	197	230
	<b>Yes</b>	255	16	39	35	64	39	62
	<b>no</b>	1,471	159	342	330	315	158	167
	<b>Refused</b>	2				1		1
<b>Female</b>	<b>Total</b>	2,317	221	500	542	516	253	285
	<b>Yes</b>	381	24	45	67	93	68	84
	<b>no</b>	1,932	197	454	474	423	185	199
	<b>Don't know/Not sure</b>	4		1	1			2

Denominator is: All survey respondents who live with another person.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the person in your home?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Arthritis/rheumatism		9.7	1.4	.7	4.3	5.4	14.8	18.0
Back or neck problems		22.2	16.5	30.4	27.2	24.8	25.2	14.2
Fractures, bone/joint injury		8.3	8.6	11.4	8.4	9.2	7.7	6.7
Walking problem		3.6	1.6	4.4	1.4	2.5	4.5	5.4
Lung/breathing problem		6.5	8.9	4.7	5.0	6.6	4.3	8.4
Hearing problem		1.0		.8	.6	1.3	1.4	1.2
Eye/vision problem		3.8	6.4	4.5	5.0	2.5	2.0	4.1
Heart problem		5.8	2.4		3.8	4.7	8.0	9.5
Stroke		1.1				.4	1.3	2.9
Hypertension/High blood pressure		.1	1.4					
Diabetes		2.1	1.6	1.8	1.4	1.9	3.9	2.1
Cancer		.9		.3	1.1	.5	.8	1.4
Depression/anxiety/emotional problem		2.4	4.9	5.0	3.1	2.5	2.1	.6
Other		32.4	46.4	35.9	38.5	37.6	23.7	25.6
Alzheimer's Disease		.1					.3	
Male	Arthritis/rheumatism	5.5		.8	.3	6.4	8.2	10.1
	Back or neck problems	21.3	15.1	35.0	22.8	23.4	24.5	12.6
	Fractures, bone/joint injury	11.1	9.1	14.2	12.5	9.8	12.2	9.7
	Walking problem	3.3	3.0	4.9	2.1	3.4	4.6	2.9
	Lung/breathing problem	6.9	9.1	4.1	5.5	5.1	3.8	11.6
	Hearing problem	.9		1.6	1.4	.9		1.0
	Eye/vision problem	5.7	12.1	6.5	9.3	3.4	1.5	5.3
	Heart problem	7.4	4.5		4.2	6.4	14.5	10.6
	Stroke	1.2				.9	2.3	2.7
	Diabetes	2.4	3.0	1.6	2.1	2.1	3.8	2.4
	Cancer	.6			1.4			1.4
	Depression/anxiety/emotional problem	2.3	1.5	4.1	2.1	3.0	2.3	1.4
	Other	31.1	42.6	27.2	36.3	35.1	21.4	28.3
	Alzheimer's Disease	.1					.8	
	Arthritis/rheumatism	13.1	2.9	.7	7.6	4.5	20.1	23.4
	Back or neck problems	23.0	18.1	26.0	30.9	26.2	25.8	15.3
	Fractures, bone/joint injury	5.9	8.0	8.6	4.9	8.7	3.9	4.6
	Walking problem	3.8		3.9	.9	1.5	4.4	7.1
	Lung/breathing problem	6.1	8.7	5.3	4.5	8.0	4.7	6.3
	Hearing problem	1.1				1.7	2.5	1.4

<b>Female</b>	<b>Eye/vision problem</b>	2.3		2.6	1.3	1.7	2.5	3.3
	<b>Heart problem</b>	4.5			3.6	3.1	2.7	8.7
	<b>Stroke</b>	1.1					.5	3.0
	<b>Hypertension/High blood pressure</b>	.1	2.9					
	<b>Diabetes</b>	1.9		2.0	.9	1.7	3.9	1.9
	<b>Cancer</b>	1.1		.7	.9	.9	1.5	1.4
	<b>Depression/anxiety/emotional problem</b>	2.4	8.7	5.9	4.0	2.1	2.0	
	<b>Other</b>	33.5	50.7	44.4	40.4	40.0	25.6	23.7

Denominator is: All survey respondents who are disabled.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the person in your home?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1,395	63	166	224	322	214	406
Arthritis/rheumatism		134	1	2	9	19	32	71
Back or neck problems		295	10	44	56	79	50	56
Fractures, bone/joint injury		116	5	18	18	31	17	27
Walking problem		49	1	5	5	7	9	22
Lung/breathing problem		81	6	6	10	20	9	30
Hearing problem		14		1	1	5	3	4
Eye/vision problem		46	4	6	10	6	4	16
Heart problem		70	1		6	13	15	35
Stroke		17				1	2	14
Hypertension/High blood pressure		1	1					
Diabetes		31	1	3	4	6	8	9
Cancer		12		1	2	1	2	6
Depression/anxiety/emotional problem		39	4	10	8	9	6	2
Other		442	25	59	88	119	51	100
Alzheimer's Disease		1					1	
Don't know/Not sure		33	3	6	7	4	5	8
Refused		14	1	5		2		6
<b>Male</b>	<b>Total</b>	541	31	69	90	135	84	132
	Arthritis/rheumatism	32		1	1	9	9	12
	Back or neck problems	116	4	22	20	34	19	17
	Fractures, bone/joint injury	60	2	11	11	14	10	12
	Walking problem	17	1	1	3	4	4	4
	Lung/breathing problem	32	2	2	4	7	3	14
	Hearing problem	4		1	1	1		1
	Eye/vision problem	27	4	4	8	3	1	7
	Heart problem	35	1		3	7	10	14
	Stroke	6				1	1	4
	Diabetes	15	1	1	2	3	4	4
	Cancer	3			1			2
	Depression/anxiety/emotional problem	14	1	3	2	4	2	2
	Other	161	12	18	33	45	18	35
	Alzheimer's Disease	1					1	
	Don't know/Not sure	11	2	1	1	2	2	3
Refused	7	1	4		1		1	

<b>Female</b>	<b>Total</b>	854	32	97	134	187	130	274
	<b>Arthritis/rheumatism</b>	102	1	1	8	10	23	59
	<b>Back or neck problems</b>	179	6	22	36	45	31	39
	<b>Fractures, bone/joint injury</b>	56	3	7	7	17	7	15
	<b>Walking problem</b>	32		4	2	3	5	18
	<b>Lung/breathing problem</b>	49	4	4	6	13	6	16
	<b>Hearing problem</b>	10				4	3	3
	<b>Eye/vision problem</b>	19		2	2	3	3	9
	<b>Heart problem</b>	35			3	6	5	21
	<b>Stroke</b>	11					1	10
	<b>Hypertension/High blood pressure</b>	1	1					
	<b>Diabetes</b>	16		2	2	3	4	5
	<b>Cancer</b>	9		1	1	1	2	4
	<b>Depression/anxiety/emotional problem</b>	25	3	7	6	5	4	
	<b>Other</b>	281	13	41	55	74	33	65
	<b>Don't know/Not sure</b>	22	1	5	6	2	3	5
<b>Refused</b>	7		1		1		5	

Denominator is: All survey respondents who are disabled.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the person in your home?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Arthritis/ rheumatism		10.8	6.4	3.6	9.9	8.8	11.5	16.9
Back or neck problem		10.8	13.9	9.3	14.5	7.8	10.8	10.7
Fractures, bone/joint injury		7.0	3.9	14.5	3.8	12.7	6.3	2.7
Walking problem		4.5	6.8	3.9	1.2	3.4	6.9	5.3
Lung/Breathing problem		10.4	15.3	11.1	10.9	8.9	13.5	7.8
Hearing problem		1.7	2.1	2.9	2.5	.8	1.6	1.4
Eye/vision problem		2.9	5.2	4.1	5.7	4.7	.8	
Heart problem		6.8	2.6		1.9	6.6	11.4	11.1
Stroke		2.3				2.0	4.2	4.4
Hypertension/high blood pressure		.9				2.2		1.5
Diabetes		4.3		1.3	2.5	7.3	3.5	6.0
Cancer		2.3	3.1		1.4	1.2	3.2	4.0
Depression/anxiety/emotional problem		2.3		5.6	2.9	3.5		1.9
Other		30.8	40.7	43.7	42.9	28.4	24.9	20.9
Alzheimer's disease		2.0				1.6	1.4	5.4
Male	Arthritis/ rheumatism	13.2	4.5		15.5	9.0	19.8	20.2
	Back or neck problem	9.1	11.2	4.8	11.6	7.5	11.2	9.3
	Fractures, bone/joint injury	7.0		10.8	3.1	12.0	11.2	3.1
	Walking problem	3.0	8.9	2.4	3.1	2.3		3.9
	Lung/Breathing problem	9.6	6.7	13.2	10.9	13.3	12.4	3.9
	Hearing problem	2.1	4.5	3.6	6.2			1.6
	Eye/vision problem	3.2	11.2	4.8	6.2	3.8		
	Heart problem	4.6				4.5	10.7	7.0
	Stroke	2.3				1.1	7.4	3.1
	Hypertension/high blood pressure	.9						3.1
	Diabetes	5.6		2.4	6.2	7.5	2.5	8.5
	Cancer	2.3	6.7			1.5	3.7	3.1
	Depression/anxiety/emotional problem	2.6		9.6	3.1	2.3		1.6
	Other	33.1	46.5	48.5	34.1	35.3	21.1	26.4
Alzheimer's disease	1.6						5.4	
	Arthritis/ rheumatism	8.9	8.1	7.7	6.2	8.6	5.6	13.8
	Back or neck problem	12.3	16.3	14.3	16.3	8.1	10.5	12.0
	Fractures, bone/joint injury	7.1	7.3	18.7	4.3	13.2	2.8	2.4
	Walking problem	5.7	4.9	5.5		4.3	11.9	6.6
	Lung/Breathing problem	11.2	22.8	8.8	10.9	5.1	14.3	11.4

<b>Female</b>	<b>Hearing problem</b>	1.3		2.2		1.5	2.8	1.2
	<b>Eye/vision problem</b>	2.7		3.3	5.4	5.6	1.4	
	<b>Heart problem</b>	8.7	4.9		3.1	8.5	11.9	15.0
	<b>Stroke</b>	2.4				2.8	1.9	5.7
	<b>Hypertension/high blood pressure</b>	.8				4.1		
	<b>Diabetes</b>	3.1				7.1	4.2	3.6
	<b>Cancer</b>	2.4			2.3	1.0	2.8	4.8
	<b>Depression/anxiety/emotional problem</b>	2.1		1.1	2.7	4.6		2.2
	<b>Other</b>	28.9	35.8	38.5	48.6	22.4	27.6	15.6
	<b>Alzheimer's disease</b>	2.5				3.1	2.4	5.4
Denominator is: All survey respondents who are living in a household with a disabled person.								

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the person in your home?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		635	40	84	102	157	107	145
Arthritis/ rheumatism		64	3	3	9	14	12	23
Back or neck problem		65	6	7	13	12	12	15
Fractures, bone/joint injury		48	2	13	4	19	6	4
Walking problem		23	2	3	1	4	6	7
Lung/Breathing problem		71	6	9	12	15	16	13
Hearing problem		10	1	2	2	1	2	2
Eye/vision problem		19	2	3	6	7	1	
Heart problem		43	1		2	11	12	17
Stroke		15				4	4	7
Hypertension/high blood pressure		4				2		2
Diabetes		24		1	2	10	4	7
Cancer		14	1		1	2	4	6
Depression/anxiety/emotional problem		17		4	3	6		4
Other		200	15	39	44	47	26	29
Alzheimer's disease		11				2	2	7
Don't know/Not sure		6			3	1		2
Refused		1	1					
<b>Male</b>	<b>Total</b>	255	16	39	35	64	39	62
	Arthritis/ rheumatism	33	1		5	6	8	13
	Back or neck problem	23	2	2	4	5	4	6
	Fractures, bone/joint injury	18		4	1	7	4	2
	Walking problem	6	1	1	1	1		2
	Lung/Breathing problem	25	1	5	4	7	5	3
	Hearing problem	5	1	1	2			1
	Eye/vision problem	8	2	2	2	2		
	Heart problem	11				3	4	4
	Stroke	5				1	2	2
	Hypertension/high blood pressure	2						2
	Diabetes	12		1	2	4	1	4
	Cancer	6	1			1	2	2
	Depression/anxiety/emotional problem	7		3	1	2		1
	Other	89	7	20	12	24	9	17
	Alzheimer's disease	3						3
Don't know/Not sure	2			1	1			

<b>Female</b>	<b>Total</b>	380	24	45	67	93	68	83
	<b>Arthritis/ rheumatism</b>	31	2	3	4	8	4	10
	<b>Back or neck problem</b>	42	4	5	9	7	8	9
	<b>Fractures, bone/joint injury</b>	30	2	9	3	12	2	2
	<b>Walking problem</b>	17	1	2		3	6	5
	<b>Lung/Breathing problem</b>	46	5	4	8	8	11	10
	<b>Hearing problem</b>	5		1		1	2	1
	<b>Eye/vision problem</b>	11		1	4	5	1	
	<b>Heart problem</b>	32	1		2	8	8	13
	<b>Stroke</b>	10				3	2	5
	<b>Hypertension/high blood pressure</b>	2				2		
	<b>Diabetes</b>	12				6	3	3
	<b>Cancer</b>	8			1	1	2	4
	<b>Depression/anxiety/emotional problem</b>	10		1	2	4		3
	<b>Other</b>	111	8	19	32	23	17	12
	<b>Alzheimer's disease</b>	8				2	2	4
	<b>Don't know/Not sure</b>	4			2			2
<b>Refused</b>	1	1						
Denominator is: All survey respondents who are living in a household with a disabled person.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the second disabled person in your home?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Arthritis/ rheumatism		3.8				11.0		
Back or neck problem		6.7			19.2	8.4		
Fractures, bone/joint injury		7.3		23.8	2.4	6.3		
Walking problem		8.0				10.5	100.0	
Lung/Breathing problem		18.7	44.4	30.3	14.4	9.1		
Hearing problem		2.8				8.2		
Heart problem		15.5	41.0		19.2	6.3		50.0
Diabetes		1.4				4.2		
Cancer		2.2	14.6					
Depression/anxiety/emotional problem		2.8		14.4				
Other		30.7		31.4	44.7	36.0		50.0
Male	Arthritis/ rheumatism	14.4				26.7		
	Lung/Breathing problem	26.7	100.0	37.5		6.7		
	Hearing problem	10.8				20.0		
	Depression/anxiety/emotional problem	10.8		37.5				
	Other	37.3		25.0	100.0	46.7		
Female	Back or neck problem	9.1			20.5	14.3		
	Fractures, bone/joint injury	9.9		38.7	2.6	10.7		
	Walking problem	10.8				17.9	100.0	
	Lung/Breathing problem	15.9	29.6	25.8	15.4	10.7		
	Heart problem	20.9	51.9		20.5	10.7		50.0
	Diabetes	2.0				7.1		
	Cancer	3.0	18.5					
	Other	28.4		35.5	41.0	28.6		50.0
Denominator is: All survey respondents who are living in a household with two disabled people.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the second disabled person in your home?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		46	6	10	10	16	1	3
<b>Arthritis/ rheumatism</b>		1				1		
<b>Back or neck problem</b>		3			1	2		
<b>Fractures, bone/joint injury</b>		4		2	1	1		
<b>Walking problem</b>		2				1	1	
<b>Lung/Breathing problem</b>		10	3	3	2	2		
<b>Hearing problem</b>		1				1		
<b>Heart problem</b>		5	2		1	1		1
<b>Diabetes</b>		1				1		
<b>Cancer</b>		1	1					
<b>Depression/anxiety/emotional problem</b>		1		1				
<b>Other</b>		16		4	5	6		1
<b>Refused</b>		1						1
<b>Male</b>	<b>Total</b>	11	1	3	1	6		
	<b>Arthritis/ rheumatism</b>	1				1		
	<b>Lung/Breathing problem</b>	3	1	1		1		
	<b>Hearing problem</b>	1				1		
	<b>Depression/anxiety/emotional problem</b>	1		1				
	<b>Other</b>	5		1	1	3		
<b>Female</b>	<b>Total</b>	35	5	7	9	10	1	3
	<b>Back or neck problem</b>	3			1	2		
	<b>Fractures, bone/joint injury</b>	4		2	1	1		
	<b>Walking problem</b>	2				1	1	
	<b>Lung/Breathing problem</b>	7	2	2	2	1		
	<b>Heart problem</b>	5	2		1	1		1
	<b>Diabetes</b>	1				1		
	<b>Cancer</b>	1	1					
	<b>Other</b>	11		3	4	3		1
	<b>Refused</b>	1						1

Denominator is: All survey respondents who are living in a household with two disabled people.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the third disabled person in your home?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Back or neck problem		23.5			50.0			
Lung/Breathing problem		4.8		21.6				
Other		71.7		78.4	50.0	100.0		
Male	Other	100.0		100.0				
Female	Back or neck problem	28.5			50.0			
	Lung/Breathing problem	5.7		100.0				
	Other	65.8			50.0	100.0		

Denominator is: All survey respondents who are living in a household with three disabled people.

What is the major impairment or health problem that limits the activity of the third disabled person in your home?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		8		3	3	2		
Back or neck problem		1			1			
Lung/Breathing problem		1		1				
Other		5		1	2	2		
Refused		1		1				
Male	Total	1		1				
	Other	1		1				
Female	Total	7		2	3	2		
	Back or neck problem	1			1			
	Lung/Breathing problem	1		1				
	Other	4			2	2		
	Refused	1		1				

Denominator is: All survey respondents who are living in a household with three disabled people.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is the major impairment or health problem that limits the activity of the fourth disabled person in your home?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Lung/Breathing problem</b>		100.0		100.0				
<b>Female</b>	<b>Lung/Breathing problem</b>	100.0		100.0				
Denominator is: All survey respondents who are living in a household with four disabled people.								

What is the major impairment or health problem that limits the activity of the fourth disabled person in your home?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1		1				
<b>Lung/Breathing problem</b>		1		1				
<b>Female</b>	<b>Total</b>	1		1				
	<b>Lung/Breathing problem</b>	1		1				
Denominator is: All survey respondents who are living in a household with four disabled people.								

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt sad blue, or depressed?  
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	6.6	7.9	7.8	7.5	7.7	4.1	4.3	
2	9.0	9.8	12.7	11.2	8.8	6.9	3.8	
3	5.0	7.4	5.7	6.7	4.8	2.9	2.3	
4	2.1	4.5	2.7	1.6	1.8	1.9	1.1	
5	4.5	9.2	5.6	4.6	3.6	3.2	2.0	
6	.7		.4	1.3	.6	1.3	.3	
7	1.8	3.7	2.3	1.3	2.1	1.4	.8	
8	.2	.2		.4	.2	.1		
9	.0					.2		
10	2.6	3.7	3.4	3.0	2.6	1.6	1.6	
11	.0				.1			
12	.1		.0	.2	.2		.1	
13	.0		.1	.1				
14	.6	.6	1.6	.9	.2	.3	.1	
15	2.8	3.1	2.0	3.5	3.4	2.9	1.6	
17	.0	.3						
18	.0				.0			
20	1.2	.9	1.8	1.7	1.3	.4	.9	
21	.1	.3	.0	.2		.0	.1	
25	.4	.7	.3	.2	.8	.3		
27	.1		.1	.1			.1	
28	.1		.2	.2	.0	.2		
29	.0		.1		.2			
30	3.0	1.1	1.8	3.1	4.2	4.6	3.2	
None	58.9	46.5	51.3	52.1	57.5	67.8	77.7	
	1	6.1	9.0	5.8	6.6	6.7	3.6	4.9
	2	8.1	11.2	10.4	9.4	8.8	4.8	2.9
	3	5.1	8.1	6.3	6.8	4.4	3.0	1.4
	4	1.9	4.0	2.5	1.2	1.6	2.1	.9
	5	3.8	5.5	7.1	3.1	2.6	2.9	1.8
	6	.6		.4	1.0	.9	1.3	
	7	1.3	1.8	1.7	.7	1.7	1.5	.5
	8	.2	.4		.4	.2		
	9	.0					.4	
	10	2.2	3.8	3.4	1.9	1.9	1.5	1.0

<b>Male</b>	<b>12</b>	.1			.4	.1		
	<b>13</b>	.0		.1	.1			
	<b>14</b>	.3		1.1	.1	.1		
	<b>15</b>	2.0	1.4	2.0	2.2	2.9	1.9	1.3
	<b>20</b>	1.1		2.1	.9	1.5	.2	1.4
	<b>21</b>	.1	.6					
	<b>25</b>	.3	1.0		.1	.4	.6	
	<b>27</b>	.1		.1	.2			
	<b>28</b>	.1		.3	.1			
	<b>29</b>	.1				.3		
	<b>30</b>	2.4	.8	1.1	2.6	3.6	2.5	3.3
	<b>None</b>	64.0	52.5	55.6	62.0	62.1	73.6	80.6
	<b>Female</b>	<b>1</b>	7.1	6.8	9.9	8.3	8.7	4.6
<b>2</b>		9.9	8.3	15.2	13.0	8.8	8.9	4.4
<b>3</b>		4.9	6.7	5.2	6.7	5.1	2.7	2.9
<b>4</b>		2.3	5.0	2.9	2.0	2.0	1.6	1.2
<b>5</b>		5.2	13.1	4.1	6.1	4.7	3.5	2.2
<b>6</b>		.7		.3	1.7	.3	1.3	.4
<b>7</b>		2.3	5.7	3.0	1.8	2.5	1.3	1.0
<b>8</b>		.1			.4	.2	.2	
<b>10</b>		3.0	3.7	3.5	4.0	3.2	1.6	2.0
<b>11</b>		.0				.2		
<b>12</b>		.1		.1		.2		.2
<b>13</b>		.0		.0				
<b>14</b>		1.0	1.3	2.1	1.6	.3	.6	.1
<b>15</b>		3.5	5.0	2.1	4.8	3.8	3.9	1.9
<b>17</b>		.1	.5					
<b>18</b>		.0				.1		
<b>20</b>		1.4	1.9	1.4	2.5	1.0	.5	.6
<b>21</b>		.2		.1	.5		.1	.2
<b>25</b>		.4	.3	.6	.3	1.2		
<b>27</b>		.0						.2
<b>28</b>		.1			.3	.1	.3	
<b>29</b>	.0		.2					
<b>30</b>	3.7	1.4	2.5	3.7	4.8	6.6	3.2	
<b>None</b>	54.0	40.3	46.7	42.5	52.8	62.3	75.7	

Denominator is: All survey respondents.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt sad blue, or depressed?  
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	5,346	478	1,039	1,075	1,134	639	981	
<b>1</b>	357	39	88	83	83	25	39	
<b>2</b>	487	46	135	122	101	44	39	
<b>3</b>	259	38	58	71	52	17	23	
<b>4</b>	113	24	30	17	20	12	10	
<b>5</b>	233	40	57	51	42	23	20	
<b>6</b>	33		4	12	7	8	2	
<b>7</b>	99	14	25	19	23	9	9	
<b>8</b>	9	1		3	4	1		
<b>9</b>	1					1		
<b>10</b>	154	19	38	35	33	11	18	
<b>11</b>	1				1			
<b>12</b>	9		1	2	4		2	
<b>13</b>	3		2	1				
<b>14</b>	39	6	16	11	3	2	1	
<b>15</b>	147	19	19	37	36	19	17	
<b>17</b>	1	1						
<b>18</b>	1				1			
<b>20</b>	76	5	19	20	19	4	9	
<b>21</b>	6	1	1	2		1	1	
<b>25</b>	18	3	2	2	9	2		
<b>27</b>	3		1	1			1	
<b>28</b>	7		2	3	1	1		
<b>29</b>	3		1		2			
<b>30</b>	193	8	23	37	52	36	37	
<b>Don't know/Not sure</b>	58	3	5	7	6	8	29	
<b>None</b>	3,029	211	512	538	633	415	720	
<b>Refused</b>	7			1	2		4	
	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>1</b>	142	21	32	32	9	15	
	<b>2</b>	187	24	50	46	12	12	
	<b>3</b>	109	17	26	21	9	5	
	<b>4</b>	44	12	10	7	5	3	
	<b>5</b>	82	12	29	15	8	6	
	<b>6</b>	14		2	5	3		

Male	7	31	3	8	5	9	4	2
	8	5	1		2	2		
	9	1					1	
	10	58	9	16	11	13	4	5
	12	3			2	1		
	13	2		1	1			
	14	7		5	1	1		
	15	48	4	8	11	15	5	5
	20	30		10	4	10	1	5
	21	1	1					
	25	7	2		1	2	2	
	27	2		1	1			
	28	3		2	1			
	29	2				2		
	30	61	3	6	14	18	9	11
	Don't know/Not sure	14	2		2	2	3	5
	None	1,416	112	263	281	303	197	260
	Refused	4			1	2		1
	Female	Total	3,073	255	570	601	634	367
1		215	18	56	51	50	16	24
2		300	22	85	76	58	32	27
3		150	21	32	40	31	8	18
4		69	12	20	10	13	7	7
5		151	28	28	36	30	15	14
6		19		2	7	3	5	2
7		68	11	17	14	14	5	7
8		4			1	2	1	
10		96	10	22	24	20	7	13
11		1				1		
12		6		1		3		2
13		1		1				
14		32	6	11	10	2	2	1
15		99	15	11	26	21	14	12
17		1	1					
18		1				1		
20		46	5	9	16	9	3	4
21		5		1	2		1	1
25		11	1	2	1	7		
27	1						1	
28	4			2	1	1		
29	1		1					

<b>30</b>	132	5	17	23	34	27	26
<b>Don't know/Not sure</b>	44	1	5	5	4	5	24
<b>None</b>	1,613	99	249	257	330	218	460
<b>Refused</b>	3						3

Denominator is: All survey respondents.

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt worried tense, or anxious?  
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	6.9	8.3	8.6	7.3	8.6	4.6	3.9	
2	11.4	10.5	14.9	12.8	13.2	9.1	6.5	
3	5.8	10.3	5.8	6.3	5.3	5.0	3.6	
4	2.7	4.3	3.4	2.3	3.3	1.9	1.4	
5	6.5	9.7	8.3	8.1	5.8	4.7	2.7	
6	.9	.7	.7	.9	1.3	1.3	.5	
7	2.5	5.4	2.6	2.2	2.6	1.9	1.2	
8	.4	.6	.6	.6	.5		.2	
9	.1		.1			.2	.1	
10	4.4	8.0	6.2	5.0	3.3	3.1	1.4	
11	.0				.1			
12	.3	.6	.4	.1	.7	.2	.1	
13	.0		.1					
14	.9	1.7	1.2	1.2	.3	.8	.5	
15	3.8	3.4	5.4	5.0	3.7	3.2	1.5	
17	.1	.3	.0	.1				
18	.0			.0				
20	2.4	2.5	3.1	3.6	2.7	1.1	.8	
21	.2	.3	.5	.3	.0		.2	
24	.0		.0					
25	.4	.2	.8	.4	.8	.2	.1	
26	.0		.0	.1	.1			
27	.1			.1			.1	
28	.1		.3	.3				
29	.0			.1	.0			
30	6.4	4.6	5.1	7.5	8.3	7.7	4.8	
None	43.5	28.6	31.8	35.6	39.3	55.1	70.6	
	1	7.0	8.8	9.1	7.7	6.7	4.5	4.6
	2	12.0	12.0	15.1	14.0	14.8	8.3	4.8
	3	5.3	11.6	3.8	5.2	6.1	4.7	2.0
	4	2.7	3.7	4.5	2.1	2.9	1.3	1.5
	5	6.1	5.5	8.9	7.6	5.6	5.3	2.2
	6	1.2	1.4	1.0	1.1	1.6	1.7	.4
	7	1.9	5.2	1.7	1.3	2.0	.9	1.3
	8	.6	.6	.8	.8	.6		.4



# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt worried tense, or anxious?  
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	5,346	478	1,039	1,075	1,134	639	981	
<b>1</b>	360	37	89	76	92	32	34	
<b>2</b>	597	49	153	139	140	56	60	
<b>3</b>	313	46	65	76	58	31	37	
<b>4</b>	146	22	36	26	36	12	14	
<b>5</b>	332	39	87	87	64	31	24	
<b>6</b>	47	4	8	9	14	7	5	
<b>7</b>	131	25	29	26	26	13	12	
<b>8</b>	22	3	6	5	7		1	
<b>9</b>	3		1			1	1	
<b>10</b>	228	38	64	50	39	21	16	
<b>11</b>	1				1			
<b>12</b>	17	2	5	1	7	1	1	
<b>13</b>	1		1					
<b>14</b>	48	10	13	12	3	5	5	
<b>15</b>	200	22	49	53	42	20	14	
<b>17</b>	4	1	1	2				
<b>18</b>	1			1				
<b>20</b>	133	16	31	38	35	7	6	
<b>21</b>	12	1	5	3	1		2	
<b>24</b>	1		1					
<b>25</b>	27	1	8	6	10	1	1	
<b>26</b>	3		1	1	1			
<b>27</b>	2			1			1	
<b>28</b>	7		3	4				
<b>29</b>	2			1	1			
<b>30</b>	376	27	63	89	96	54	47	
<b>Don't know/Not sure</b>	82	3	6	12	10	13	38	
<b>None</b>	2,239	132	314	354	449	334	656	
<b>Refused</b>	11			3	2		6	
	<b>Total</b>	2,273	223	469	474	500	272	335
	<b>1</b>	164	22	48	34	32	14	14
	<b>2</b>	266	25	68	68	67	23	15
	<b>3</b>	119	23	21	27	28	13	7

<b>Male</b>	4	65	10	22	10	14	3	6
	5	131	11	38	36	26	14	6
	6	25	4	5	5	7	3	1
	7	42	10	9	7	8	3	5
	8	11	1	3	4	2		1
	9	2		1			1	
	10	88	16	25	21	14	8	4
	12	7	1	1		5		
	13	1		1				
	14	9		4	3	1	1	
	15	90	8	24	28	19	7	4
	20	49	5	16	11	12	3	2
	21	1	1					
	25	10	1	2	3	3	1	
	27	1			1			
	28	3		2	1			
	29	1			1			
	30	124	10	21	24	38	19	12
	Don't know/Not sure	16	2		2	5	1	6
	None	1,041	73	158	185	217	158	250
Refused	7			3	2		2	
<b>Female</b>	<b>Total</b>	3,073	255	570	601	634	367	646
	1	196	15	41	42	60	18	20
	2	331	24	85	71	73	33	45
	3	194	23	44	49	30	18	30
	4	81	12	14	16	22	9	8
	5	201	28	49	51	38	17	18
	6	22		3	4	7	4	4
	7	89	15	20	19	18	10	7
	8	11	2	3	1	5		
	9	1						1
	10	140	22	39	29	25	13	12
	11	1				1		
	12	10	1	4	1	2	1	1
	14	39	10	9	9	2	4	5
	15	110	14	25	25	23	13	10
	17	4	1	1	2			
	18	1			1			
	20	84	11	15	27	23	4	4
	21	11		5	3	1		2
	24	1		1				

<b>25</b>	17		6	3	7		1
<b>26</b>	3		1	1	1		
<b>27</b>	1						1
<b>28</b>	4		1	3			
<b>29</b>	1				1		
<b>30</b>	252	17	42	65	58	35	35
<b>Don't know/Not sure</b>	66	1	6	10	5	12	32
<b>None</b>	1,198	59	156	169	232	176	406
<b>Refused</b>	4						4

Denominator is: All survey respondents.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?  
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	3.9	2.7	4.0	3.5	5.0	2.6	4.5	
2	8.4	7.1	8.6	8.3	10.1	8.9	7.4	
3	5.6	6.2	6.3	5.2	7.7	5.2	3.3	
4	4.5	5.6	4.4	4.7	5.5	4.9	2.2	
5	8.6	9.1	10.1	12.0	9.4	5.8	3.6	
6	2.2	2.0	1.6	3.2	2.0	3.3	1.0	
7	2.9	5.5	2.9	3.8	3.0	2.3	.8	
8	1.1	.7	1.3	1.2	1.3	1.4	.4	
9	.2	.3	.4	.1	.2	.2		
10	6.9	10.0	8.8	9.3	6.3	4.5	2.4	
11	.0	.2						
12	.8	2.4	.6	.8	.7	.9	.2	
13	.1	.2	.2		.1			
14	1.0	1.0	1.6	1.9	.8	.2	.2	
15	5.5	8.6	7.7	4.9	6.2	4.9	1.7	
16	.1		.2	.0				
17	.1	.6	.0		.2	.2		
18	.0		.1	.1				
19	.0				.0			
20	4.9	6.5	7.6	6.2	5.1	2.7	1.0	
21	.4	1.3	.7	.6			.1	
22	.1		.2	.1				
24	.0				.1			
25	1.2	1.6	1.7	1.5	1.5	.2	.2	
26	.0		.1		.1			
27	.1			.3				
28	.5	.8	.7	.5	.4	.4	.4	
29	.1		.3	.3			.1	
30	8.7	10.4	9.0	9.8	8.9	9.1	5.4	
None	32.2	17.1	20.9	21.9	25.5	42.4	65.1	
	1	4.4	4.2	4.2	4.0	6.0	2.4	4.9
	2	8.9	7.0	8.9	9.3	9.3	9.9	8.4
	3	5.2	4.6	6.3	6.2	6.4	4.3	2.2
	4	4.7	7.5	4.4	5.8	5.2	3.9	1.7

Male	5	8.5	9.3	9.6	11.2	10.2	4.2	3.7	
	6	2.4	1.8	2.1	3.2	2.7	4.3	.4	
	7	2.5	7.5	1.9	3.1	1.5	1.8	.4	
	8	1.1	.8	.9	1.0	1.8	1.9	.2	
	9	.2		.6	.2	.1			
	10	6.0	8.9	7.6	8.4	4.6	4.0	1.7	
	12	.8	1.8	.6	1.0	.9	.6	.2	
	13	.1		.3		.1			
	14	.6	.4	.9	1.5	.1		.4	
	15	5.2	9.3	8.4	3.9	5.3	4.5	.6	
	16	.0		.1					
	17	.1	.6			.3			
	18	.0			.1				
	20	4.5	5.4	8.6	4.7	4.1	2.6	.7	
	21	.1		.2	.2				
	22	.0		.2					
	24	.0				.1			
	25	1.0	2.2	1.6	1.3	.9			
	26	.0		.1		.1			
	27	.1			.2				
	28	.5	.6	1.0		.2	.6	.6	
	29	.1		.3	.2				
	30	8.1	11.0	5.8	8.7	10.4	7.4	5.8	
	None	34.7	17.2	25.3	25.7	29.6	47.6	68.5	
	Female	1	3.4	1.1	3.8	3.1	4.0	2.9	4.3
		2	8.0	7.1	8.2	7.3	11.0	7.9	6.6
		3	6.0	8.0	6.4	4.2	8.9	6.2	4.1
		4	4.2	3.7	4.3	3.7	5.8	5.8	2.6
		5	8.7	8.8	10.5	12.8	8.6	7.3	3.5
		6	1.9	2.3	1.0	3.1	1.4	2.3	1.5
7		3.3	3.3	3.9	4.5	4.5	2.7	1.1	
8		1.0	.7	1.6	1.3	.9	1.0	.5	
9		.2	.7	.2		.3	.3		
10		7.8	11.2	10.1	10.1	8.0	5.0	2.9	
11		.0	.4						
12		.8	3.0	.6	.7	.5	1.1	.2	
13		.0	.4						
14		1.4	1.7	2.4	2.3	1.4	.5	.1	
15		5.7	7.9	7.0	5.9	7.1	5.2	2.5	
16		.1		.4	.1				
17		.1	.5	.1			.3		

<b>18</b>	.0		.2				
<b>19</b>	.0				.1		
<b>20</b>	5.2	7.7	6.6	7.5	6.1	2.7	1.2
<b>21</b>	.7	2.6	1.2	.9			.1
<b>22</b>	.1		.2	.2			
<b>25</b>	1.3	1.1	1.9	1.7	2.0	.5	.3
<b>26</b>	.0				.2		
<b>27</b>	.1			.4			
<b>28</b>	.5	1.1	.3	.9	.5	.2	.3
<b>29</b>	.2		.3	.3			.2
<b>30</b>	9.2	9.8	12.3	10.9	7.5	10.7	5.1
<b>None</b>	29.8	17.0	16.4	18.1	21.4	37.4	62.7

Denominator is: All survey respondents.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?  
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>	5,346	478	1,039	1,075	1,134	639	981
<b>1</b>	194	13	40	36	50	17	38
<b>2</b>	455	35	82	94	121	56	67
<b>3</b>	306	27	66	58	84	34	37
<b>4</b>	232	20	45	51	60	33	23
<b>5</b>	458	43	115	127	98	40	35
<b>6</b>	108	9	19	33	21	17	9
<b>7</b>	158	27	32	41	36	15	7
<b>8</b>	51	4	11	10	14	8	4
<b>9</b>	10	2	3	1	3	1	
<b>10</b>	381	52	96	104	75	29	25
<b>11</b>	1	1					
<b>12</b>	38	8	7	9	5	6	3
<b>13</b>	4	1	2		1		
<b>14</b>	61	7	19	21	10	2	2
<b>15</b>	304	45	82	54	74	32	17
<b>16</b>	4		3	1			
<b>17</b>	5	2	1		1	1	
<b>18</b>	2		1	1			
<b>19</b>	1				1		
<b>20</b>	257	34	74	61	59	18	11
<b>21</b>	15	2	6	6			1
<b>22</b>	3		2	1			
<b>24</b>	1				1		
<b>25</b>	67	7	21	17	18	2	2
<b>26</b>	3		1		2		
<b>27</b>	3			3			
<b>28</b>	24	4	6	5	3	3	3
<b>29</b>	7		3	3			1
<b>30</b>	482	55	104	113	97	60	53
<b>Don't know/Not sure</b>	64	7	5	6	7	8	31
<b>None</b>	1,638	73	193	218	290	257	607
<b>Refused</b>	9			1	3		5
	<b>Total</b>	2,273	223	469	474	500	335

Male

1	95	10	19	17	29	6	14
2	209	17	41	46	52	26	27
3	126	9	32	32	32	12	9
4	110	14	23	29	27	12	5
5	190	17	50	54	44	14	11
6	54	4	11	16	12	10	1
7	54	17	10	13	8	5	1
8	23	2	5	4	7	4	1
9	4		2	1	1		
10	143	23	37	43	24	10	6
12	18	3	3	5	4	2	1
13	3		2		1		
14	16	1	5	8	1		1
15	126	22	40	18	30	14	2
16	1		1				
17	2	1			1		
18	1			1			
20	106	14	37	23	21	8	3
21	2		1	1			
22	1		1				
24	1				1		
25	22	4	8	6	4		
26	2		1		1		
27	1			1			
28	11	2	5		1	2	1
29	2		1	1			
30	176	26	27	41	45	18	19
<b>Don't know/Not sure</b>	19	2	3	1	3	2	8
<b>None</b>	750	35	104	112	150	127	222
<b>Refused</b>	5			1	1		3
<b>Total</b>	3,073	255	570	601	634	367	646
1	99	3	21	19	21	11	24
2	246	18	41	48	69	30	40
3	180	18	34	26	52	22	28
4	122	6	22	22	33	21	18
5	268	26	65	73	54	26	24
6	54	5	8	17	9	7	8
7	104	10	22	28	28	10	6
8	28	2	6	6	7	4	3
9	6	2	1		2	1	
10	238	29	59	61	51	19	19

<b>Female</b>	<b>11</b>	1	1					
	<b>12</b>	20	5	4	4	1	4	2
	<b>13</b>	1	1					
	<b>14</b>	45	6	14	13	9	2	1
	<b>15</b>	178	23	42	36	44	18	15
	<b>16</b>	3		2	1			
	<b>17</b>	3	1	1			1	
	<b>18</b>	1		1				
	<b>19</b>	1				1		
	<b>20</b>	151	20	37	38	38	10	8
	<b>21</b>	13	2	5	5			1
	<b>22</b>	2		1	1			
	<b>25</b>	45	3	13	11	14	2	2
	<b>26</b>	1				1		
	<b>27</b>	2			2			
	<b>28</b>	13	2	1	5	2	1	2
	<b>29</b>	5		2	2			1
	<b>30</b>	306	29	77	72	52	42	34
	<b>Don't know/Not sure</b>	45	5	2	5	4	6	23
	<b>None</b>	888	38	89	106	140	130	385
<b>Refused</b>	4				2		2	

Denominator is: All survey respondents.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt very healthy and full of energy?  
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	.6	.6	.8	.9	.8	.3	.3
2	1.9	1.6	1.8	2.9	1.8	1.9	1.1
3	1.2	1.8	1.2	1.5	1.5	.5	.6
4	.9	.3	1.5	.7	.9	.6	1.2
5	3.4	3.6	4.8	3.1	4.6	2.2	2.0
6	.6	.7	.7	.5	.9	.1	.8
7	1.6	3.6	2.4	1.5	1.3	.9	.4
8	.5	1.0	.5	.7	.4	.2	.2
9	.1	.2	.1	.2	.2		
10	6.3	9.5	7.6	7.2	5.8	4.3	3.6
11	.1	.3	.1				
12	.3	.2	.6	.4	.4	.4	.1
13	.0				.1		
14	1.4	1.4	1.8	2.4	.9	.8	.6
15	9.0	15.8	9.1	9.0	9.6	7.1	5.1
16	.1	.4		.0			
17	.1	.3	.2	.0	.0		
18	.1		.2	.1	.2	.2	
19	.0						.1
20	11.2	12.6	15.2	12.5	11.2	8.4	6.3
21	.9	.9	.9	1.2	1.0	.9	.3
22	.3	.3	.5	.6	.2	.4	.1
23	.5	1.6	.7	.4		.8	
24	.6	1.0	.3	.9	.6	.5	.4
25	10.0	9.7	11.5	12.3	10.6	9.9	5.3
26	1.1	.7	1.1	1.8	1.6	.9	.4
27	1.6	.9	2.0	1.7	2.2	.9	1.4
28	4.6	2.8	4.5	4.8	6.4	6.0	3.0
29	2.0	1.7	2.2	2.3	2.5	1.3	1.6
30	29.3	21.3	22.9	23.5	23.4	37.5	48.5
None	9.5	5.1	4.8	6.7	11.2	12.9	16.5
	1	.8	.8	.8	1.1	1.1	.7
	2	1.7	.8	2.3	2.3	1.4	1.1
	3	1.3	1.6	1.7	1.2	1.8	.6

Male

4	.9		1.7	.8	1.3	.2	.7
5	3.0	2.8	3.5	3.5	4.4	2.0	1.1
6	.4		.8	.5	.3	.1	.4
7	1.2	2.6	2.3	.5	1.7	.2	
8	.6	.6	1.0	.5	.6	.4	.4
9	.1	.4			.3		
10	6.4	10.4	7.4	7.3	5.2	3.8	4.1
11	.1	.6	.2				
12	.4		1.1	.4	.5	.4	
13	.0				.1		
14	1.1	1.1	.8	3.0	.1	.4	.4
15	8.8	15.7	7.7	8.3	9.2	8.1	5.2
16	.1	.8					
17	.1	.6			.1		
18	.2		.2		.3	.4	
20	10.6	12.6	13.1	13.0	9.8	7.6	5.4
21	.8	1.2	.7	1.0	1.1	.3	.4
22	.4		.8	.6	.3	.4	
23	.5	2.0	.7			.9	
24	.7	1.6	.5	.9	.7	.2	.4
25	10.6	11.4	13.1	11.5	11.4	11.4	4.1
26	1.0	.6	1.4	1.6	1.0	.7	.4
27	1.3	.6	1.4	1.3	2.6		1.1
28	4.4	3.1	4.1	4.2	5.5	7.1	3.0
29	2.4	2.7	2.5	3.4	2.0	.4	2.6
30	31.6	21.7	26.2	28.8	25.3	39.9	50.8
None	8.7	3.9	4.2	4.4	11.7	12.1	17.7
1	.5	.4	.8	.7	.5		.5
2	2.2	2.5	1.4	3.5	2.2	2.3	1.1
3	1.1	2.0	.6	1.8	1.1	.7	.7
4	1.0	.7	1.4	.7	.5	1.0	1.6
5	3.8	4.5	6.1	2.7	4.8	2.4	2.6
6	.9	1.4	.6	.6	1.4	.2	1.1
7	2.0	4.8	2.5	2.4	.9	1.5	.7
8	.4	1.4		.8	.2		.1
9	.1		.2	.5			
10	6.2	8.5	7.7	7.1	6.4	4.7	3.2
12	.3	.4	.1	.4	.3	.3	.2
14	1.7	1.8	2.9	1.9	1.8	1.1	.7
15	9.2	15.9	10.6	9.6	9.9	6.1	4.9
16	.0			.1			

<b>Female</b>	<b>17</b>	.1		.5	.1			
	<b>18</b>	.1		.2	.2			
	<b>19</b>	.0						.2
	<b>20</b>	11.8	12.7	17.4	12.1	12.6	9.1	7.0
	<b>21</b>	.9	.5	1.2	1.4	.9	1.5	.2
	<b>22</b>	.3	.5	.1	.7		.3	.1
	<b>23</b>	.5	1.2	.8	.8		.7	
	<b>24</b>	.5	.4	.2	.8	.4	.7	.5
	<b>25</b>	9.4	7.8	9.8	13.2	9.8	8.5	6.2
	<b>26</b>	1.3	.9	.8	2.0	2.2	1.1	.3
	<b>27</b>	1.9	1.3	2.7	2.1	1.7	1.8	1.6
	<b>28</b>	4.8	2.5	4.9	5.4	7.3	5.0	3.1
	<b>29</b>	1.6	.7	1.9	1.2	3.0	2.1	.9
	<b>30</b>	27.2	20.9	19.4	18.4	21.5	35.3	46.8
	<b>None</b>	10.3	6.4	5.4	8.9	10.7	13.7	15.6

Denominator is: All survey respondents.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past 30 days, for about how many days have you felt very healthy and full of energy?  
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>	5,346	478	1,039	1,075	1,134	639	981
<b>1</b>	38	3	10	11	10	2	2
<b>2</b>	103	8	21	29	22	12	11
<b>3</b>	61	7	11	14	19	4	6
<b>4</b>	52	2	16	8	11	4	11
<b>5</b>	199	21	55	36	52	15	20
<b>6</b>	36	3	5	6	12	2	8
<b>7</b>	82	14	25	17	15	6	5
<b>8</b>	24	4	4	7	6	1	2
<b>9</b>	5	1	1	2	1		
<b>10</b>	331	48	84	73	69	28	29
<b>11</b>	2	1	1				
<b>12</b>	20	1	6	4	4	3	2
<b>13</b>	1				1		
<b>14</b>	69	9	18	21	11	5	5
<b>15</b>	460	68	102	94	102	45	49
<b>16</b>	3	2		1			
<b>17</b>	5	1	2	1	1		
<b>18</b>	6		2	1	2	1	
<b>19</b>	1						1
<b>20</b>	596	65	156	136	131	55	53
<b>21</b>	46	4	10	14	10	5	3
<b>22</b>	18	1	4	7	1	4	1
<b>23</b>	23	7	7	5		4	
<b>24</b>	31	5	4	10	5	4	3
<b>25</b>	529	44	117	137	117	61	53
<b>26</b>	64	4	12	19	19	6	4
<b>27</b>	90	5	22	19	25	6	13
<b>28</b>	250	14	47	56	72	35	26
<b>29</b>	101	8	23	21	28	8	13
<b>30</b>	1,448	98	208	237	248	217	440
<b>Don't know/Not sure</b>	120	6	13	9	19	16	57
<b>None</b>	522	23	53	79	119	89	159
<b>Refused</b>	10	1		1	2	1	5

Male

<b>Total</b>	2,273	223	469	474	500	272	335
<b>1</b>	19	2	4	5	6	2	
<b>2</b>	40	3	11	10	9	4	3
<b>3</b>	27	2	6	6	10	1	2
<b>4</b>	22		8	4	7	1	2
<b>5</b>	75	7	19	17	23	5	4
<b>6</b>	10		3	3	2	1	1
<b>7</b>	27	5	11	3	7	1	
<b>8</b>	12	1	4	2	3	1	1
<b>9</b>	2	1			1		
<b>10</b>	142	23	37	32	28	11	11
<b>11</b>	2	1	1				
<b>12</b>	10		5	2	2	1	
<b>13</b>	1				1		
<b>14</b>	21	3	5	10	1	1	1
<b>15</b>	196	34	39	39	45	21	18
<b>16</b>	2	2					
<b>17</b>	2	1			1		
<b>18</b>	4		1		2	1	
<b>20</b>	239	28	59	66	49	22	15
<b>21</b>	18	2	4	5	5	1	1
<b>22</b>	9		3	3	1	2	
<b>23</b>	9	4	3			2	
<b>24</b>	16	4	3	4	3	1	1
<b>25</b>	237	23	61	57	53	28	15
<b>26</b>	24	1	6	8	6	2	1
<b>27</b>	33	2	8	6	13		4
<b>28</b>	101	7	21	21	25	18	9
<b>29</b>	55	6	13	14	13	1	8
<b>30</b>	676	50	110	130	126	99	161
<b>Don't know/Not sure</b>	40	1	6	3	8	8	14
<b>None</b>	196	9	18	23	49	36	61
<b>Refused</b>	6	1		1	1	1	2
<b>Total</b>	3,073	255	570	601	634	367	646
<b>1</b>	19	1	6	6	4		2
<b>2</b>	63	5	10	19	13	8	8
<b>3</b>	34	5	5	8	9	3	4
<b>4</b>	30	2	8	4	4	3	9
<b>5</b>	124	14	36	19	29	10	16
<b>6</b>	26	3	2	3	10	1	7
<b>7</b>	55	9	14	14	8	5	5

<b>Female</b>	<b>8</b>	12	3		5	3		1
	<b>9</b>	3		1	2			
	<b>10</b>	189	25	47	41	41	17	18
	<b>12</b>	10	1	1	2	2	2	2
	<b>14</b>	48	6	13	11	10	4	4
	<b>15</b>	264	34	63	55	57	24	31
	<b>16</b>	1			1			
	<b>17</b>	3		2	1			
	<b>18</b>	2		1	1			
	<b>19</b>	1						1
	<b>20</b>	357	37	97	70	82	33	38
	<b>21</b>	28	2	6	9	5	4	2
	<b>22</b>	9	1	1	4		2	1
	<b>23</b>	14	3	4	5		2	
	<b>24</b>	15	1	1	6	2	3	2
	<b>25</b>	292	21	56	80	64	33	38
	<b>26</b>	40	3	6	11	13	4	3
	<b>27</b>	57	3	14	13	12	6	9
	<b>28</b>	149	7	26	35	47	17	17
	<b>29</b>	46	2	10	7	15	7	5
	<b>30</b>	772	48	98	107	122	118	279
<b>Don't know/Not sure</b>	80	5	7	6	11	8	43	
<b>None</b>	326	14	35	56	70	53	98	
<b>Refused</b>	4				1		3	

Denominator is: All survey respondents.