

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever been told that you have diabetes?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		6.0	1.1	1.1	3.4	6.8	11.4	12.3
Yes, but female during pregnancy		.8	.6	1.6	1.3	.3	.4	.1
No		93.2	98.3	97.2	95.3	92.9	88.1	87.6
Male	Yes	6.0	.8	1.2	3.6	8.3	10.1	12.9
	No	94.0	99.2	98.8	96.4	91.7	89.9	87.1
Female	Yes	6.0	1.4	1.0	3.1	5.4	12.8	11.9
	Yes, but female during pregnancy	1.5	1.2	3.4	2.6	.6	.9	.2
	No	92.5	97.4	95.6	94.3	94.0	86.4	87.9
Denominator is: All survey respondents.								

Have you ever been told that you have diabetes?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Yes		453	9	14	46	97	125	162
Yes, but female during pregnancy		74	5	30	25	7	5	2
No		7,170	681	1,392	1,533	1,455	916	1,193
Don't know/Not sure		5			1	2	2	
Refused		1	1					
Male	Total	3,092	307	630	641	646	403	465
	Yes	175	3	6	17	49	44	56
	No	2,914	303	624	623	596	359	409
	Don't know/Not sure	2			1	1		
	Refused	1	1					
Female	Total	4,611	389	806	964	915	645	892
	Yes	278	6	8	29	48	81	106
	Yes, but female during pregnancy	74	5	30	25	7	5	2
	No	4,256	378	768	910	859	557	784
	Don't know/Not sure	3				1	2	
Denominator is: All survey respondents.								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How old were you when you were told you have diabetes?  
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
4	.4					1.8	
8	.1	8.3					
9	.2			1.7			
10	.4	20.9					
11	.9	33.2	11.2				
12	1.0			7.3		.6	
14	.3			2.4			
15	.1				.6		
18	1.2	20.9	5.6		2.4	.9	
19	1.4	8.3		10.0			
21	.8			2.4	2.3		
22	2.0			13.2	1.7		
23	2.4	8.3		16.1		1.2	
24	1.0		28.4		1.7		
25	1.4		14.2	5.0		1.2	.5
26	.2			1.7			
27	.6				1.7		.5
28	.8				1.2	.6	1.2
29	.5		11.2				.5
30	.7			1.2			1.5
31	1.2		22.3		2.8		
32	1.4			8.2			1.2
33	.2		7.1				
34	1.1			6.6	1.2		
35	2.0			3.3	4.5	1.8	.5
36	.8			2.4	1.2	1.2	
37	.8			5.0			.5
38	.7			3.5	1.3		
39	1.2			4.1	3.4		
40	4.2			1.2	5.7	6.9	3.0
41	.6				2.0	.6	
42	1.7				5.0	2.4	
43	1.0				3.5	1.2	
44	1.3			5.0	2.5	.6	
45	4.5				7.7	6.0	3.8
46	2.3				10.3		
47	2.3				8.3	1.8	.3
48	2.7				4.6	3.9	2.2

49		2.4				8.2		1.7
50		3.8				6.2	2.4	4.9
51		1.6				7.1		
52		2.2					3.6	3.7
53		.7				.8	2.4	
54		.8					3.6	
55		2.7					8.1	2.2
56		2.1					7.5	1.0
57		3.1					6.9	3.8
58		3.2					10.2	2.3
59		2.1					5.7	2.2
60		4.6					7.2	7.6
61		1.1					3.3	1.0
62		1.5					1.8	2.9
63		1.1					3.6	.6
64		1.3					1.2	2.7
65		5.0						13.0
66		.4						1.0
67		.4						1.2
68		1.2						3.0
69		1.1						2.8
70		3.5						9.1
71		1.7						4.5
72		.5						1.3
73		.8						2.0
74		.4						1.0
76		.2						.5
77		1.1						2.8
78		.4						1.2
79		1.0						2.5
80		.4						1.0
83		.2						.5
85		.2						.5
99		.5				2.3		
	4	.8					4.0	
	9	.4			2.8			
	10	.7	50.0					
	12	1.2			8.3			
	18	1.7	50.0			2.0	2.0	
	22	3.8			22.2	2.6		
	23	3.1			22.2			
	24	2.0		57.1		2.6		
	25	1.8		28.6	8.3			
	26	.4			2.8			

Male

27	.7			2.6		
28	.9					2.5
31	.7			2.6		
32	.9					2.5
33	.3	14.3				
34	1.6		11.1			
35	3.0		5.6	5.3	4.0	
37	1.2		8.3			
38	.5			2.0		
39	1.4			5.3		
40	2.7			2.6	10.1	
41	.4			1.3		
42	2.2			7.9		
44	2.3		8.3	3.9		
45	5.2			6.6	8.1	5.0
46	3.4			12.5		
47	2.6			6.6	4.0	
48	2.0			2.6	2.0	2.5
49	3.8			10.5		2.5
50	3.8			7.9	4.0	2.5
51	3.1			11.2		
52	2.1				6.0	2.5
53	1.2			1.3	4.0	
55	1.3				2.0	2.5
56	2.3				11.4	
57	3.8				10.1	5.0
58	2.6				12.1	.6
59	2.1				6.0	2.5
60	3.5					10.1
61	.4				2.0	
62	3.0				4.0	6.3
63	1.2				4.0	1.3
64	1.3					3.8
65	5.7					16.4
67	.9					2.5
69	1.7					5.0
70	3.1					8.8
71	2.6					7.5
77	1.7					5.0
78	.9					2.5
8	.3	14.3				
11	1.8	57.1	22.2			
12	.9			5.8		1.1
14	.6			5.8		

Female

15	.3			1.6		
18	.8		11.1	3.2		
19	2.8	14.3		24.6		
21	1.6			5.8	6.4	
23	1.6	14.3		7.2		2.2
25	1.0					2.2
27	.4					.9
28	.8				3.2	1.1
29	.9		22.2			.9
30	1.5			2.9		2.8
31	1.6		44.4		3.2	
32	2.0			20.3		
34	.5				3.2	
35	.9				3.2	.9
36	1.7			5.8	3.2	2.2
37	.4					.9
38	.9			8.7		
39	1.0			10.1		
40	5.6			2.9	11.2	4.3
41	.8				3.2	1.1
42	1.1					4.3
43	2.1				9.6	2.2
44	.3					1.1
45	3.9				9.6	4.3
46	1.0				6.4	
47	2.0				11.2	.5
48	3.5				8.0	5.4
49	1.1				4.0	.9
50	3.8				3.2	1.1
52	2.4					1.6
53	.3					1.1
54	1.7					6.5
55	4.2					13.0
56	1.9					4.3
57	2.3					4.3
58	3.9					8.6
59	2.2					5.4
60	5.8					13.0
61	1.9					4.3
63	.9					3.2
64	1.4					2.2
65	4.4					10.2
66	.8					1.9
68	2.4					5.6

69	.4					.9
70	4.0					9.3
71	.8					1.9
72	1.0					2.3
73	1.6					3.7
74	.8					1.9
76	.4					.9
77	.4					.9
79	2.0					4.7
80	.8					1.9
83	.4					.9
85	.4					.9
99	1.0				6.4	

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How old were you when you were told you have diabetes?  
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>	333	7	9	31	71	90	125
4	1					1	
8	1	1					
9	1			1			
10	1	1					
11	2	1	1				
12	4			3		1	
14	1			1			
15	1				1		
18	6	1	1		3	1	
19	3	1		2			
21	4			1	3		
22	2			1	1		
23	5	1		3		1	
24	2		1		1		
25	5		1	1		2	1
26	1			1			
27	2				1		1
28	3				1	1	1
29	2		1				1
30	3			1			2
31	4		2		2		
32	4			3			1
33	1		1				
34	3			2	1		
35	5			1	2	1	1
36	3			1	1	1	
37	3			2			1
38	3			2	1		
39	3			2	1		
40	15			1	5	5	4
41	3				2	1	
42	5				3	2	
43	4				2	2	
44	5			2	2	1	
45	14				5	5	4
46	7				7		
47	9				7	1	1

48		12				4	5	3
49		9				7		2
50		14				3	3	8
51		3				3		
52		9					5	4
53		4				1	3	
54		2					2	
55		10					8	2
56		8					7	1
57		9					4	5
58		12					8	4
59		6					4	2
60		17					7	10
61		4					3	1
62		4					1	3
63		3					2	1
64		4					1	3
65		15						15
66		1						1
67		1						1
68		3						3
69		3						3
70		8						8
71		4						4
72		2						2
73		2						2
74		2						2
76		1						1
77		3						3
78		1						1
79		4						4
80		2						2
83		1						1
85		1						1
99		1				1		
<b>Don't know/Not sure</b>		7	1	1			1	4
	<b>Total</b>	133	2	3	14	38	32	44
	<b>4</b>	1					1	
	<b>9</b>	1			1			
	<b>10</b>	1	1					
	<b>12</b>	2			2			
	<b>18</b>	3	1			1	1	
	<b>22</b>	2			1	1		
	<b>23</b>	1			1			

Male	24	2	1	1			
	25	2	1	1			
	26	1		1			
	27	1			1		
	28	1				1	
	31	1			1		
	32	1				1	
	33	1	1				
	34	2		2			
	35	3		1	1	1	
	37	2		2			
	38	1			1		
	39	1			1		
	40	5			2	3	
	41	1			1		
	42	3			3		
	44	4		2	2		
	45	6			2	2	2
	46	5			5		
	47	4			3	1	
	48	3			1	1	1
	49	6			5		1
	50	5			2	2	1
	51	3			3		
	52	4				3	1
	53	3			1	2	
	55	2				1	1
	56	4				4	
	57	4				2	2
58	4				3	1	
59	2				1	1	
60	6					6	
61	1				1		
62	4				1	3	
63	2				1	1	
64	2					2	
65	7					7	
67	1					1	
69	2					2	
70	3					3	
71	3					3	
77	2					2	
78	1					1	
Don't know/Not sure	1				1		

<b>Total</b>	200	5	6	17	33	58	81
8	1	1					
11	2	1	1				
12	2			1		1	
14	1			1			
15	1				1		
18	3		1		2		
19	3	1		2			
21	4			1	3		
23	4	1		2		1	
25	3					2	1
27	1						1
28	2				1	1	
29	2		1				1
30	3			1			2
31	3		2		1		
32	3			3			
34	1				1		
35	2				1		1
36	3			1	1	1	
37	1						1
38	2			2			
39	2			2			
40	10			1	3	2	4
41	2				1	1	
42	2					2	
43	4				2	2	
44	1					1	
45	8				3	3	2
46	2				2		
47	5				4		1
48	9				3	4	2
49	3				2		1
50	9				1	1	7
52	5					2	3
53	1					1	
54	2					2	
55	8					7	1
56	4					3	1
57	5					2	3
58	8					5	3
59	4					3	1
60	11					7	4
61	3					2	1

Female

63	1					1	
64	2					1	1
65	8						8
66	1						1
68	3						3
69	1						1
70	5						5
71	1						1
72	2						2
73	2						2
74	2						2
76	1						1
77	1						1
79	4						4
80	2						2
83	1						1
85	1						1
99	1					1	
<b>Don't know/Not sure</b>	6	1	1				4

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you now taking insulin?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		31.1	53.6	40.6	52.8	28.1	22.6	29.3
<b>No</b>		68.9	46.4	59.4	47.2	71.9	77.4	70.7
<b>Male</b>	<b>Yes</b>	27.2	50.0	57.1	47.2	23.0	19.7	23.9
	<b>No</b>	72.8	50.0	42.9	52.8	77.0	80.3	76.1
<b>Female</b>	<b>Yes</b>	35.1	55.6	27.3	60.9	37.6	24.9	33.8
	<b>No</b>	64.9	44.4	72.7	39.1	62.4	75.1	66.2

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Are you now taking insulin?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		333	7	9	31	71	90	125
<b>Yes</b>		106	3	3	15	19	24	42
<b>No</b>		226	4	6	16	51	66	83
<b>Refused</b>		1				1		
<b>Male</b>	<b>Total</b>	133	2	3	14	38	32	44
	<b>Yes</b>	35	1	1	7	8	7	11
	<b>No</b>	98	1	2	7	30	25	33
<b>Female</b>	<b>Total</b>	200	5	6	17	33	58	81
	<b>Yes</b>	71	2	2	8	11	17	31
	<b>No</b>	128	3	4	9	21	41	50
	<b>Refused</b>	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you now taking pills to treat your diabetes?  
 These are pills to lower blood sugar.  
 (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		65.4	15.3	100.0	37.1	56.5	73.2	70.7
No		34.6	84.7		62.9	43.5	26.8	29.3
Male	Yes	65.8		100.0	31.6	58.6	70.5	78.5
	No	34.2	100.0		68.4	41.4	29.5	21.5
Female	Yes	64.9	25.0	100.0	48.1	52.1	75.5	63.3
	No	35.1	75.0		51.9	47.9	24.5	36.7

Denominator is: All survey respondents who were told by their doctors that they had diabetes are not taking insulin.

Are you now taking pills to treat your diabetes?  
 These are pills to lower blood sugar.  
 (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		227	4	6	16	52	66	83
Yes		148	1	6	8	26	48	59
No		76	3		8	24	18	23
Don't know/Not sure		1				1		
Refused		2				1		1
Male	Total	98	1	2	7	30	25	33
	Yes	67		2	4	16	18	27
	No	30	1		3	13	7	6
	Don't know/Not sure	1				1		
Female	Total	129	3	4	9	22	41	50
	Yes	81	1	4	4	10	30	32
	No	46	2		5	11	11	17
	Refused	2				1		1

Denominator is: All survey respondents who were told by their doctors that they had diabetes are not taking insulin.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

About how often do you check your blood for glucose or sugar?  
 Include times when checked by a family member or friend but do not include times when checked by a health professional.  
 (Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
101	21.3			17.9	20.8	29.3	20.5	
102	18.1	7.1	34.2	15.4	17.3	10.7	23.2	
103	10.9	46.4		16.4	15.1	9.2	6.8	
104	7.2	14.3	35.6	4.1	7.4	3.7	7.6	
105	1.6			5.9		3.1	.5	
106	.3					.6	.5	
107	.7			2.4	1.7			
201	5.9			17.1	4.0	7.0	3.6	
202	5.1			6.1	2.4	5.5	6.7	
203	3.1					6.7	4.1	
204	2.9				4.9	2.8	3.1	
205	.4					1.8		
206	.5			3.4		.6		
207	1.6			2.4		1.8	2.3	
230	.4						1.0	
301	3.0				3.2	7.3	1.6	
302	1.6		10.1			1.2	2.7	
303	.4						1.1	
304	1.7		10.1	5.1	.9		1.6	
308	.1					.6		
401	.7	17.9			1.7			
402	.4				.9	.9		
403	.2						.5	
404	.8						2.1	
406	.2			1.8				
Never	10.8	14.3	10.1	1.8	19.8	7.0	10.6	
Male	101	22.7		8.3	23.7	35.5	22.6	
	102	15.6		42.9	25.0	9.2	21.4	
	103	12.0	50.0		16.7	20.4	5.0	
	104	5.0		57.1	2.8	5.9	2.5	
	105	.8			5.6			
	107	.7				2.6		
	201	9.7			27.8	5.3	11.8	5.7
	202	4.2					1.3	11.3
	203	2.5					7.9	2.5
	204	2.6				6.6	2.0	1.3
	205	.8					3.9	

	206	.8			5.6				
	207	2.5					3.9	5.0	
	301	3.6				3.9	7.9	2.5	
	302	1.3						3.8	
	303	.9						2.5	
	304	2.0			8.3	1.3		1.3	
	401	1.5	50.0			2.6			
	402	.8				1.3	2.0		
	404	.9						2.5	
	Never	9.4				17.1	5.9	10.1	
Female	101	19.8			33.3	15.4	24.0	18.7	
	102	20.8	11.1	27.3		32.5	14.9	24.7	
	103	9.7	44.4		15.9	5.1	10.3	8.2	
	104	9.5	22.2	18.2	6.3	10.3	3.4	11.9	
	105	2.4			6.3		5.7	.9	
	106	.7					1.1	.9	
	107	.6			6.3				
	201	1.8				1.7	2.9	1.8	
	202	6.1			15.9	6.8	9.1	2.7	
	203	3.9					5.7	5.5	
	204	3.1				1.7	3.4	4.6	
	206	.3					1.1		
	207	.6			6.3				
	230	.8						1.8	
	301	2.4				1.7	6.9	.9	
	302	1.9		18.2			2.3	1.8	
	304	1.4		18.2				1.8	
	308	.3					1.1		
	403	.4						.9	
	404	.8						1.8	
406	.4				4.8				
	Never	12.3	22.2	18.2	4.8	24.8	8.0	11.0	
Denominator is: All survey respondents who were told by their doctors that they had diabetes.									

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

About how often do you check your blood for glucose or sugar?  
 Include times when checked by a family member or friend but do not include times when checked by a health professional.  
 (Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	333	7	9	31	71	90	125	
<b>101</b>	64			5	11	24	24	
<b>102</b>	58	1	4	2	13	10	28	
<b>103</b>	36	2		7	10	10	7	
<b>104</b>	28	2	2	2	7	4	11	
<b>105</b>	5			2		2	1	
<b>106</b>	2					1	1	
<b>107</b>	2			1	1			
<b>201</b>	15			2	3	6	4	
<b>202</b>	16			2	1	6	7	
<b>203</b>	12					5	7	
<b>204</b>	11				3	3	5	
<b>205</b>	1					1		
<b>206</b>	2			1		1		
<b>207</b>	4			1		1	2	
<b>230</b>	1						1	
<b>301</b>	8				2	4	2	
<b>302</b>	6		1			1	4	
<b>303</b>	1						1	
<b>304</b>	5		1	1	1		2	
<b>308</b>	1					1		
<b>401</b>	2	1			1			
<b>402</b>	2				1	1		
<b>403</b>	1						1	
<b>404</b>	2						2	
<b>406</b>	1			1				
<b>Don't know/Not sure</b>	7			2		3	2	
<b>Never</b>	39	1	1	2	16	6	13	
<b>Refused</b>	1				1			
	<b>Total</b>	133	2	3	14	38	32	44
	<b>101</b>	29			2	7	11	9
	<b>102</b>	21		2	2	4	3	10
	<b>103</b>	18	1		4	8	3	2
	<b>104</b>	7		1	1	3	1	1
	<b>105</b>	1			1			
	<b>107</b>	1				1		
	<b>201</b>	11			2	2	4	3

<b>Male</b>	202	5					1	4	
	203	3					2	1	
	204	4				2	1	1	
	205	1					1		
	206	1			1				
	207	3					1	2	
	301	4				1	2	1	
	302	2						2	
	303	1						1	
	304	3			1	1		1	
	401	2	1			1			
	402	2				1	1		
	404	1						1	
	Never	13				7	1	5	
	<b>Female</b>	<b>Total</b>	200	5	6	17	33	58	81
		101	35			3	4	13	15
102		37	1	2		9	7	18	
103		18	1		3	2	7	5	
104		21	2	1	1	4	3	10	
105		4			1		2	1	
106		2					1	1	
107		1			1				
201		4				1	2	1	
202		11			2	1	5	3	
203		9					3	6	
204		7				1	2	4	
206		1					1		
207		1			1				
230		1						1	
301		4				1	2	1	
302		4		1			1	2	
304		2		1				1	
308		1					1		
403		1						1	
404		1						1	
406		1			1				
Don't know/Not sure		7			2		3	2	
Never	26	1	1	2	9	5	8		
Refused	1				1				

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you test your blood glucose, about how often do you save your test results on paper, in a log, glucose memory meter or computer?

Would you say . . . ?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Every time		71.6	58.4	63.4	50.1	73.5	79.6	74.1
Most of the time		11.3	8.3	14.2	17.6	15.6	7.6	9.3
Some of the time		8.0	33.2	11.2	13.9	4.3	4.6	8.3
Never		9.2		11.2	18.3	6.6	8.2	8.4
Male	Every time	69.5	100.0	71.4	47.2	70.6	79.0	71.3
	Most of the time	10.5		28.6	8.3	14.3	6.3	10.5
	Some of the time	7.9			22.2	6.3		8.4
	Never	12.1			22.2	8.7	14.7	9.8
Female	Every time	73.9	28.6	55.6	55.0	79.5	80.1	76.4
	Most of the time	12.1	14.3		33.3	18.2	8.7	8.2
	Some of the time	8.0	57.1	22.2			8.7	8.2
	Never	6.0		22.2	11.7	2.3	2.5	7.2

Denominator is: All survey respondents who were told by their doctors that they had diabetes and who check their blood for glucose or sugar.

When you test your blood glucose, about how often do you save your test results on paper, in a log, glucose memory meter or computer?

Would you say . . . ?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		286	6	8	27	54	81	110
Every time		213	4	5	20	41	63	80
Most of the time		30	1	1	3	8	6	11
Some of the time		18	1	1	1	1	5	9
Never		25		1	3	4	7	10
Male	Total	120	2	3	14	31	31	39
	Every time	89	2	2	11	23	23	28
	Most of the time	12		1	1	4	2	4
	Some of the time	5			1	1		3
	Never	14			1	3	6	4
Female	Total	166	4	5	13	23	50	71
	Every time	124	2	3	9	18	40	52
	Most of the time	18	1		2	4	4	7
	Some of the time	13	1	1			5	6
	Never	11		1	2	1	1	6

Denominator is: All survey respondents who were told by their doctors that they had diabetes and who check their blood for glucose or sugar.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month (0 to 1 month ago)		15.3	7.1		7.1	6.5	21.8	20.2
Within the past year (1 to 12 months ago)		57.4	17.9	16.4	59.4	59.0	58.5	60.2
Within the past 2 years (1 to 1 years ago)		14.5	28.5	35.2	16.9	15.6	8.6	14.6
2 or more years ago		10.3	32.2	10.1	11.7	18.6	9.0	5.0
Never		2.5	14.3	38.3	5.0	.3	2.1	
Male	Within the past month (0 to 1 month ago)	10.8				5.3	15.8	18.1
	Within the past year (1 to 12 months ago)	59.6	50.0	14.3	72.2	61.2	64.5	53.5
	Within the past 2 years (1 to 1 years ago)	13.0			2.8	14.5	9.9	19.4
	2 or more years ago	13.0	50.0		16.7	19.1	7.9	9.0
	Never	3.6		85.7	8.3		2.0	
Female	Within the past month (0 to 1 month ago)	19.9	11.1		17.4	8.8	26.8	22.0
	Within the past year (1 to 12 months ago)	55.2		18.2	40.6	54.9	53.6	65.5
	Within the past 2 years (1 to 1 years ago)	16.1	44.4	63.6	37.7	17.7	7.7	10.8
	2 or more years ago	7.5	22.2	18.2	4.3	17.7	9.8	1.8
	Never	1.3	22.2			.9	2.2	
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		333	7	9	31	71	90	125
<b>Within the past month (0 to 1 month ago)</b>		49	1		3	5	17	23
<b>Within the past year (1 to 12 months ago)</b>		191	1	2	17	39	54	78
<b>Within the past 2 years (1 to 1 years ago)</b>		45	1	4	5	11	8	16
<b>2 or more years ago</b>		34	2	1	4	13	8	6
<b>Don't know/Not sure</b>		4				1	1	2
<b>Never</b>		9	2	2	2	1	2	
<b>Refused</b>		1				1		
<b>Male</b>	<b>Total</b>	133	2	3	14	38	32	44
	<b>Within the past month (0 to 1 month ago)</b>	12				2	3	7
	<b>Within the past year (1 to 12 months ago)</b>	79	1	1	8	23	22	24
	<b>Within the past 2 years (1 to 1 years ago)</b>	17			1	5	3	8
	<b>2 or more years ago</b>	19	1		3	8	3	4
	<b>Don't know/Not sure</b>	1						1
	<b>Never</b>	5		2	2		1	
<b>Female</b>	<b>Total</b>	200	5	6	17	33	58	81
	<b>Within the past month (0 to 1 month ago)</b>	37	1		3	3	14	16
	<b>Within the past year (1 to 12 months ago)</b>	112		1	9	16	32	54
	<b>Within the past 2 years (1 to 1 years ago)</b>	28	1	4	4	6	5	8
	<b>2 or more years ago</b>	15	1	1	1	5	5	2
	<b>Don't know/Not sure</b>	3				1	1	1
	<b>Never</b>	4	2			1	1	
	<b>Refused</b>	1				1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever attended any formal diabetes education programs,  
such as a class or one-on-one training with a diabetes educator?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		70.7	49.9	37.9	79.3	70.8	79.0	66.5
No		29.3	50.1	62.1	20.7	29.2	21.0	33.5
Male	Yes	64.8		28.6	75.0	73.0	70.4	56.0
	No	35.2	100.0	71.4	25.0	27.0	29.6	44.0
Female	Yes	76.9	77.8	45.5	85.5	66.7	85.9	75.1
	No	23.1	22.2	54.5	14.5	33.3	14.1	24.9
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

Have you ever attended any formal diabetes education programs,  
such as a class or one-on-one training with a diabetes educator?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes		236	4	4	22	50	71	85
No		96	3	5	9	20	19	40
Refused		1				1		
Male	Total	133	2	3	14	38	32	44
	Yes	84		1	9	28	22	24
	No	49	2	2	5	10	10	20
Female	Total	200	5	6	17	33	58	81
	Yes	152	4	3	13	22	49	61
	No	47	1	3	4	10	9	20
	Refused	1				1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time you took a diabetes education class or training?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month (0 to 1 month ago)		8.7	28.6	26.5		13.2	4.5	10.8
Within the past year (1 to 12 months ago)		26.7	71.4	33.7	15.7	14.9	41.6	25.0
Within the past years (1 to 2 years ago)		17.6			18.6	28.7	17.3	12.5
2 or more years ago		46.9		39.8	65.7	43.1	36.6	51.6
Male	Within the past month (0 to 1 month ago)	6.5				14.7		6.7
	Within the past year (1 to 12 months ago)	28.9		100.0	14.8	14.7	55.1	29.2
	Within the past years (1 to 2 years ago)	20.6			18.5	30.3	22.4	11.2
	2 or more years ago	44.0			66.7	40.4	22.4	52.8
Female	Within the past month (0 to 1 month ago)	10.7	28.6	40.0		10.3	7.5	13.3
	Within the past year (1 to 12 months ago)	24.8	71.4		16.9	15.4	32.7	22.4
	Within the past years (1 to 2 years ago)	15.1			18.6	25.6	13.8	13.3
	2 or more years ago	49.4		60.0	64.4	48.7	45.9	50.9
Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.								

When was the last time you took a diabetes education class or training?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		236	4	4	22	50	71	85
Within the past month (0 to 1 month ago)		22	2	1		6	4	9
Within the past year (1 to 12 months ago)		65	2	1	6	9	25	22
Within the past years (1 to 2 years ago)		41			6	13	11	11
2 or more years ago		105		2	10	21	31	41
Don't know/Not sure		3				1		2
Male	Total	84		1	9	28	22	24
	Within the past month (0 to 1 month ago)	6				4		2
	Within the past year (1 to 12 months ago)	27		1	3	5	11	7
	Within the past years (1 to 2 years ago)	18			3	7	5	3
	2 or more years ago	32			3	11	6	12
	Don't know/Not sure	1				1		
Female	Total	152	4	3	13	22	49	61
	Within the past month (0 to 1 month ago)	16	2	1		2	4	7
	Within the past year (1 to 12 months ago)	38	2		3	4	14	15
	Within the past years (1 to 2 years ago)	23			3	6	6	8
	2 or more years ago	73		2	7	10	25	29
	Don't know/Not sure	2						2
Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.								



## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What type of diabetes education session was this?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
A formal diabetes education class		42.2	14.3	26.5	11.3	46.1	42.5	52.9
A one-on-one training with a diabetes educator		27.7	71.4	26.5	25.2	19.1	40.3	23.0
A one-on-one training with a physician or nurse		24.9	14.3	33.7	63.5	26.0	12.7	18.8
None of these		5.2		13.3		8.9	4.5	5.2
Male	A formal diabetes education class	41.9			14.8	42.2	43.9	56.2
	A one-on-one training with a diabetes educator	21.2			18.5	18.3	30.8	19.1
	A one-on-one training with a physician or nurse	33.1		100.0	66.7	31.2	19.6	24.7
	None of these	3.8				8.3	5.6	
Female	A formal diabetes education class	42.5	14.3	40.0	6.8	53.8	41.5	50.9
	A one-on-one training with a diabetes educator	33.4	71.4	40.0	33.9	20.5	46.5	25.5
	A one-on-one training with a physician or nurse	17.7	14.3		59.3	15.4	8.2	15.2
	None of these	6.4		20.0		10.3	3.8	8.5
Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What type of diabetes education session was this?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		236	4	4	22	50	71	85
<b>A formal diabetes education class</b>		100	1	1	3	24	30	41
<b>A one-on-one training with a diabetes educator</b>		74	2	1	9	10	29	23
<b>A one-on-one training with a physician or nurse</b>		46	1	1	10	11	9	14
<b>Don't know/Not sure</b>		3				1		2
<b>None of these</b>		13		1		4	3	5
<b>Male</b>	<b>Total</b>	84		1	9	28	22	24
	<b>A formal diabetes education class</b>	35			2	11	10	12
	<b>A one-on-one training with a diabetes educator</b>	21			3	6	6	6
	<b>A one-on-one training with a physician or nurse</b>	23		1	4	7	5	6
	<b>Don't know/Not sure</b>	1				1		
	<b>None of these</b>	4				3	1	
<b>Female</b>	<b>Total</b>	152	4	3	13	22	49	61
	<b>A formal diabetes education class</b>	65	1	1	1	13	20	29
	<b>A one-on-one training with a diabetes educator</b>	53	2	1	6	4	23	17
	<b>A one-on-one training with a physician or nurse</b>	23	1		6	4	4	8
	<b>Don't know/Not sure</b>	2						2
	<b>None of these</b>	9		1		1	2	5
Denominator is: All survey respondents who were told by their doctors that they had diabetes and have attended a diabetes class.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		79.9	100.0	92.1	81.6	82.8	74.7	79.5
No		20.1		7.9	18.4	17.2	25.3	20.5
Male	Yes	78.2	100.0	100.0	76.9	76.9	68.8	82.6
	No	21.8			23.1	23.1	31.2	17.4
Female	Yes	81.6	100.0	80.0	87.1	94.6	79.6	77.1
	No	18.4		20.0	12.9	5.4	20.4	22.9

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have health insurance coverage.

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		312	7	7	27	66	81	124
Yes		195	6	4	15	44	53	73
No		40		1	2	4	15	18
Don't know/Not sure		74	1	2	10	17	12	32
Refused		3				1	1	1
Male	Total	126	2	3	13	36	29	43
	Yes	75	2	2	6	23	18	24
	No	16			1	3	7	5
	Don't know/Not sure	33		1	6	10	3	13
	Refused	2					1	1
Female	Total	186	5	4	14	30	52	81
	Yes	120	4	2	9	21	35	49
	No	24		1	1	1	8	13
	Don't know/Not sure	41	1	1	4	7	9	19
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes and have health insurance coverage.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

About how many times in the last year have you seen a health professional for your diabetes?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
0		.6					2.5	
1		10.0	17.9	11.2	1.8	10.1	10.7	11.7
2		15.5		42.6	20.5	13.4	17.7	12.9
3		9.0			1.7	9.0	11.3	10.8
4		21.6		11.2	21.2	14.0	27.1	24.5
5		3.4			1.7	9.7	.6	2.7
6		5.5			3.3	7.9	7.0	4.7
7		.7				1.2	1.8	
8		1.9	28.5			2.4	1.8	1.0
9		.5				2.4		
10		4.8	21.4			8.6	4.9	3.7
12		5.4		12.7	4.5	2.4	2.1	9.0
15		.4			1.7		.9	
16		.2				.9		
20		.5			2.4			.5
24		1.6			13.2			
25		.3		11.2				
30		.3			2.4			
40		.1					.6	
52		.4					1.8	
60		.2					.9	
76 or more		.4						1.0
None		16.7	32.2	11.2	25.9	17.9	8.2	17.6
Male	1	9.9	50.0			11.4	10.1	11.6
	2	20.4		85.7	30.6	15.7	16.1	18.7
	3	5.5			2.8	5.7	2.0	9.0
	4	23.8			13.9	15.7	37.6	28.4
	5	2.0			2.8	2.9		2.6
	6	7.1			5.6	12.9	10.1	2.6
	7	.8					4.0	
	10	5.1				12.9	4.0	2.6
	12	5.0		14.3	5.6	2.9	2.0	7.7
	15	.8			2.8		2.0	
	16	.4				1.4		
	24	3.2			22.2			
	52	.8					4.0	
	60	.4					2.0	
	None	14.7	50.0		13.9	18.6	6.0	16.8

<b>Female</b>	<b>0</b>	1.1					4.5	
	<b>1</b>	10.2		22.2	4.3	8.0	11.2	11.8
	<b>2</b>	10.5			5.8	9.6	19.0	8.2
	<b>3</b>	12.5				14.4	19.0	12.3
	<b>4</b>	19.4		22.2	31.9	11.2	18.4	21.4
	<b>5</b>	4.9				20.8	1.1	2.7
	<b>6</b>	3.9					4.5	6.4
	<b>7</b>	.5				3.2		
	<b>8</b>	3.9	44.4			6.4	3.4	1.8
	<b>9</b>	1.0				6.4		
	<b>10</b>	4.6	33.3			1.6	5.6	4.5
	<b>12</b>	5.7		11.1	2.9	1.6	2.2	10.0
	<b>20</b>	1.0			5.8			.9
	<b>25</b>	.5		22.2				
	<b>30</b>	.6			5.8			
	<b>40</b>	.3					1.1	
	<b>76 or more</b>	.8						1.8
	<b>None</b>	18.6	22.2	22.2	43.5	16.8	10.1	18.2

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

About how many times in the last year have you seen a health professional for your diabetes?  
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
<b>Total</b>	333	7	9	31	71	90	125	
<b>0</b>	1					1		
<b>1</b>	33	1	1	2	7	8	14	
<b>2</b>	46		2	4	11	13	16	
<b>3</b>	36			1	8	12	15	
<b>4</b>	69		1	8	8	23	29	
<b>5</b>	12			1	6	1	4	
<b>6</b>	17			1	5	5	6	
<b>7</b>	2				1	1		
<b>8</b>	6	1			2	1	2	
<b>9</b>	1				1			
<b>10</b>	19	3			6	5	5	
<b>12</b>	19		2	2	2	3	10	
<b>15</b>	2			1		1		
<b>16</b>	1				1			
<b>20</b>	2			1			1	
<b>24</b>	1			1				
<b>25</b>	1		1					
<b>30</b>	1			1				
<b>40</b>	1					1		
<b>52</b>	1					1		
<b>60</b>	1					1		
<b>76 or more</b>	1						1	
<b>Don't know/Not sure</b>	7		1		2	1	3	
<b>None</b>	51	2	1	8	11	10	19	
<b>Refused</b>	2					2		
<b>Male</b>	<b>Total</b>	133	2	3	14	38	32	44
	<b>1</b>	12	1			4	2	5
	<b>2</b>	24		2	3	7	4	8
	<b>3</b>	10			1	3	1	5
	<b>4</b>	32			3	4	13	12
	<b>5</b>	3			1	1		1
	<b>6</b>	9			1	5	2	1
	<b>7</b>	1					1	
	<b>10</b>	7				5	1	1
	<b>12</b>	7		1	1	1	1	3
	<b>15</b>	2			1		1	
	<b>16</b>	1				1		

	24	1			1				
	52	1					1		
	60	1					1		
	Don't know/Not sure	3				2		1	
	None	18	1		2	5	3	7	
	Refused	1					1		
	<b>Total</b>	200	5	6	17	33	58	81	
<b>Female</b>	0	1					1		
	1	21		1	2	3	6	9	
	2	22			1	4	9	8	
	3	26				5	11	10	
	4	37		1	5	4	10	17	
	5	9				5	1	3	
	6	8					3	5	
	7	1				1			
	8	6	1			2	1	2	
	9	1				1			
	10	12	3			1	4	4	
	12	12		1	1	1	2	7	
	20	2			1			1	
	25	1		1					
	30	1			1				
	40	1					1		
	76 or more	1						1	
	Don't know/Not sure	4		1				1	2
	None	33	1	1	6	6	7	7	12
	Refused	1						1	
Denominator is: All survey respondents who were told by their doctors that they had diabetes.									

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Was there a time in the past 12 months when you needed to see a doctor for your diabetes or to get your medicine but could not because of cost?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		10.5	7.1	55.7	20.8	12.5	6.6	5.6
No		89.5	92.9	44.3	79.2	87.5	93.4	94.4
Male	Yes	7.9		57.1	8.3	9.2	8.1	3.8
	No	92.1	100.0	42.9	91.7	90.8	91.9	96.2
Female	Yes	13.1	11.1	54.5	39.1	18.8	5.5	7.1
	No	86.9	88.9	45.5	60.9	81.2	94.5	92.9

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Was there a time in the past 12 months when you needed to see a doctor for your diabetes or to get your medicine but could not because of cost?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes		30	1	4	5	8	5	7
No		300	6	5	26	62	83	118
Don't know/Not sure		1					1	
Refused		2				1	1	
Male	Total	133	2	3	14	38	32	44
	Yes	9		1	1	3	2	2
	No	123	2	2	13	35	29	42
	Refused	1					1	
Female	Total	200	5	6	17	33	58	81
	Yes	21	1	3	4	5	3	5
	No	177	4	3	13	27	54	76
	Don't know/Not sure	1					1	
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-a-ted he-mo-glo-bin) or hemoglobin (A one C)?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		44.0	78.6	35.2	56.3	47.3	43.9	37.1
No		56.0	21.4	64.8	43.7	52.7	56.1	62.9
Male	Yes	41.9	100.0		50.0	48.0	52.7	28.3
	No	58.1		100.0	50.0	52.0	47.3	71.7
Female	Yes	46.1	66.7	63.6	66.2	46.2	36.6	44.7
	No	53.9	33.3	36.4	33.8	53.8	63.4	55.3

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-a-ted he-mo-glo-bin) or hemoglobin (A one C)?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes		143	5	4	16	35	37	46
No		178	2	5	14	34	48	75
Don't know/Not sure		10			1	1	4	4
Refused		2				1	1	
Male	Total	133	2	3	14	38	32	44
	Yes	56	2		7	18	16	13
	No	74		3	7	19	14	31
	Don't know/Not sure	2				1	1	
	Refused	1					1	
Female	Total	200	5	6	17	33	58	81
	Yes	87	3	4	9	17	21	33
	No	104	2	2	7	15	34	44
	Don't know/Not sure	8			1		3	4
	Refused	1				1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Do you know the results of your last glycosylated hemoglobin test?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		71.1	46.8	50.0	58.2	77.6	72.1	75.3
No		28.9	53.2	50.0	41.8	22.4	27.9	24.7
Male	Yes	71.9	100.0		75.0	77.8	65.0	63.0
	No	28.1			25.0	22.2	35.0	37.0
Female	Yes	70.3	20.0	50.0	28.0	77.3	79.3	81.3
	No	29.7	80.0	50.0	72.0	22.7	20.7	18.7

Denominator is: All survey respondents who were told by their doctors that they had diabetes, have seen a health professional in the past 12 months about diabetes, heard of glycosylated hemoglobin, and had their blood checked for glycosylated hemoglobin in the last year.

Do you know the results of your last glycosylated hemoglobin test?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		114	4	2	14	30	31	33
Yes		80	2	1	7	23	23	24
No		29	1	1	6	7	7	7
Don't know/Not sure		5	1		1		1	2
Male	Total	45	1		7	16	12	9
	Yes	32	1		4	13	9	5
	No	11			2	3	3	3
	Don't know/Not sure	2			1			1
Female	Total	69	3	2	7	14	19	24
	Yes	48	1	1	3	10	14	19
	No	18	1	1	4	4	4	4
	Don't know/Not sure	3	1				1	1

Denominator is: All survey respondents who were told by their doctors that they had diabetes, have seen a health professional in the past 12 months about diabetes, heard of glycosylated hemoglobin, and had their blood checked for glycosylated hemoglobin in the last year.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional explained to you the importance of testing your blood glucose?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		82.7	100.0	79.9	93.9	75.2	89.2	79.1
Yes, but you are still confused about this		4.9		20.1		.6	6.9	6.9
No. No one has explained this to you		12.4			6.1	24.2	3.9	14.1
Male	Yes, and you understand completely	88.5	100.0	100.0	100.0	77.0	96.1	87.4
	Yes, but you are still confused about this	3.0					2.0	7.5
	No. No one has explained this to you	8.5				23.0	2.0	5.0
Female	Yes, and you understand completely	76.7	100.0	63.6	85.5	71.8	83.6	72.2
	Yes, but you are still confused about this	6.9		36.4		1.7	10.9	6.3
	No. No one has explained this to you	16.3			14.5	26.5	5.5	21.5
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

In the past 12 months, has a health professional explained to you the importance of testing your blood glucose?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes, and you understand completely		271	6	7	26	53	79	100
Yes, but you are still confused about this		15		2		1	5	7
No. No one has explained this to you		42			4	16	5	17
Don?t know/Not sure		3			1		1	1
Refused		2	1			1		
Male	Total	133	2	3	14	38	32	44
	Yes, and you understand completely	115	2	3	13	29	30	38
	Yes, but you are still confused about this	4					1	3
	No. No one has explained this to you	13				9	1	3
	Don?t know/Not sure	1			1			
Female	Total	200	5	6	17	33	58	81
	Yes, and you understand completely	156	4	4	13	24	49	62
	Yes, but you are still confused about this	11		2		1	4	4
	No. No one has explained this to you	29			4	7	4	14
	Don?t know/Not sure	2					1	1
	Refused	2	1			1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional explained to you how and when to test your blood glucose?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		74.8	100.0	79.9	64.6	71.1	86.9	71.0
Yes, but you are still confused about this?		2.8		10.1	1.2		6.0	2.7
No, No one has explained this to you		22.4		10.1	34.2	28.9	7.1	26.4
Male	Yes, and you understand completely	78.5	100.0	100.0	72.7	70.4	96.1	74.2
	Yes, but you are still confused about this?	.9						2.6
	No, No one has explained this to you	20.6			27.3	29.6	3.9	23.2
Female	Yes, and you understand completely	71.0	100.0	63.6	53.6	72.6	79.5	68.3
	Yes, but you are still confused about this?	4.9		18.2	2.9		10.8	2.7
	No, No one has explained this to you	24.2		18.2	43.5	27.4	9.7	29.0
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

In the past 12 months, has a health professional explained to you how and when to test your blood glucose?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes, and you understand completely		248	6	7	20	48	79	88
Yes, but you are still confused about this?		9		1	1		4	3
No, No one has explained this to you		69		1	8	21	7	32
Don?t know/Not sure		5			2	1		2
Refused		2	1			1		
Male	Total	133	2	3	14	38	32	44
	Yes, and you understand completely	103	2	3	10	26	31	31
	Yes, but you are still confused about this?	1						1
	No, No one has explained this to you	26			2	12	1	11
	Don?t know/Not sure	3			2			1
Female	Total	200	5	6	17	33	58	81
	Yes, and you understand completely	145	4	4	10	22	48	57
	Yes, but you are still confused about this?	8		1	1		4	2
	No, No one has explained this to you	43		1	6	9	6	21
	Don?t know/Not sure	2				1		1
	Refused	2	1			1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional explained to you about getting exercise?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		83.4	100.0	100.0	83.1	78.3	91.7	79.5
Yes, but you are still confused about this?		2.2				3.8		3.4
No, No one has explained this to you		14.4			16.9	17.9	8.3	17.1
Male	Yes, and you understand completely	89.4	100.0	100.0	97.1	83.6	96.1	86.2
	Yes, but you are still confused about this?	.4				1.3		
	No, No one has explained this to you	10.2			2.9	15.1	3.9	13.8
Female	Yes, and you understand completely	77.1	100.0	100.0	63.8	68.4	88.1	74.0
	Yes, but you are still confused about this?	4.0				8.5		6.3
	No, No one has explained this to you	18.8			36.2	23.1	11.9	19.7
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

In the past 12 months, has a health professional explained to you about getting exercise?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes, and you understand completely		275	6	9	25	54	82	99
Yes, but you are still confused about this?		6				3		3
No, No one has explained this to you		48			5	13	8	22
Don't know/Not sure		2			1			1
Refused		2	1			1		
Male	Total	133	2	3	14	38	32	44
	Yes, and you understand completely	116	2	3	12	31	31	37
	Yes, but you are still confused about this?	1				1		
	No, No one has explained this to you	15			1	6	1	7
	Don't know/Not sure	1			1			
Female	Total	200	5	6	17	33	58	81
	Yes, and you understand completely	159	4	6	13	23	51	62
	Yes, but you are still confused about this?	5				2		3
	No, No one has explained this to you	33			4	7	7	15
	Don't know/Not sure	1						1
	Refused	2	1			1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional explained to you about the long-term consequences of diabetes?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, and you understand completely		82.3	70.8	100.0	72.9	75.1	92.1	82.6
Yes, but you are still confused about this?		2.5	8.3		6.1	.9	5.4	.5
No, No one has explained this to you		15.2	20.9		20.9	24.0	2.4	16.9
Male	Yes, and you understand completely	87.4	50.0	100.0	86.1	79.6	100.0	87.4
	Yes, but you are still confused about this?	1.5			8.3	1.3		
	No, No one has explained this to you	11.1	50.0		5.6	19.1		12.6
Female	Yes, and you understand completely	76.9	85.7	100.0	53.6	66.7	85.6	78.7
	Yes, but you are still confused about this?	3.5	14.3		2.9		9.9	.9
	No, No one has explained this to you	19.6			43.5	33.3	4.4	20.4
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

In the past 12 months, has a health professional explained to you about the long-term consequences of diabetes?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes, and you understand completely		272	4	9	22	51	82	104
Yes, but you are still confused about this?		9	1		2	1	4	1
No, No one has explained this to you		49	1		7	18	3	20
Don't know/Not sure		1					1	
Refused		2	1			1		
Male	Total	133	2	3	14	38	32	44
	Yes, and you understand completely	115	1	3	12	29	32	38
	Yes, but you are still confused about this?	2			1	1		
	No, No one has explained this to you	16	1		1	8		6
Female	Total	200	5	6	17	33	58	81
	Yes, and you understand completely	157	3	6	10	22	50	66
	Yes, but you are still confused about this?	7	1		1		4	1
	No, No one has explained this to you	33			6	10	3	14
	Don't know/Not sure	1					1	
	Refused	2	1			1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional watched you test your blood glucose?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		28.9	29.2	39.3	18.2	31.5	28.2	30.6
No		71.1	70.8	60.7	81.8	68.5	71.8	69.4
Male	Yes	31.1	50.0	42.9	13.9	35.5	33.6	31.4
	No	68.9	50.0	57.1	86.1	64.5	66.4	68.6
Female	Yes	26.7	14.3	36.4	24.6	23.9	23.8	29.9
	No	73.3	85.7	63.6	75.4	76.1	76.2	70.1

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

In the past 12 months, has a health professional watched you test your blood glucose?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes		95	2	4	9	21	26	33
No		235	4	5	22	49	64	91
Don't know/Not sure		1						1
Refused		2	1			1		
Male	Total	133	2	3	14	38	32	44
	Yes	44	1	2	4	13	11	13
	No	89	1	1	10	25	21	31
Female	Total	200	5	6	17	33	58	81
	Yes	51	1	2	5	8	15	20
	No	146	3	4	12	24	43	60
	Don't know/Not sure	1						1
	Refused	2	1			1		

Denominator is: All survey respondents who were told by their doctors that they had diabetes.

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

During the past 12 months, did a doctor, nurse, or other health professional test the feeling in your feet or lower legs by touching you with something and asking if you could feel it?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		68.1	43.0	74.9	64.0	59.6	71.2	73.0
No		31.9	57.0	25.1	36.0	40.4	28.8	27.0
Male	Yes	73.3	100.0	100.0	75.0	58.6	77.9	78.6
	No	26.7			25.0	41.4	22.1	21.4
Female	Yes	62.7	11.1	54.5	47.8	61.5	65.9	68.3
	No	37.3	88.9	45.5	52.2	38.5	34.1	31.7
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								

During the past 12 months, did a doctor, nurse, or other health professional test the feeling in your feet or lower legs by touching you with something and asking if you could feel it?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		333	7	9	31	71	90	125
Yes		220	3	6	17	43	62	89
No		110	4	3	14	27	27	35
Don't know/Not sure		1						1
Refused		2				1	1	
Male	Total	133	2	3	14	38	32	44
	Yes	94	2	3	8	23	24	34
	No	38			6	15	7	10
	Refused	1					1	
Female	Total	200	5	6	17	33	58	81
	Yes	126	1	3	9	20	38	55
	No	72	4	3	8	12	20	25
	Don't know/Not sure	1						1
	Refused	1				1		
Denominator is: All survey respondents who were told by their doctors that they had diabetes.								