

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		9.1	6.1	8.5	8.8	11.1	10.5	
2		4.0	3.5	4.5	4.9	3.7	3.0	
3		11.0	10.2	10.4	12.0	10.0	12.8	
4		13.2	11.4	12.1	13.9	14.0	14.0	
5		17.7	23.9	21.0	15.8	14.7	15.1	
6		18.4	21.1	15.9	19.2	19.7	15.7	
7		9.4	11.1	7.9	9.2	10.0	9.2	
8		4.0	4.2	5.0	2.8	3.4	5.5	
9		2.9	2.0	2.7	3.2	2.7	3.8	
10		1.4	1.0	1.5	1.4	1.6	1.0	
11		.4		1.0	.3	.2	.3	
12		.8	1.5	1.2	.8	.4	.2	
Kindergarten		5.4	3.2	5.6	5.7	6.3	5.0	
Never		2.3	.8	2.8	2.1	2.0	4.0	
Male	1	8.5	5.4	7.7	7.7	10.5	11.1	
	2	4.1	4.1	4.5	5.9	3.5	1.3	
	3	11.7	10.0	10.6	11.0	11.1	17.7	
	4	12.7	13.3	12.5	14.8	11.5	10.9	
	5	15.6	23.1	21.0	12.0	11.6	13.1	
	6	20.1	22.7	16.1	20.3	23.7	17.3	
	7	10.6	10.4	10.7	9.7	12.5	8.9	
	8	4.9	5.7	5.4	4.2	3.6	6.4	
	9	3.5	1.6	3.7	4.6	2.6	4.6	
	10	2.1	1.9	2.3	2.3	2.4	1.1	
	11	.4		.9	.4	.2	.7	
	12	.8	1.1	1.2	.5	.9	.4	
	Kindergarten	3.1		1.8	4.7	4.3	3.6	
	Never	1.7	.8	1.6	1.9	1.6	2.9	
Female	1	9.7	6.8	9.3	9.8	11.7	9.9	
	2	3.9	2.9	4.4	3.8	3.8	4.5	
	3	10.4	10.4	10.2	13.0	8.8	8.2	
	4	13.7	9.4	11.7	13.0	16.6	17.0	
	5	19.8	24.9	21.1	19.4	17.9	16.9	
	6	16.6	19.4	15.7	18.1	15.5	14.2	
	7	8.2	11.8	5.0	8.6	7.5	9.5	
	8	3.1	2.6	4.6	1.4	3.2	4.5	
	9	2.3	2.3	1.7	1.9	2.8	2.9	
	10	.6		.7	.6	.8	.9	
	11	.3		1.1	.1	.3		

12	.8	2.0	1.1	1.1			
Kindergarten	7.6	6.6	9.5	6.7	8.4	6.4	
Never	2.9	.9	4.0	2.3	2.5	5.1	
Denominator is: All survey respondents less than 65 years old.							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,062	335	721	758	736	512	
1		269	24	55	61	80	49	
2		113	11	34	28	25	15	
3		310	31	72	87	68	52	
4		378	35	87	96	97	63	
5		504	70	143	114	109	68	
6		532	64	109	151	130	78	
7		255	32	55	67	64	37	
8		110	15	32	21	19	23	
9		76	7	13	24	17	15	
10		37	4	10	10	9	4	
11		11		6	2	2	1	
12		18	4	3	7	3	1	
Kindergarten		164	12	37	42	49	24	
Don't know/Not sure		177	20	34	30	37	56	
Never		68	3	20	12	15	18	
Refused		40	3	11	6	12	8	
Male	Total	1,257	158	315	301	286	197	
	1	101	11	21	21	29	19	
	2	44	5	14	12	10	3	
	3	133	14	33	27	29	30	
	4	149	17	41	39	33	19	
	5	178	33	60	33	30	22	
	6	244	33	49	66	64	32	
	7	126	16	33	31	33	13	
	8	57	10	15	13	7	12	
	9	39	3	7	15	7	7	
	10	25	4	7	7	5	2	
	11	5		2	1	1	1	
	12	10	1	2	3	3	1	
	Kindergarten	38		6	14	12	6	
	Don't know/Not sure	73	9	14	13	13	24	
	Never	20	1	6	4	5	4	
	Refused	15	1	5	2	5	2	
	Total	1,805	177	406	457	450	315	
	1	168	13	34	40	51	30	
	2	69	6	20	16	15	12	
	3	177	17	39	60	39	22	

Female	4	229	18	46	57	64	44
	5	326	37	83	81	79	46
	6	288	31	60	85	66	46
	7	129	16	22	36	31	24
	8	53	5	17	8	12	11
	9	37	4	6	9	10	8
	10	12		3	3	4	2
	11	6		4	1	1	
	12	8	3	1	4		
	Kindergarten	126	12	31	28	37	18
	Don't know/Not sure	104	11	20	17	24	32
	Never	48	2	14	8	10	14
	Refused	25	2	6	4	7	6

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		90.5	93.4	92.3	89.9	90.4	86.7
No		2.2	2.0	.9	2.8	2.7	2.5
Would give other advice		7.2	4.6	6.8	7.3	6.9	10.8
Male	Yes	91.0	95.5	92.5	88.8	90.8	88.9
	No	2.2	3.1	.8	2.7	2.9	.9
	Would give other advice	6.8	1.4	6.7	8.4	6.3	10.2
Female	Yes	90.0	91.3	92.0	90.9	90.1	84.6
	No	2.3	.8	1.1	2.8	2.5	3.9
	Would give other advice	7.7	7.9	6.9	6.3	7.4	11.5

Denominator is: All survey respondents less than 65 years old.

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,062	335	721	758	736	512
Yes		2,715	304	646	678	658	429
No		61	5	7	20	17	12
Would give other advice		213	17	47	46	47	56
Don't know/Not sure		29	6	9	4	4	6
Refused		44	3	12	10	10	9
Male	Total	1,257	158	315	301	286	197
	Yes	1,120	147	281	264	256	172
	No	24	3	3	9	7	2
	Would give other advice	82	3	20	21	18	20
	Don't know/Not sure	15	4	5	3	2	1
	Refused	16	1	6	4	3	2
Female	Total	1,805	177	406	457	450	315
	Yes	1,595	157	365	414	402	257
	No	37	2	4	11	10	10
	Would give other advice	131	14	27	25	29	36
	Don't know/Not sure	14	2	4	1	2	5
	Refused	28	2	6	6	7	7

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you had sexual intercourse, was it with your regular or steady partner or with someone else?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Regular or steady partner		94.8	85.2	96.3	95.9	99.5		
With someone other than regular or steady partner		5.2	14.8	3.7	4.1	.5		
Male	Regular or steady partner	92.1	78.9	93.8	93.4	99.1		
	With someone other than regular or steady partner	7.9	21.1	6.2	6.6	.9		
Female	Regular or steady partner	97.4	90.8	98.7	98.3	100.0		
	With someone other than regular or steady partner	2.6	9.2	1.3	1.7			
Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.								

The last time you had sexual intercourse, was it with your regular or steady partner or with someone else?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		956	135	363	323	135		
Regular or steady partner		900	117	345	304	134		
With someone other than regular or steady partner		53	17	16	19	1		
Refused		3	1	2				
Male	Total	414	56	163	138	57		
	Regular or steady partner	377	45	152	124	56		
	With someone other than regular or steady partner	37	11	11	14	1		
Female	Total	542	79	200	185	78		
	Regular or steady partner	523	72	193	180	78		
	With someone other than regular or steady partner	16	6	5	5			
	Refused	3	1	2				
Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you had sexual intercourse, was it with your regular or steady partner or with someone else?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Regular or steady partner		94.8	85.2	96.3	95.9	99.5		
With someone other than regular or steady partner		5.2	14.8	3.7	4.1	.5		
Male	Regular or steady partner	92.1	78.9	93.8	93.4	99.1		
	With someone other than regular or steady partner	7.9	21.1	6.2	6.6	.9		
Female	Regular or steady partner	97.4	90.8	98.7	98.3	100.0		
	With someone other than regular or steady partner	2.6	9.2	1.3	1.7			
Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.								

The last time you had sexual intercourse, was it with your regular or steady partner or with someone else?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		956	135	363	323	135		
Regular or steady partner		900	117	345	304	134		
With someone other than regular or steady partner		53	17	16	19	1		
Refused		3	1	2				
Male	Total	414	56	163	138	57		
	Regular or steady partner	377	45	152	124	56		
	With someone other than regular or steady partner	37	11	11	14	1		
Female	Total	542	79	200	185	78		
	Regular or steady partner	523	72	193	180	78		
	With someone other than regular or steady partner	16	6	5	5			
	Refused	3	1	2				
Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Was a condom used the last time you had sexual intercourse?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		16.0	31.3	18.3	10.2	8.4	
No		84.0	68.7	81.7	89.8	91.6	
Male	Yes	19.4	40.5	22.8	13.1	5.4	
	No	80.6	59.5	77.2	86.9	94.6	
Female	Yes	12.7	23.0	13.8	7.3	11.3	
	No	87.3	77.0	86.2	92.7	88.7	

Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.

Was a condom used the last time you had sexual intercourse?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		956	135	363	323	135	
Yes		162	39	69	41	13	
No		791	95	292	282	122	
Refused		3	1	2			
Male	Total	414	56	163	138	57	
	Yes	87	20	38	25	4	
	No	326	36	124	113	53	
	Refused	1		1			
Female	Total	542	79	200	185	78	
	Yes	75	19	31	16	9	
	No	465	59	168	169	69	
	Refused	2	1	1			

Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you had sex with another male in the past year?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		.9		.9	1.5			
No		99.1	100.0	99.1	98.5	100.0		
Male	Yes	.9		.9	1.5			
	No	99.1	100.0	99.1	98.5	100.0		

Denominator is: All male survey respondents less than 50 years old who have had sexual intercourse.

Have you had sex with another male in the past year?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		414	56	163	138	57		
Yes		3		1	2			
No		411	56	162	136	57		
Male	Total	414	56	163	138	57		
	Yes	3		1	2			
	No	411	56	162	136	57		

Denominator is: All male survey respondents less than 50 years old who have had sexual intercourse.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you used intravenous drugs in the past year?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		1.1	5.4	.5		.5	
No		98.9	94.6	99.5	100.0	99.5	
Male	Yes	2.0	10.1	.9		.9	
	No	98.0	89.9	99.1	100.0	99.1	
Female	Yes	.2	1.3				
	No	99.8	98.7	100.0	100.0	100.0	

Denominator is: All survey respondents less than 50 years old .

Have you used intravenous drugs in the past year?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		956	135	363	323	135	
Yes		11	8	2		1	
No		941	124	360	323	134	
Don't know/Not sure		2	2				
Refused		2	1	1			
Male	Total	414	56	163	138	57	
	Yes	10	7	2		1	
	No	402	47	161	138	56	
	Don't know/Not sure	2	2				
Female	Total	542	79	200	185	78	
	Yes	1	1				
	No	539	77	199	185	78	
	Refused	2	1	1			

Denominator is: All survey respondents less than 50 years old .

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you tested positive for having HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		.0		.1				
No		100.0	100.0	99.9	100.0	100.0		
Male	No	100.0	100.0	100.0	100.0	100.0		
Female	Yes	.1		.3				
	No	99.9	100.0	99.7	100.0	100.0		

Denominator is: All survey respondents less than 50 years old.

Have you tested positive for having HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		956	135	363	323	135		
Yes		1		1				
No		950	134	358	323	135		
Don't know/Not sure		2		2				
Refused		3	1	2				
Male	Total	414	56	163	138	57		
	No	412	56	161	138	57		
	Don't know/Not sure	1		1				
	Refused	1		1				
Female	Total	542	79	200	185	78		
	Yes	1		1				
	No	538	78	197	185	78		
	Don't know/Not sure	1		1				
	Refused	2	1	1				

Denominator is: All survey respondents less than 50 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever been tested for a sexually transmitted or venereal disease in the past year?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		12.9	35.7	13.1	5.6	4.9	
No		87.1	64.3	86.9	94.4	95.1	
Male	Yes	7.6	20.4	8.1	2.9	4.5	
	No	92.4	79.6	91.9	97.1	95.5	
Female	Yes	18.1	49.7	18.2	8.3	5.2	
	No	81.9	50.3	81.8	91.7	94.8	

Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.

Have you ever been tested for a sexually transmitted or venereal disease in the past year?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		956	135	363	323	135	
Yes		135	52	53	22	8	
No		812	81	306	299	126	
Don't know/Not sure		6		3	2	1	
Refused		3	2	1			
Male	Total	414	56	163	138	57	
	Yes	38	13	14	7	4	
	No	375	43	148	131	53	
	Don't know/Not sure	1		1			
Female	Total	542	79	200	185	78	
	Yes	97	39	39	15	4	
	No	437	38	158	168	73	
	Don't know/Not sure	5		2	2	1	
	Refused	3	2	1			

Denominator is: All survey respondents less than 50 years old who have had sexual intercourse.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
High		2.2	4.7	1.6	2.4	1.4	1.9
Medium		3.9	9.9	3.6	3.5	2.2	1.8
Low		28.4	29.8	32.8	32.8	24.8	18.6
None		65.4	55.6	62.0	61.2	71.4	77.4
Not applicable		.1			.1	.1	.3
Male	High	2.7	6.0	1.0	2.4	2.3	3.5
	Medium	4.8	13.5	4.5	4.9	2.3	.6
	Low	30.1	26.2	37.0	37.4	23.6	21.2
	None	62.2	54.3	57.5	55.2	71.7	74.1
	Not applicable	.2			.2	.2	.6
Female	High	1.8	3.3	2.2	2.4	.6	.4
	Medium	2.9	6.1	2.6	2.2	2.2	2.9
	Low	26.7	33.6	28.5	28.3	26.1	16.2
	None	68.7	57.0	66.7	67.1	71.1	80.5

Denominator is: All survey respondents less than 65 years old.

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,062	335	721	758	736	512
High		57	13	14	15	8	7
Medium		111	28	30	27	16	10
Low		871	101	239	246	192	93
None		1,965	183	424	456	508	394
Not applicable		3			1	1	1
Don't know/Not sure		30	7	7	7	6	3
Refused		25	3	7	6	5	4
Male	Total	1,257	158	315	301	286	197
	High	26	6	4	6	5	5
	Medium	55	17	15	15	7	1
	Low	379	42	117	111	68	41
	None	770	87	173	163	200	147
	Not applicable	3			1	1	1
	Don't know/Not sure	12	4	2	2	3	1
	Refused	12	2	4	3	2	1
	Total	1,805	177	406	457	450	315
	High	31	7	10	9	3	2
	Medium	56	11	15	12	9	9

Female	Low	492	59	122	135	124	52
	None	1,195	96	251	293	308	247
	Don't know/Not sure	18	3	5	5	3	2
	Refused	13	1	3	3	3	3

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		46.0	40.9	61.2	50.2	40.6	32.8
No		54.0	59.1	38.8	49.8	59.4	67.2
Male	Yes	44.7	26.7	55.4	48.7	47.1	39.3
	No	55.3	73.3	44.6	51.3	52.9	60.7
Female	Yes	47.2	57.2	66.9	51.6	34.3	26.8
	No	52.8	42.8	33.1	48.4	65.7	73.2

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,118	235	450	527	516	390
Yes		973	104	273	272	209	115
No		1,049	122	164	237	286	240
Don't know/Not sure		77	6	9	14	16	32
Refused		19	3	4	4	5	3
Male	Total	829	110	184	193	198	144
	Yes	384	33	100	98	96	57
	No	414	74	79	89	95	77
	Don't know/Not sure	25	2	3	5	5	10
	Refused	6	1	2	1	2	
Female	Total	1,289	125	266	334	318	246
	Yes	589	71	173	174	113	58
	No	635	48	85	148	191	163
	Don't know/Not sure	52	4	6	9	11	22
	Refused	13	2	2	3	3	3

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you donated blood since March 1985?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		30.3	29.5	36.2	30.8	29.1	23.7
No		69.7	70.5	63.8	69.2	70.9	76.3
Male	Yes	32.3	27.9	38.0	34.6	30.9	26.5
	No	67.7	72.1	62.0	65.4	69.1	73.5
Female	Yes	28.3	31.2	34.3	27.1	27.4	21.0
	No	71.7	68.8	65.7	72.9	72.6	79.0

Denominator is: All survey respondents less than 65 years old and whose chances of getting HIV are not known.

Have you donated blood since March 1985?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,059	335	721	757	735	511
Yes		941	100	271	230	219	121
No		2,076	232	444	518	505	377
Don't know/Not sure		23	1	1	5	6	10
Refused		19	2	5	4	5	3
Male	Total	1,254	158	315	300	285	196
	Yes	425	48	131	107	87	52
	No	808	109	181	190	191	137
	Don't know/Not sure	14			2	5	7
	Refused	7	1	3	1	2	
Female	Total	1,805	177	406	457	450	315
	Yes	516	52	140	123	132	69
	No	1,268	123	263	328	314	240
	Don't know/Not sure	9	1	1	3	1	3
	Refused	12	1	2	3	3	3

Denominator is: All survey respondents less than 65 years old and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		48.6	46.7	61.5	56.9	35.2	27.7
No		51.4	53.3	38.5	43.1	64.8	72.3
Male	Yes	49.0	49.3	53.9	60.1	39.1	30.1
	No	51.0	50.7	46.1	39.9	60.9	69.9
Female	Yes	48.0	44.2	70.1	52.8	30.6	25.0
	No	52.0	55.8	29.9	47.2	69.4	75.0

Denominator is: All survey respondents less than 65 years old, have donated blood since March 1985, and whose HIV risk is known.

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		941	100	271	230	219	121
Yes		447	49	167	123	76	32
No		467	51	100	99	135	82
Don't know/Not sure		27		4	8	8	7
Male	Total	425	48	131	107	87	52
	Yes	209	24	73	60	36	16
	No	207	24	56	44	50	33
	Don't know/Not sure	9		2	3	1	3
Female	Total	516	52	140	123	132	69
	Yes	238	25	94	63	40	16
	No	260	27	44	55	85	49
	Don't know/Not sure	18		2	5	7	4

Denominator is: All survey respondents less than 65 years old, have donated blood since March 1985, and whose HIV risk is known

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Not including your blood donations, have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		33.8	40.1	34.6	33.9	30.9	22.7	
No		66.2	59.9	65.4	66.1	69.1	77.3	
Male	Yes	37.6	43.1	34.1	40.8	39.7	17.5	
	No	62.4	56.9	65.9	59.2	60.3	82.5	
Female	Yes	29.4	36.7	35.0	24.2	17.4	29.2	
	No	70.6	63.3	65.0	75.8	82.6	70.8	

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Not including your blood donations, have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		447	49	167	123	76	32	
Yes		142	20	58	36	21	7	
No		299	28	109	86	53	23	
Don't know/Not sure		6	1		1	2	2	
Male	Total	209	24	73	60	36	16	
	Yes	71	9	25	21	13	3	
	No	134	15	48	38	22	11	
	Don't know/Not sure	4			1	1	2	
Female	Total	238	25	94	63	40	16	
	Yes	71	11	33	15	8	4	
	No	165	13	61	48	31	12	
	Don't know/Not sure	2	1			1		

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

here

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you been tested for HIV in the past 12 months?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		25.7	49.3	30.2	17.6	18.4	23.1
No		74.3	50.7	69.8	82.4	81.6	76.9
Male	Yes	24.8	51.0	25.6	21.1	17.3	26.6
	No	75.2	49.0	74.4	78.9	82.7	73.4
Female	Yes	26.6	48.4	33.9	14.7	19.9	18.6
	No	73.4	51.6	66.1	85.3	80.1	81.4

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Have you been tested for HIV in the past 12 months?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		976	104	273	273	210	116
Yes		239	48	81	46	38	26
No		730	53	190	227	172	88
Don't know/Not sure		7	3	2			2
Male	Total	387	33	100	99	97	58
	Yes	99	18	26	22	17	16
	No	283	14	72	77	80	40
	Don't know/Not sure	5	1	2			2
Female	Total	589	71	173	174	113	58
	Yes	140	30	55	24	21	10
	No	447	39	118	150	92	48
	Don't know/Not sure	2	2				

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What was the main reason you had your last test for HIV?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Hospitalization		3.9	2.1	.9	6.9	6.3	7.0	
Health In		2.1	2.1	1.0		6.3	4.7	
Life Insurance		7.9	1.4	5.6	11.4	16.0	8.6	
Employment		4.5		2.9	7.7	9.6	3.5	
Marriage License		.6		1.9				
Military		5.8	9.6	4.7	4.4	6.3	3.5	
Immigration		.6			2.3			
Find out		21.0	31.0	15.5	27.7	12.9	10.1	
Doctor referred		.9		.7	.8	2.5	2.3	
Pregnancy		16.5	27.0	26.2	8.1	2.5		
Sex partner		2.5	5.8	3.0	1.2			
Blood Donation		1.1	1.4	.9	2.3			
Routine Checkup		14.0	10.3	14.0	7.1	22.6	29.6	
Occupational Exposure		3.1		4.7	5.0	2.5		
Illness		2.6	1.4	1.7	4.0	1.6	6.3	
At risk		1.4		1.6			11.7	
Other		11.7	7.9	14.8	11.3	10.9	12.6	
Male	Hospitalization	3.1		2.1	3.7	6.0	3.8	
	Health In	3.4	4.9			10.1	7.7	
	Life Insurance	8.2		6.4	8.6	20.1	3.8	
	Employment	7.0		5.3	11.0	10.1	5.8	
	Marriage License	.5		2.1				
	Military	10.1	23.0	7.4	6.1	10.1	5.8	
	Immigration	1.1			3.7			
	Find out	22.8	27.9	19.1	34.3	10.1	11.5	
	Doctor referred	.7			1.2		3.8	
	Pregnancy	.5		2.1				
	Sex partner	3.0	12.3	3.2				
	Blood Donation	1.1	3.3	2.1				
	Routine Checkup	17.0	16.4	20.2	4.9	21.5	38.5	
	Occupational Exposure	1.8			6.1			
	Illness	2.2		4.3	3.7			
	At risk	2.6		3.2			19.2	
	Other	15.0	12.3	22.3	16.7	12.1		
	Hospitalization	4.7	3.6		12.2	6.7	12.0	
	Health In	.7		1.7				
	Life Insurance	7.5	2.4	5.1	16.0	8.9	16.0	
	Employment	1.9		1.1	2.3	8.9		

Female	Marriage License	.7		1.7			
	Military	1.4		2.8	1.5		
	Find out	19.1	33.3	13.0	16.8	17.8	8.0
	Doctor referred	1.2		1.1		6.7	
	Pregnancy	33.1	46.4	42.9	21.4	6.7	
	Sex partner	2.0	1.2	2.8	3.1		
	Blood Donation	1.1			6.1		
	Routine Checkup	10.9	6.0	9.6	10.7	24.4	16.0
	Occupational Exposure	4.4		7.9	3.1	6.7	
	Illness	3.0	2.4		4.6	4.4	16.0
	At risk	.2		.6			
	Other	8.3	4.8	9.6	2.3	8.9	32.0

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What was the main reason you had your last test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	381	68	139	82	59	33	
Hospitalization	15	2	2	4	4	3	
Health In	6	1	2		2	1	
Life Insurance	32	1	9	11	8	3	
Employment	18		4	8	4	2	
Marriage License	3		3				
Military	20	5	6	4	3	2	
Immigration	1			1			
Find out	82	21	26	21	9	5	
Doctor referred	4		1	1	1	1	
Pregnancy	65	20	38	6	1		
Sex partner	9	4	4	1			
Blood Donation	4	1	1	2			
Routine Checkup	57	7	19	7	15	9	
Occupational Exposure	12		5	5	2		
Illness	9	1	2	4	1	1	
At risk	5		3			2	
Other	38	5	14	7	8	4	
Refused	1				1		
Total	170	27	51	43	30	19	
Hospitalization	6		2	1	2	1	
Health In	4	1			2	1	
Life Insurance	16		4	5	6	1	
Employment	13		3	6	2	2	

Male	Marriage License	1		1			
	Military	17	5	4	3	3	2
	Immigration	1			1		
	Find out	43	10	12	14	4	3
	Doctor referred	2			1		1
	Pregnancy	1		1			
	Sex partner	4	3	1			
	Blood Donation	2	1	1			
	Routine Checkup	28	4	10	2	6	6
	Occupational Exposure	3			3		
	Illness	4		2	2		
	At risk	4		2			2
	Other	21	3	8	5	5	
Female	Total	211	41	88	39	29	14
	Hospitalization	9	2		3	2	2
	Health In	2		2			
	Life Insurance	16	1	5	6	2	2
	Employment	5		1	2	2	
	Marriage License	2		2			
	Military	3		2	1		
	Find out	39	11	14	7	5	2
	Doctor referred	2		1		1	
	Pregnancy	64	20	37	6	1	
	Sex partner	5	1	3	1		
	Blood Donation	2			2		
	Routine Checkup	29	3	9	5	9	3
	Occupational Exposure	9		5	2	2	
	Illness	5	1		2	1	1
	At risk	1		1			
	Other	17	2	6	2	3	4
Refused	1				1		
Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.							

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Where did you have your last blood test for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Private MD		35.4	33.7	34.1	39.1	36.7	32.0
Blood Bank		1.4	2.2	.9	.6	.8	4.7
Health Dept.		5.2	7.3	6.0	4.8	2.1	3.9
AIDS clinic		1.0		.4		.8	9.4
Hospital		22.4	21.0	23.2	24.0	22.2	18.3
Family Planning		3.1	3.6	6.4	1.2		
Prenatal Clinic		1.0	.7	2.7			
Tuberculosis		.2			.8		
Community Clinic		5.7	12.7	6.9	2.8	1.3	
Employer		1.2		1.5	2.4		2.3
Insurance Co.		1.8	3.6	3.4			
Other public		2.4	2.2	1.1	2.8	3.8	4.7
Drug Treatment		.2				1.6	
Military		6.7	7.9	5.1	9.7	1.3	10.5
Immigration		.2		.5			
Home visit		7.5	3.6	3.0	9.9	18.5	7.8
Self test kit		.4	.7	.7			
Other		4.0	.7	3.9	2.0	10.9	6.3
Male	Private MD	34.5	25.4	38.0	40.6	28.2	34.6
	Blood Bank	1.7	5.3	2.2		1.3	
	Health Dept.	3.5		6.5	3.8	2.0	3.8
	AIDS clinic	1.0		1.1			7.7
	Hospital	23.9	28.1	21.7	24.3	22.1	25.0
	Tuberculosis	.4			1.3		
	Community Clinic	5.0	9.6	8.7	2.5	2.0	
	Employer	1.7		1.1	3.8		3.8
	Insurance Co.	.8		3.3			
	Other public	3.0	5.3	1.1	2.5	6.0	
	Military	10.9	19.3	7.6	12.6	2.0	17.3
	Home visit	9.1	5.3	3.3	7.5	24.2	7.7
	Self test kit	.3	1.8				
	Other	4.0		5.4	1.3	12.1	
Private MD		36.4	39.5	31.4	36.6	51.1	28.0
Blood Bank		1.1			1.6		12.0
Health Dept.		7.0	12.3	5.7	6.5	2.2	4.0
AIDS clinic		1.0				2.2	12.0
Hospital		20.8	16.0	24.3	23.6	22.2	8.0
Family Planning		6.4	6.2	10.9	3.3		

Female	Prenatal Clinic	2.1	1.2	4.6			
	Community Clinic	6.5	14.8	5.7	3.3		
	Employer	.7		1.7			
	Insurance Co.	2.9	6.2	3.4			
	Other public	1.8		1.1	3.3		12.0
	Drug Treatment	.5				4.4	
	Military	2.2		3.4	4.9		
	Immigration	.3		.9			
	Home visit	5.7	2.5	2.9	13.8	8.9	8.0
	Self test kit	.4		1.1			
	Other	4.1	1.2	2.9	3.3	8.9	16.0

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Where did you have your last blood test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	377	67	138	80	59	33	
Private MD	137	25	45	31	24	12	
Blood Bank	5	1	1	1	1	1	
Health Dept.	23	3	11	5	2	2	
AIDS clinic	5		1		1	3	
Hospital	79	15	28	16	13	7	
Family Planning	11	3	7	1			
Prenatal Clinic	6	1	5				
Tuberculosis	1			1			
Community Clinic	16	5	8	2	1		
Employer	6		3	2		1	
Insurance Co.	7	1	6				
Other public	9	2	3	2	1	1	
Drug Treatment	1				1		
Military	22	4	7	7	1	3	
Immigration	1		1				
Home visit	25	2	4	9	8	2	
Self test kit	2	1	1				
Don't know/Not sure	5	3	1		1		
Other	15	1	6	2	5	1	
Refused	1			1			
Male	Total	168	26	50	43	30	19
	Private MD	57	7	20	16	8	6
	Blood Bank	3	1	1		1	
	Health Dept.	8		4	2	1	1
	AIDS clinic	2		1			1
	Hospital	37	7	8	9	7	6
	Tuberculosis	1			1		
	Community Clinic	7	2	3	1	1	
	Employer	4		1	2		1
	Insurance Co.	3		3			
	Other public	5	2	1	1	1	
	Military	17	4	4	5	1	3
	Home visit	13	1	1	4	6	1
	Self test kit	1	1				
	Don't know/Not sure	1	1				
	Other	8		3	1	4	
	Refused	1			1		

Female	Total	209	41	88	37	29	14
	Private MD	80	18	25	15	16	6
	Blood Bank	2			1		1
	Health Dept.	15	3	7	3	1	1
	AIDS clinic	3				1	2
	Hospital	42	8	20	7	6	1
	Family Planning	11	3	7	1		
	Prenatal Clinic	6	1	5			
	Community Clinic	9	3	5	1		
	Employer	2		2			
	Insurance Co.	4	1	3			
	Other public	4		2	1		1
	Drug Treatment	1				1	
	Military	5		3	2		
	Immigration	1		1			
	Home visit	12	1	3	5	2	1
	Self test kit	1		1			
	Don't know/Not sure	4	2	1		1	
	Other	7	1	3	1	1	1

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Did you receive the results of your last test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		85.6	81.1	90.8	83.5	88.6	77.3
No		14.4	18.9	9.2	16.5	11.4	22.7
Male	Yes	85.5	74.6	91.3	86.5	88.6	80.8
	No	14.5	25.4	8.7	13.5	11.4	19.2
Female	Yes	85.6	85.7	90.4	78.0	88.6	72.0
	No	14.4	14.3	9.6	22.0	11.4	28.0

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Did you receive the results of your last test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		377	67	138	80	59	33
Yes		326	56	125	65	53	27
No		50	11	13	15	5	6
Don't know/Not sure		1				1	
Male	Total	168	26	50	43	30	19
	Yes	146	20	47	36	27	16
	No	22	6	3	7	3	3
Female	Total	209	41	88	37	29	14
	Yes	180	36	78	29	26	11
	No	28	5	10	8	2	3
	Don't know/Not sure	1				1	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Did you receive counseling or talk with a health care professional about the results of your test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		30.2	36.7	29.2	26.5	27.2	35.4
No		69.8	63.3	70.8	73.5	72.8	64.6
Male	Yes	24.3	30.7	19.0	19.8	29.5	33.3
	No	75.7	69.3	81.0	80.2	70.5	66.7
Female	Yes	36.5	40.3	36.2	39.6	23.1	38.9
	No	63.5	59.7	63.8	60.4	76.9	61.1

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process, and who received the results of their last test.

Did you receive counseling or talk with a health care professional about the results of your test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		326	56	125	65	53	27
Yes		91	20	32	18	14	7
No		235	36	93	47	39	20
Male	Total	146	20	47	36	27	16
	Yes	33	7	7	8	7	4
	No	113	13	40	28	20	12
Female	Total	180	36	78	29	26	11
	Yes	58	13	25	10	7	3
	No	122	23	53	19	19	8

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process, and who received the results of their last test.