

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Current smoking status.
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Current/all 30 days		15.6	19.5	17.2	20.2	16.6	13.4	6.7
Current/1-29 days in 30		5.1	8.8	8.9	4.9	3.8	2.8	2.4
Former smoker		28.3	10.5	16.2	23.4	30.9	41.8	45.0
Never smoked		51.0	61.2	57.6	51.4	48.7	42.1	45.9
Male	Current/all 30 days	16.8	17.2	18.9	21.6	19.3	14.3	6.1
	Current/1-29 days in 30	5.6	10.9	9.6	4.1	4.2	2.9	2.3
	Former smoker	32.0	10.0	17.9	24.2	34.4	50.8	58.7
	Never smoked	45.7	61.9	53.6	50.1	42.1	32.0	32.9
Female	Current/all 30 days	14.6	21.9	15.5	18.9	13.9	12.5	7.2
	Current/1-29 days in 30	4.7	6.7	8.2	5.6	3.3	2.6	2.5
	Former smoker	24.8	11.0	14.5	22.8	27.5	33.2	35.0
	Never smoked	56.0	60.4	61.8	52.7	55.4	51.7	55.3
Denominator is: All survey respondents.								

Current smoking status.
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Current/all 30 days		1,198	142	230	322	265	143	96
Current/1-29 days in 30		398	65	132	79	64	29	29
Former smoker		2,172	79	239	365	470	423	596
Never smoked		3,921	409	832	837	760	451	632
Don't know/Not sure/Refused		14	1	3	2	2	2	4
Male	Total	3,092	307	630	641	646	403	465
	Current/all 30 days	519	59	106	133	133	59	29
	Current/1-29 days in 30	174	33	62	26	31	13	9
	Former smoker	971	31	114	147	210	197	272
	Never smoked	1,421	184	346	334	271	134	152
	Don't know/Not sure/Refused	7		2	1	1		3
Female	Total	4,611	389	806	964	915	645	892
	Current/all 30 days	679	83	124	189	132	84	67
	Current/1-29 days in 30	224	32	70	53	33	16	20
	Former smoker	1,201	48	125	218	260	226	324
	Never smoked	2,500	225	486	503	489	317	480
	Don't know/Not sure/Refused	7	1	1	1	1	2	1
Denominator is: All survey respondents.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you smoked at least 100 cigarettes (5 packs = 100 cigarettes) in your entire life?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		49.0	38.8	42.4	48.6	51.3	57.9	54.1
No		51.0	61.2	57.6	51.4	48.7	42.1	45.9
Male	Yes	54.3	38.1	46.4	49.9	57.9	68.0	67.1
	No	45.7	61.9	53.6	50.1	42.1	32.0	32.9
Female	Yes	44.0	39.6	38.2	47.3	44.6	48.3	44.7
	No	56.0	60.4	61.8	52.7	55.4	51.7	55.3

Denominator is: All survey respondents.

Have you smoked at least 100 cigarettes (5 packs = 100 cigarettes) in your entire life?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Yes		3,768	286	601	766	799	595	721
No		3,921	409	832	837	760	451	632
Don't know		13	1	3	2	2	1	4
Refused		1					1	
Male	Total	3,092	307	630	641	646	403	465
	Yes	1,664	123	282	306	374	269	310
	No	1,421	184	346	334	271	134	152
	Don't know	7		2	1	1		3
Female	Total	4,611	389	806	964	915	645	892
	Yes	2,104	163	319	460	425	326	411
	No	2,500	225	486	503	489	317	480
	Don't know	6	1	1	1	1	1	1
	Refused	1					1	

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Do you now smoke cigarettes everyday, some days, or not at all?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Everyday		31.9	50.2	40.7	41.7	32.4	23.1	12.4
Some days		10.5	22.8	21.1	10.1	7.3	4.8	4.5
Not at all		57.7	27.1	38.2	48.3	60.3	72.1	83.1
Male	Everyday	30.9	45.2	40.7	43.3	33.4	21.0	9.0
	Some days	10.2	28.6	20.8	8.3	7.3	4.3	3.4
	Not at all	58.9	26.3	38.5	48.4	59.3	74.6	87.6
Female	Everyday	33.0	55.3	40.6	40.0	31.1	25.9	16.1
	Some days	10.7	16.9	21.6	11.9	7.3	5.4	5.6
	Not at all	56.2	27.9	37.9	48.1	61.6	68.8	78.2

Denominator is: All survey respondents who have smoked 100 cigarettes in their lifetimes.

Do you now smoke cigarettes everyday, some days, or not at all?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,768	286	601	766	799	595	721
Everyday		1,198	142	230	322	265	143	96
Some days		398	65	132	79	64	29	29
Not at all		2,172	79	239	365	470	423	596
Male	Total	1,664	123	282	306	374	269	310
	Everyday	519	59	106	133	133	59	29
	Some days	174	33	62	26	31	13	9
	Not at all	971	31	114	147	210	197	272
Female	Total	2,104	163	319	460	425	326	411
	Everyday	679	83	124	189	132	84	67
	Some days	224	32	70	53	33	16	20
	Not at all	1,201	48	125	218	260	226	324

Denominator is: All survey respondents who have smoked 100 cigarettes in their lifetimes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

During the last 30 days, on the average, about how many cigarettes did you smoke (1 pack = 20 cigarettes)?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1-5 cigarettes		75.0	93.2	83.4	75.4	64.4	44.9	43.2
6-10 cigarettes		19.6	2.8	14.4	17.6	26.7	41.1	52.6
11-15 cigarettes		2.5		1.5	3.7	4.1	8.5	2.0
16-20 cigarettes		2.2	4.0		2.6	4.8	2.8	
21+ cigarettes		.8		.8	.7		2.8	2.3
Male	1-5 cigarettes	74.1	93.4	84.2	66.7	62.1	42.1	33.3
	6-10 cigarettes	18.9		13.2	25.6	25.0	42.1	61.1
	11-15 cigarettes	2.2		2.6	2.6	4.3	5.3	
	16-20 cigarettes	4.0	6.6		5.1	8.6	5.3	
	21+ cigarettes	.7					5.3	5.6
Female	1-5 cigarettes	75.9	92.8	82.4	80.5	67.3	48.0	50.0
	6-10 cigarettes	20.3	7.2	15.9	13.0	28.8	40.0	46.7
	11-15 cigarettes	2.8			4.3	3.8	12.0	3.3
	16-20 cigarettes	.3			1.1			
	21+ cigarettes	.8		1.8	1.1			

Denominator is: All survey respondents who currently smoke cigarettes on some days.

During the last 30 days, on the average, about how many cigarettes did you smoke (1 pack = 20 cigarettes)?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		398	65	132	79	64	29	29
1-5 cigarettes		282	59	104	54	40	13	12
6-10 cigarettes		76	2	18	14	19	10	13
11-15 cigarettes		10		2	3	2	2	1
16-20 cigarettes		7	2		2	2	1	
21+ cigarettes		4		1	1		1	1
Don't know/Not sure		17	1	7	5	1	2	1
Refused		2	1					1
Male	Total	174	33	62	26	31	13	9
	1-5 cigarettes	118	29	49	14	18	5	3
	6-10 cigarettes	32		8	6	9	4	5
	11-15 cigarettes	5		2	1	1	1	
	16-20 cigarettes	6	2		1	2	1	
	21+ cigarettes	2					1	1
	Don't know/Not sure	10	1	3	4	1	1	
	Refused	1	1					
Total		224	32	70	53	33	16	20

Female	1-5 cigarettes	164	30	55	40	22	8	9
	6-10 cigarettes	44	2	10	8	10	6	8
	11-15 cigarettes	5			2	1	1	1
	16-20 cigarettes	1			1			
	21+ cigarettes	2		1	1			
	Don't know/Not sure	7		4	1		1	1
	Refused	1						1

Denominator is: All survey respondents who currently smoke cigarettes on some days.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long since you last smoked cigarettes regularly (i.e., daily)?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
W/in past month		1.6	5.4	2.2	3.3	1.3	1.3	.2
W/in past 3 months		1.7	8.5	4.8	1.4	.7	1.7	.4
W/in past 6 months		2.3	8.5	8.3	2.0	1.2	1.4	.8
W/in last year		3.5	17.2	8.2	4.6	3.7	1.3	.6
W/in last five years		17.9	51.8	39.3	23.7	14.8	12.5	7.5
W/in last fifteen years		23.0	5.3	28.0	32.9	20.9	23.4	19.2
15+ years ago		47.6		2.3	28.7	55.2	57.6	70.3
Never smoked regularly		2.3	3.3	6.9	3.4	2.3	.7	1.0
Male	W/in past month	1.8	6.5	1.8	5.3	1.0	1.5	
	W/in past 3 months	1.7	10.5	4.1	1.4	.5	1.9	.4
	W/in past 6 months	3.0	10.5	12.2	2.8	1.0	1.7	1.1
	W/in last year	3.2	17.0	6.3	3.7	4.0	1.2	.9
	W/in last five years	17.3	50.3	38.3	29.5	12.3	12.2	5.8
	W/in last fifteen years	21.7	5.2	27.2	35.5	20.0	21.6	15.3
	15+ years ago	49.3		2.3	18.6	58.7	59.9	75.9
	Never smoked regularly	2.0		7.7	3.2	2.3		.6
Female	W/in past month	1.4	4.4	2.8	1.3	1.6	1.2	.5
	W/in past 3 months	1.7	6.5	5.6	1.3	.9	1.5	.5
	W/in past 6 months	1.4	6.5	3.3	1.1	1.4	.9	.5
	W/in last year	3.9	17.4	10.5	5.6	3.2	1.5	.2
	W/in last five years	18.5	53.2	40.5	17.8	17.8	12.9	9.5
	W/in last fifteen years	24.7	5.4	29.0	30.1	22.0	26.0	24.1
	15+ years ago	45.6		2.3	39.1	50.8	54.3	63.4
	Never smoked regularly	2.8	6.5	5.9	3.7	2.3	1.8	1.5

Denominator is: All survey respondents who have smoked 100 cigarettes in their lives and do not currently smoke regularly.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

During the past 12 months, have you quit smoking for 1 day or longer?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		51.0	71.4	52.5	48.8	47.6	41.1	39.1
No		49.0	28.6	47.5	51.2	52.4	58.9	60.9
Male	Yes	49.1	70.7	50.5	50.8	42.3	38.7	33.3
	No	50.9	29.3	49.5	49.2	57.7	61.3	66.7
Female	Yes	53.0	72.0	55.1	46.5	54.9	43.8	42.6
	No	47.0	28.0	44.9	53.5	45.1	56.2	57.4

Denominator is: All survey respondents who currently smoke cigarettes every day.

During the past 12 months, have you quit smoking for 1 day or longer?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,198	142	230	322	265	143	96
Yes		619	102	132	159	132	59	35
No		579	40	98	163	133	84	61
Male	Total	519	59	106	133	133	59	29
	Yes	253	42	56	67	57	22	9
	No	266	17	50	66	76	37	20
Female	Total	679	83	124	189	132	84	67
	Yes	366	60	76	92	75	37	26
	No	313	23	48	97	57	47	41

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long since you last smoked cigarettes regularly; that is, daily?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,172	79	239	365	470	423	596
W/in past month		31	4	5	8	6	7	1
W/in past 3 months		40	8	13	5	3	8	3
W/in past 6 months		44	7	14	8	5	6	4
W/in last year		87	15	25	19	19	5	4
W/in last five years		383	37	96	76	76	54	44
W/in last fifteen years		506	5	67	115	103	98	118
15+ years ago		1,025		6	118	248	239	414
Don't know/Not sure		5			1		3	1
Never smoked regularly		51	3	13	15	10	3	7
Male	Total	971	31	114	147	210	197	272
	W/in past month	14	2	2	5	2	3	
	W/in past 3 months	19	4	6	2	1	5	1
	W/in past 6 months	26	3	10	5	2	3	3
	W/in last year	35	7	7	7	9	2	3
	W/in last five years	169	13	46	41	29	24	16
	W/in last fifteen years	208	2	31	49	43	40	43
	15+ years ago	478		3	32	120	119	204
	Don't know/Not sure	2			1		1	
	Never smoked regularly	20		9	5	4		2
Female	Total	1,201	48	125	218	260	226	324
	W/in past month	17	2	3	3	4	4	1
	W/in past 3 months	21	4	7	3	2	3	2
	W/in past 6 months	18	4	4	3	3	3	1
	W/in last year	52	8	18	12	10	3	1
	W/in last five years	214	24	50	35	47	30	28
	W/in last fifteen years	298	3	36	66	60	58	75
	15+ years ago	547		3	86	128	120	210
	Don't know/Not sure	3					2	1
	Never smoked regularly	31	3	4	10	6	3	5

Denominator is: All survey respondents who have smoked 100 cigarettes in their lives and do not currently smoke regularly

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How soon after you awaken in the morning do you smoke your first cigarette?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the first 15 minutes		27.9	16.8	17.2	34.1	36.3	32.8	36.2
15 minutes to a half hour		15.4	19.1	14.1	16.8	13.4	17.3	8.4
One-half to one hour		21.3	16.8	16.3	23.1	21.6	22.9	36.7
Between 1 and 2 hours		14.8	14.8	19.6	8.4	18.0	17.4	12.6
Longer than within the first two hours		20.5	32.4	32.8	17.6	10.8	9.7	6.1
Male	Within the first 15 minutes	28.5	16.4	14.8	38.3	35.7	33.6	56.5
	15 minutes to a half hour	14.6	21.8	19.7	11.7	7.9	14.1	4.3
	One-half to one hour	19.9	12.6	18.3	27.2	19.1	24.2	13.0
	Between 1 and 2 hours	17.6	13.8	18.9	11.0	24.2	20.3	26.1
	Longer than within the first two hours	19.3	35.4	28.3	11.7	13.0	7.8	
Female	Within the first 15 minutes	27.3	17.4	20.4	30.4	37.0	31.8	27.9
	15 minutes to a half hour	16.2	15.7	7.0	21.3	20.7	21.2	10.0
	One-half to one hour	22.9	22.3	13.7	19.4	24.8	21.2	46.4
	Between 1 and 2 hours	11.8	16.1	20.4	5.9	9.6	13.9	7.1
	Longer than within the first two hours	21.8	28.5	38.5	22.9	7.8	11.9	8.6
Denominator is: All survey respondents who currently smoke cigarettes every day.								

How soon after you awaken in the morning do you smoke your first cigarette?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Within the first 15 minutes		235	15	30	75	66	28	21
15 minutes to a half hour		114	18	18	35	21	15	7
One-half to one hour		174	22	27	46	34	21	24
Between 1 and 2 hours		118	21	34	17	26	14	6
Longer than within the first two hours		164	38	58	35	20	9	4
Don't know/Not sure		19	2	7	7	2	1	
Refused		5	1	1	2			1
Male	Total	356	54	81	82	86	39	14
	Within the first 15 minutes	105	8	13	30	34	12	8
	15 minutes to a half hour	40	11	12	5	7	4	1
	One-half to one hour	71	7	15	22	14	11	2
	Between 1 and 2 hours	59	7	14	9	18	8	3
	Longer than within the first two hours	66	18	22	11	12	3	
	Don't know/Not sure	11	2	4	3	1	1	
	Refused	4	1	1	2			
Total		473	63	94	135	83	49	49

Female	Within the first 15 minutes	130	7	17	45	32	16	13
	15 minutes to a half hour	74	7	6	30	14	11	6
	One-half to one hour	103	15	12	24	20	10	22
	Between 1 and 2 hours	59	14	20	8	8	6	3
	Longer than within the first two hours	98	20	36	24	8	6	4
	Don't know/Not sure	8		3	4	1		
	Refused	1						1

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

At your last visit to your health care provider, did someone ask you if you smoked?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		58.2	60.7	72.3	62.6	60.0	50.6	41.1
No		41.8	39.3	27.7	37.4	40.0	49.4	58.9
Male	Yes	57.3	54.3	72.4	61.0	57.0	51.7	41.2
	No	42.7	45.7	27.6	39.0	43.0	48.3	58.8
Female	Yes	59.1	67.1	72.3	64.1	62.9	49.7	41.0
	No	40.9	32.9	27.7	35.9	37.1	50.3	59.0

Denominator is: All survey respondents.

At your last visit to your health care provider, did someone ask you if you smoked?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,982	175	367	412	415	275	338
Yes		1,108	103	254	247	239	134	131
No		784	67	103	143	156	124	191
Don't know/Not sure		89	4	10	22	20	17	16
Refused		1	1					
Male	Total	786	70	161	163	183	101	108
	Yes	427	34	110	94	95	49	45
	No	311	32	45	58	76	42	58
	Don't know/Not sure	48	4	6	11	12	10	5
Female	Total	1,196	105	206	249	232	174	230
	Yes	681	69	144	153	144	85	86
	No	473	35	58	85	80	82	133
	Don't know/Not sure	41		4	11	8	7	11
	Refused	1	1					

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

At your last visit to your health care provider, were you advised to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		56.1	54.2	51.4	58.0	58.2	54.6	65.9
No		43.9	45.8	48.6	42.0	41.8	45.4	34.1
Male	Yes	53.4	47.2	52.4	59.7	58.5	47.6	46.2
	No	46.6	52.8	47.6	40.3	41.5	52.4	53.8
Female	Yes	59.1	66.7	50.0	56.7	57.8	60.0	77.8
	No	40.9	33.3	50.0	43.3	42.2	40.0	22.2

Denominator is: All survey respondents who currently smoke cigarettes.

At your last visit to your health care provider, were you advised to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		407	56	90	116	82	38	25
Yes		227	29	44	65	52	22	15
No		174	27	44	48	30	16	9
Don't know/Not sure		6		2	3			1
Male	Total	171	27	42	41	40	12	9
	Yes	91	12	19	24	26	6	4
	No	75	15	21	15	14	6	4
	Don't know/Not sure	5		2	2			1
Female	Total	236	29	48	75	42	26	16
	Yes	136	17	25	41	26	16	11
	No	99	12	23	33	16	10	5
	Don't know/Not sure	1			1			

Denominator is: All survey respondents who currently smoke cigarettes.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Has a doctor or other health care professional ever advised you to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		51.9	31.7	59.0	52.1	58.9	49.2	62.9
No		48.1	68.3	41.0	47.9	41.1	50.8	37.1
Male	Yes	43.9	28.1	50.0	58.1	42.9	33.3	33.3
	No	56.1	71.9	50.0	41.9	57.1	66.7	66.7
Female	Yes	61.5	41.2	71.6	47.3	77.4	62.5	100.0
	No	38.5	58.8	28.4	52.7	22.6	37.5	

Denominator is: All survey respondents who currently smoke cigarettes and who were not advised to quit smoking the last time they visited a health care professional.

Has a doctor or other health care professional ever advised you to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		180	27	46	51	30	16	10
Yes		93	10	25	25	19	7	7
No		82	16	20	26	11	8	1
Don't know/Not sure		5	1	1			1	2
Male	Total	80	15	23	17	14	6	5
	Yes	37	5	10	11	7	2	2
	No	38	9	12	6	7	3	1
	Don't know/Not sure	5	1	1			1	2
Female	Total	100	12	23	34	16	10	5
	Yes	56	5	15	14	12	5	5
	No	44	7	8	20	4	5	

Denominator is: All survey respondents who currently smoke cigarettes and who were not advised to quit smoking the last time they visited a health care professional.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time a health care professional advised you to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1-12 months)		64.8	77.1	60.1	62.0	62.3	66.0	70.8
Within the past 3 years (1-3 years)		17.7	17.7	20.7	20.1	13.6	13.7	12.5
3 or more years ago		17.5	5.2	19.2	17.9	24.1	20.4	16.7
Male	Within the past year (1-12 months)	62.9	74.7	54.5	63.8	55.3	76.9	75.0
	Within the past 3 years (1-3 years)	17.6	18.1	24.7	15.5	13.6		25.0
	3 or more years ago	19.5	7.2	20.8	20.7	31.1	23.1	
Female	Within the past year (1-12 months)	66.7	80.5	66.9	60.3	69.6	59.4	69.2
	Within the past 3 years (1-3 years)	17.8	17.1	15.8	24.2	13.6	21.9	7.7
	3 or more years ago	15.6	2.4	17.3	15.5	16.8	18.7	23.1
Denominator is: All survey respondents who currently smoke cigarettes and have ever been advised to quit smoking the last time they visited a health care professional.								

When was the last time a health care professional advised you to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		320	39	69	90	71	29	22
Within the past year (1-12 months)		199	26	41	55	44	18	15
Within the past 3 years (1-3 years)		65	10	15	20	13	4	3
3 or more years ago		52	3	12	15	13	6	3
Don't know/Not sure		4		1		1	1	1
Male	Total	128	17	29	35	33	8	6
	Within the past year (1-12 months)	73	10	13	21	19	6	4
	Within the past 3 years (1-3 years)	29	5	9	7	6		2
	3 or more years ago	25	2	6	7	8	2	
	Don't know/Not sure	1		1				
Female	Total	192	22	40	55	38	21	16
	Within the past year (1-12 months)	126	16	28	34	25	12	11
	Within the past 3 years (1-3 years)	36	5	6	13	7	4	1
	3 or more years ago	27	1	6	8	5	4	3
	Don't know/Not sure	3				1	1	1
Denominator is: All survey respondents who currently smoke cigarettes and have ever been advised to quit smoking the last time they visited a health care professional.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

On how many of those visits were you advised to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
None		37.9	52.2	27.4	55.1	33.3	21.5	25.2
Once		21.8	18.5	20.4	14.0	29.1	30.3	22.9
Two to four times		22.8	12.2	33.0	17.8	16.5	23.4	44.1
Five to nine times		11.0	10.1	11.9	10.4	11.4	13.9	7.8
10 or more times		6.4	6.9	7.2	2.7	9.7	10.8	
Male	None	42.1	78.7	30.2	58.7	29.7	19.4	11.1
	Once	20.4	8.0	25.6	10.1	33.7	26.9	11.1
	Two to four times	19.5	10.7	23.3	11.0	18.8	26.9	55.6
	Five to nine times	12.8		18.6	14.7	11.9	14.9	22.2
	10 or more times	5.3	2.7	2.3	5.5	5.9	11.9	
Female	None	34.0	27.5	25.3	51.6	37.8	24.6	29.9
	Once	23.1	28.4	16.4	17.9	23.4	35.4	26.9
	Two to four times	26.0	13.7	40.4	24.4	13.5	18.5	40.3
	Five to nine times	9.5	19.6	6.8	6.1	10.8	12.3	3.0
	10 or more times	7.5	10.8	11.0		14.4	9.2	

Denominator is: All survey respondents who are current smokers and were advised by a health professional to quit smoking.

On how many of those visits were you advised to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		318	43	68	70	65	41	31
None		124	22	21	38	24	9	10
Once		71	8	14	12	17	12	8
Two to four times		72	7	22	14	11	9	9
Five to nine times		27	2	6	4	7	6	2
10 or more times		20	4	4	2	6	4	
Don't know/Not sure		3					1	2
Refused		1		1				
Male	Total	129	18	27	28	30	21	5
	None	56	14	9	17	10	5	1
	Once	27	1	7	4	9	5	1
	Two to four times	25	2	6	4	6	5	2
	Five to nine times	11		3	1	3	3	1
	10 or more times	8	1	1	2	2	2	
	Don't know/Not sure	1					1	
	Refused	1		1				
Total		189	25	41	42	35	20	26

Female	None	68	8	12	21	14	4	9
	Once	44	7	7	8	8	7	7
	Two to four times	47	5	16	10	5	4	7
	Five to nine times	16	2	3	3	4	3	1
	10 or more times	12	3	3		4	2	
	Don't know/Not sure	2						

Denominator is: All survey respondents who are current smokers and were advised by a health professional to quit smoking

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

At your last visit to your health care provider, were you offered recommendations or assistance to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		35.0	33.9	34.3	39.7	38.2	27.6	23.0
No		65.0	66.1	65.7	60.3	61.8	72.4	77.0
Male	Yes	30.4	28.8	29.6	36.2	31.5	33.3	7.1
	No	69.6	71.2	70.4	63.8	68.5	66.7	92.9
Female	Yes	40.4	43.1	41.4	42.7	46.2	23.1	33.3
	No	59.6	56.9	58.6	57.3	53.8	76.9	66.7

Denominator is: All survey respondents who currently smoke cigarettes and have seen a health care professional in the last 12 months.

At your last visit to your health care provider, were you offered recommendations or assistance to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		407	56	90	116	82	38	25
Yes		141	21	26	47	30	10	7
No		259	35	62	66	51	27	18
Don't know/Not sure		7		2	3	1	1	
Male	Total	171	27	42	41	40	12	9
	Yes	54	9	11	15	14	4	1
	No	116	18	31	25	26	8	8
	Don't know/Not sure	1			1			
Female	Total	236	29	48	75	42	26	16
	Yes	87	12	15	32	16	6	6
	No	143	17	31	41	25	19	10
	Don't know/Not sure	6		2	2	1	1	

Denominator is: All survey respondents who currently smoke cigarettes and have seen a health care professional in the last 12 months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 12 months, has a health professional provided information or help to quit smoking?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		58.3	58.5	68.4	43.1	52.6	61.1	64.9
No		41.7	41.5	31.6	56.9	47.4	38.9	35.1
Male	Yes	46.1	50.0	60.0	15.6	43.7	51.9	62.5
	No	53.9	50.0	40.0	84.4	56.3	48.1	37.5
Female	Yes	68.2	60.8	74.3	66.4	65.2	75.5	66.0
	No	31.8	39.2	25.7	33.6	34.8	24.5	34.0

Denominator is: All survey respondents who currently smoke cigarettes and were advised by a doctor or other health professional to quit smoking.

In the past 12 months, has a health professional provided information or help to quit smoking?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		190	21	46	32	41	31	19
Yes		113	11	30	18	22	20	12
No		77	10	16	14	19	11	7
Male	Total	71	4	17	11	20	15	4
	Yes	34	2	9	3	9	8	3
	No	37	2	8	8	11	7	1
Female	Total	119	17	29	21	21	16	15
	Yes	79	9	21	15	13	12	9
	No	40	8	8	6	8	4	6

Denominator is: All survey respondents who currently smoke cigarettes and were advised by a doctor or other health professional to quit smoking.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you seriously considering stopping smoking within the next 6 months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		61.5	66.7	63.0	61.1	61.6	54.1	56.1
No		38.5	33.3	37.0	38.9	38.4	45.9	43.9
Male	Yes	61.7	69.7	67.5	64.6	49.9	50.9	52.2
	No	38.3	30.3	32.5	35.4	50.1	49.1	47.8
Female	Yes	61.4	62.9	57.2	57.6	75.9	57.8	57.8
	No	38.6	37.1	42.8	42.4	24.1	42.2	42.2

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days.

Are you seriously considering stopping smoking within the next 6 months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Yes		474	74	104	126	98	42	30
No		304	38	63	80	57	39	27
Don't know/Not sure		47	5	7	11	12	7	5
Refused		4		1		2		1
Male	Total	356	54	81	82	86	39	14
	Yes	194	33	51	49	38	17	6
	No	135	17	26	30	37	17	8
	Don't know/Not sure	24	4	3	3	9	5	
	Refused	3		1		2		
Female	Total	473	63	94	135	83	49	49
	Yes	280	41	53	77	60	25	24
	No	169	21	37	50	20	22	19
	Don't know/Not sure	23	1	4	8	3	2	5
	Refused	1						1

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you planning to stop within the next 30 days?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		46.7	50.4	44.4	43.4	45.1	46.6	60.8
No		53.3	49.6	55.6	56.6	54.9	53.4	39.2
Male	Yes	50.9	61.0	53.0	40.2	59.6	40.0	50.0
	No	49.1	39.0	47.0	59.8	40.4	60.0	50.0
Female	Yes	42.2	36.4	31.3	46.9	34.1	53.1	64.7
	No	57.8	63.6	68.7	53.1	65.9	46.9	35.3

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days and were planning to stop within the next six months.

Are you planning to stop within the next 30 days?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		474	74	104	126	98	42	30
Yes		184	28	41	47	35	18	15
No		243	38	56	67	49	21	12
Don't know/Not sure		45	8	7	10	14	3	3
Refused		2			2			
Male	Total	194	33	51	49	38	17	6
	Yes	83	16	24	16	19	6	2
	No	90	12	24	28	13	10	3
	Don't know/Not sure	20	5	3	4	6	1	1
	Refused	1			1			
Female	Total	280	41	53	77	60	25	24
	Yes	101	12	17	31	16	12	13
	No	153	26	32	39	36	11	9
	Don't know/Not sure	25	3	4	6	8	2	2
	Refused	1			1			

Denominator is: All survey respondents who currently smoke cigarettes every day or on some days and were planning to stop within the next six months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Does your health insurance coverage pay for the cost of any smoking cessation assistance such as nicotine replacement or a smoking cessation program?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		40.4	32.5	45.4	49.3	43.7	34.3	22.5
No		59.6	67.5	54.6	50.7	56.3	65.7	77.5
Male	Yes	41.0	15.7	44.4	39.5	57.9	46.4	18.7
	No	59.0	84.3	55.6	60.5	42.1	53.6	81.3
Female	Yes	39.9	46.8	46.8	55.0	31.4	23.0	24.4
	No	60.1	53.2	53.2	45.0	68.6	77.0	75.6

Denominator is: All survey respondents who currently smoke cigarettes and have health insurance.

Does your health insurance coverage pay for the cost of any smoking cessation assistance such as nicotine replacement or a smoking cessation program?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		652	75	127	169	144	74	63
Yes		139	11	27	44	34	14	9
No		191	16	31	42	48	27	27
Don't know/Not sure		321	48	69	83	62	33	26
Refused		1						1
Male	Total	269	35	54	62	69	35	14
	Yes	54	3	13	10	19	6	3
	No	63	7	15	13	12	9	7
	Don't know/Not sure	152	25	26	39	38	20	4
Female	Total	383	40	73	107	75	39	49
	Yes	85	8	14	34	15	8	6
	No	128	9	16	29	36	18	20
	Don't know/Not sure	169	23	43	44	24	13	22
	Refused	1						1

Denominator is: All survey respondents who currently smoke cigarettes and have health insurance

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Thinking of when you successfully quit smoking, please tell me the single most important reason you had for quitting?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Concern about my health at the time		29.0	30.1	26.8	30.9	24.0	34.3	29.2
Concern about my future health		22.6	21.2	25.3	24.5	25.3	18.8	20.9
Concern about the health of those around me		7.0	13.6	9.0	6.9	5.2	8.9	5.8
Cost of Cigarettes		5.2	5.6	1.9	3.7	3.9	4.5	8.7
Doctor advised me to quit		1.7		.4	1.6	1.6	.3	3.5
It isn't the thing to do anymore		8.0	7.0	6.4	6.9	9.2	7.3	8.7
Laws restricting smoking		.2				.4	.5	
Pregnancy		4.0	14.1	8.6	4.9	4.9	1.8	1.1
Pressure from family and friends		4.0	4.2	7.5	2.2	4.4	3.8	3.7
Workplace smoking policy		.5			.7	1.0		.5
Other, specify		17.8	4.2	14.2	17.8	20.3	19.9	18.0
Male	Concern about my health at the time	30.1	26.3	28.7	32.2	18.8	39.0	32.8
	Concern about my future health	23.2	26.3	28.2	22.4	26.4	16.2	23.8
	Concern about the health of those around me	7.7	31.6	7.9	8.0	8.0	8.9	5.0
	Cost of Cigarettes	5.2	5.3	2.0	2.8	5.3	3.8	8.1
	Doctor advised me to quit	2.2			2.1	2.2		4.5
	It isn't the thing to do anymore	7.9	10.5	5.0	6.6	14.2	7.9	4.5
	Pregnancy	.3						.9
	Pressure from family and friends	4.0		7.9	2.8	4.9	5.1	2.3
	Workplace smoking policy	.8			1.4	1.8		.5
	Other, specify	18.6		20.3	21.7	18.4	19.0	17.6
Female	Concern about my health at the time	27.7	31.5	24.9	29.5	30.3	28.0	24.7
	Concern about my future health	21.8	19.3	22.3	26.7	23.9	22.2	17.3
	Concern about the health of those around me	6.2	7.2	10.0	5.6	1.7	8.9	6.7
	Cost of Cigarettes	5.3	5.7	1.7	4.6	2.1	5.3	9.4
	Doctor advised me to quit	1.2		.9	1.0	.8	.6	2.2
	It isn't the thing to do anymore	8.1	5.7	7.9	7.2	2.9	6.5	13.9
	Laws restricting smoking	.4				.8	1.2	
	Pregnancy	8.3	19.1	17.5	10.0	10.9	4.2	1.3
	Pressure from family and friends	4.0	5.7	7.0	1.5	3.8	2.1	5.4
	Workplace smoking policy	.1						.4
Other, specify	16.9	5.7	7.9	13.8	22.7	21.0	18.4	
Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Thinking of when you successfully quit smoking, please tell me the single most important reason you had for quitting?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,128	44	131	193	261	201	298
Concern about my health at the time		329	13	36	55	72	65	88
Concern about my future health		246	9	31	43	70	37	56
Concern about the health of those around me		74	5	11	14	10	17	17
Cost of Cigarettes		55	3	3	8	9	9	23
Doctor advised me to quit		17		1	2	3	1	10
It isn't the thing to do anymore		83	3	9	10	15	16	30
Laws restricting smoking		2				1	1	
Pregnancy		55	8	13	13	12	6	3
Pressure from family and friends		42	1	8	4	11	7	11
Workplace smoking policy		5			1	2		2
Other, specify		201	2	18	36	52	38	55
Don't know/Not sure		17		1	7	4	3	2
Refused		2					1	1
Male	Total	500	9	57	80	124	93	137
	Concern about my health at the time	147	3	17	22	28	33	44
	Concern about my future health	116	2	16	18	34	14	32
	Concern about the health of those around me	36	2	4	7	8	8	7
	Cost of Cigarettes	24	1	1	2	6	4	10
	Doctor advised me to quit	9			1	2		6
	It isn't the thing to do anymore	34	1	3	5	10	8	7
	Pregnancy	1						1
	Pressure from family and friends	19		4	2	6	4	3
	Workplace smoking policy	4			1	2		1
	Other, specify	96		12	19	24	18	23
	Don't know/Not sure	12			3	4	3	2
	Refused	2					1	1
Female	Total	628	35	74	113	137	108	161
	Concern about my health at the time	182	10	19	33	44	32	44
	Concern about my future health	130	7	15	25	36	23	24
	Concern about the health of those around me	38	3	7	7	2	9	10
	Cost of Cigarettes	31	2	2	6	3	5	13
	Doctor advised me to quit	8		1	1	1	1	4
	It isn't the thing to do anymore	49	2	6	5	5	8	23
	Laws restricting smoking	2				1	1	
	Pregnancy	54	8	13	13	12	6	2
	Pressure from family and friends	23	1	4	2	5	3	8
	Workplace smoking policy	1						1

Other, specify	105	2	6	17	28	20	32
Don't know/Not sure	5		1	4			

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you quit smoking the last time, did you use a nicotine patch, nicotine gum, or any other medication to help you quit?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		32.4		14.8	56.1	59.8	24.4	55.8
No		67.6	100.0	85.2	43.9	40.2	75.6	44.2
Male	Yes	34.0		5.0	77.1	41.9	14.3	57.1
	No	66.0	100.0	95.0	22.9	58.1	85.7	42.9
Female	Yes	30.8		22.2	30.0	78.9	50.0	50.0
	No	69.2	100.0	77.8	70.0	21.1	50.0	50.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke.

When you quit smoking the last time, did you use a nicotine patch, nicotine gum, or any other medication to help you quit?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		105	17	33	22	20	7	6
Yes		36		6	11	13	3	3
No		69	17	27	11	7	4	3
Male	Total	44	6	12	10	8	4	4
	Yes	16		1	8	4	1	2
	No	28	6	11	2	4	3	2
Female	Total	61	11	21	12	12	3	2
	Yes	20		5	3	9	2	1
	No	41	11	16	9	3	1	1

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and now do not smoke

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you quit smoking, did you use any other assistance such as counseling or classes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		7.8		7.9	22.1	5.1		
No		92.2	100.0	92.1	77.9	94.9	100.0	100.0
Male	Yes	11.4		10.0	40.0			
	No	88.6	100.0	90.0	60.0	100.0	100.0	100.0
Female	Yes	3.9		6.3		10.5		
	No	96.1	100.0	93.7	100.0	89.5	100.0	100.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit smoking for one day or longer during the past year.

When you quit smoking, did you use any other assistance such as counseling or classes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		105	17	33	22	20	7	6
Yes		8		2	4	2		
No		97	17	31	18	18	7	6
Male	Total	44	6	12	10	8	4	4
	Yes	5		1	4			
	No	39	6	11	6	8	4	4
Female	Total	61	11	21	12	12	3	2
	Yes	3		1		2		
	No	58	11	20	12	10	3	2

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit smoking for one day or longer during the past year.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you tried to quit smoking, did you use a nicotine patch, nicotine gum, or any other medication to help you?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		28.4	9.2	19.1	37.3	44.3	35.3	24.5
No		71.6	90.8	80.9	62.7	55.7	64.7	75.5
Male	Yes	23.6	5.7	13.7	31.4	34.7	38.9	36.4
	No	76.4	94.3	86.3	68.6	65.3	61.1	63.6
Female	Yes	33.2	13.2	25.9	43.2	53.6	32.3	18.0
	No	66.8	86.8	74.1	56.8	46.4	67.7	82.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

The last time you tried to quit smoking, did you use a nicotine patch, nicotine gum, or any other medication to help you?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		324	53	63	85	73	29	21
Yes		107	6	15	36	34	10	6
No		217	47	48	49	39	19	15
Male	Total	130	23	27	33	32	10	5
	Yes	37	2	5	12	11	4	3
	No	93	21	22	21	21	6	2
Female	Total	194	30	36	52	41	19	16
	Yes	70	4	10	24	23	6	3
	No	124	26	26	28	18	13	13

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you quit smoking, did you use any other assistance such as counseling or classes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		6.4	3.2	4.4	5.1	9.1	10.3	12.9
No		93.6	96.8	95.6	94.9	90.9	89.7	87.1
Male	Yes	5.9	3.8	3.4		7.9	11.1	36.4
	No	94.1	96.2	96.6	100.0	92.1	88.9	63.6
Female	Yes	6.9	2.5	5.6	10.2	10.1	9.7	
	No	93.1	97.5	94.4	89.8	89.9	90.3	100.0

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

The last time you quit smoking, did you use any other assistance such as counseling or classes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		324	53	63	85	73	29	21
Yes		25	2	4	7	7	3	2
No		299	51	59	78	66	26	19
Male	Total	130	23	27	33	32	10	5
	Yes	8	1	1		3	1	2
	No	122	22	26	33	29	9	3
Female	Total	194	30	36	52	41	19	16
	Yes	17	1	3	7	4	2	
	No	177	29	33	45	37	17	16

Denominator is: All survey respondents who have ever smoked 100 cigarettes in their lives and have quit within the past year.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

If you were trying to quit smoking, how helpful do you think it would be to have assistance such as a nicotine patch or nicotine gum or a smoking cessation program?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Very helpful		37.2	18.0	41.5	46.4	42.5	31.4	31.0
Somewhat helpful		30.9	42.7	28.2	27.3	28.0	34.0	25.8
Not very helpful		11.0	13.5	11.7	11.8	5.5	16.5	4.2
Not helpful at all		21.0	25.8	18.6	14.4	24.0	18.0	39.0
Male	Very helpful	33.2	12.7	41.0	41.7	41.8	19.4	28.6
	Somewhat helpful	31.1	39.6	26.3	29.3	27.2	37.9	28.6
	Not very helpful	14.2	16.2	12.4	16.6	7.5	21.8	7.1
	Not helpful at all	21.5	31.5	20.2	12.4	23.4	21.0	35.7
Female	Very helpful	41.4	24.8	42.0	50.9	43.2	48.1	31.7
	Somewhat helpful	30.7	46.6	30.6	25.4	29.0	28.7	25.0
	Not very helpful	7.6	10.1	10.8	7.4	3.1	9.3	3.3
	Not helpful at all	20.4	18.5	16.6	16.3	24.7	14.0	40.0

Denominator is: All survey respondents smoke every day or on some days.

If you were trying to quit smoking, how helpful do you think it would be to have assistance such as a nicotine patch or nicotine gum or a smoking cessation program?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Very helpful		289	24	67	92	64	26	16
Somewhat helpful		225	44	47	55	42	24	13
Not very helpful		84	16	21	23	9	12	3
Not helpful at all		159	28	29	32	37	15	18
Don?t know/Not sure		63	4	10	14	15	10	10
Refused		9	1	1	1	2	1	3
Male	Total	356	54	81	82	86	39	14
	Very helpful	103	8	27	29	29	7	3
	Somewhat helpful	96	17	22	23	19	13	2
	Not very helpful	47	9	11	12	6	8	1
	Not helpful at all	74	16	14	11	21	8	4
	Don?t know/Not sure	30	3	6	6	9	3	3
	Refused	6	1	1	1	2		1
Female	Total	473	63	94	135	83	49	49
	Very helpful	186	16	40	63	35	19	13
	Somewhat helpful	129	27	25	32	23	11	11
	Not very helpful	37	7	10	11	3	4	2
	Not helpful at all	85	12	15	21	16	7	14

Don't know/Not sure	33	1	4	8	6	7	7
Refused	3					1	2

Denominator is: All survey respondents smoke every day or on some days.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you bought cigarettes, what brand did you buy?
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
American Spirit	4.3	9.7	7.4	1.8	2.0	2.1		
Basic	2.5	2.0	1.2	2.2	1.5	5.2	7.0	
Benson & Hedges	.8		.6	.6	.3	1.2	5.2	
Best buy	.1				.4			
Cambridge	.1				.3			
Camel	17.2	28.5	21.1	14.8	16.3	6.9	3.9	
Capri	.9			1.4	.7	.6	4.1	
Carlton	.7				.3	3.5	3.6	
Doral	2.5			3.0	6.9	3.0	3.4	
Generic	5.5	.7	5.4	6.0	6.7	5.7	11.4	
GPC	4.5		2.0	6.5	8.4	5.0	5.7	
Kent	.2				.4	.9		
Kool	2.6	.8	.3	6.3	3.6		1.0	
Lucky Strike	.2		.6			.6		
Malibu	.3		.7	.5				
Marlboro	31.8	45.1	44.7	33.5	20.2	12.6	9.8	
Merit	1.1	.5	1.2	.5	2.0	.6	3.1	
Misty	.1					1.2		
Monclair	.2					1.2	1.0	
More	.8			.5	1.1	4.8	1.0	
Newport	1.4	3.9	2.5	.2			1.0	
Old Golds	3.6	.9	.3	4.1	6.6	7.7	5.7	
Pall Mall	1.4		2.0			3.9	7.2	
Roll My Own	2.1	.7	1.5	3.3	2.8	3.1		
Salem	1.3		.3	.3	3.2	2.8	4.9	
Vantage	.2				1.3			
Virginia Slims	1.9		.6	3.4	1.3	5.2	2.1	
Winstons	3.6	2.1	2.8	2.8	4.3	6.6	7.2	
Other	8.2	5.0	5.0	8.7	9.3	15.6	11.6	
	American Spirit	4.5	13.3	7.9			1.6	
	Basic	2.0	1.7	.6	2.0	1.6	1.6	13.0
	Best buy	.1				.8		
	Camel	20.3	23.1	26.0	19.9	21.0	8.2	4.3
	Carlton	.7					6.6	
	Doral	2.9			2.0	10.1	3.3	4.3
	Generic	3.0		4.7	5.6	.2	4.9	
	GPC	3.0		.6	2.6	5.4	8.2	8.7
	Kent	.3				.8	1.6	

Male	Kool	3.5	.8	.6	8.5	5.8		
	Malibu	.3		1.2				
	Marlboro	34.5	48.6	40.7	36.6	24.9	9.8	26.1
	Merit	.9	.8	1.2		2.3		
	More	.8				.8	6.6	
	Newport	.7		3.0				
	Old Golds	4.7	1.7		6.5	7.8	9.8	8.7
	Pall Mall	2.1		3.5			4.9	17.4
	Roll My Own	2.5		1.2	3.9	3.9	5.7	
	Salem	1.3				1.6	4.1	13.0
	Vantage	.4				2.3		
	Winstons	3.4	2.5	3.5	2.0	5.4	6.6	
	Other	8.1	7.5	5.3	10.5	5.4	16.4	4.3
Female	American Spirit	4.1	5.0	6.9	3.5	4.4	2.6	
	Basic	3.0	2.5	1.9	2.4	1.5	9.3	4.4
	Benson & Hedges	1.8		1.3	1.1	.7	2.6	7.4
	Cambridge	.1				.7		
	Camel	13.9	35.5	15.0	9.9	10.4	5.3	3.7
	Capri	1.8			2.6	1.5	1.3	5.9
	Carlton	.7				.7		5.1
	Doral	2.2			3.9	3.0	2.6	2.9
	Generic	8.1	1.7	6.3	6.4	14.8	6.6	16.2
	GPC	6.1		3.7	10.1	12.2	1.3	4.4
	Kool	1.6	.8		4.2	.7		1.5
	Lucky Strike	.4		1.3			1.3	
	Malibu	.2			.9			
	Marlboro	28.9	40.5	49.7	30.6	14.4	15.9	2.9
	Merit	1.4		1.3	.9	1.5	1.3	4.4
	Misty	.2					2.6	
	Monclair	.4					2.6	1.5
	More	.9			.9	1.5	2.6	1.5
	Newport	2.1	9.1	1.9	.4			1.5
	Old Golds	2.4		.6	1.8	5.2	5.3	4.4
	Pall Mall	.6					2.6	2.9
Roll My Own	1.6	1.7	1.9	2.6	1.5			
Salem	1.4		.6	.7	5.2	1.3	1.5	
Virginia Slims	3.9		1.3	6.6	3.0	11.3	2.9	
Winstons	3.9	1.7	1.9	3.5	3.0	6.6	10.3	
Other	8.4	1.7	4.7	7.0	14.1	14.6	14.7	

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you bought cigarettes, what brand did you buy?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	830	117	175	217	170	88	63	
American Spirit	31	8	13	4	4	2		
Basic	25	2	3	5	4	6	5	
Benson & Hedges	10		1	3	1	1	4	
Best buy	1				1			
Cambridge	1				1			
Camel	140	34	38	35	24	6	3	
Capri	9			4	1	1	3	
Carlton	6				1	2	3	
Doral	20			7	7	3	3	
Generic	49	1	10	14	13	6	5	
GPC	39		5	15	13	4	2	
Kent	2				1	1		
Kool	18	2	1	9	5		1	
Lucky Strike	2		1			1		
Malibu	2		1	1				
Marlboro	238	53	72	67	32	9	5	
Merit	10	1	2	1	3	1	2	
Misty	2					2		
Monclair	2					1	1	
More	8			1	2	4	1	
Newport	11	5	4	1			1	
Old Golds	26	1	1	7	8	5	4	
Pall Mall	6		1			3	2	
Roll My Own	13	1	2	5	3	2		
Salem	13		1	2	4	3	3	
Vantage	2				2			
Virginia Slims	18		1	7	3	5	2	
Winstons	33	4	5	6	8	5	5	
Don't know/Not sure	19	1	3	4	9	1	1	
Other	65	3	8	19	17	12	6	
Refused	9	1	2		3	2	1	
	Total	356	54	81	82	86	39	14
	American Spirit	12	5	6			1	
	Basic	9	1	1	2	2	1	2
	Best buy	1				1		
	Camel	79	14	25	20	16	3	1
	Carlton	2					2	

Male	Doral	9			2	5	1	1
	Generic	12		4	4	1	3	
	GPC	12		1	2	5	3	1
	Kent	2				1	1	
	Kool	10	1	1	4	4		
	Malibu	1		1				
	Marlboro	108	25	27	29	20	4	3
	Merit	4	1	1		2		
	More	3				1	2	
	Newport	2		2				
	Old Golds	15	1		5	4	3	2
	Pall Mall	3		1			1	1
	Roll My Own	7		1	2	2	2	
	Salem	5				1	2	2
	Vantage	2				2		
	Winstons	14	2	3	2	5	2	
	Don?t know/Not sure	11	1	2	1	6	1	
	Other	26	2	3	9	6	5	1
	Refused	7	1	2		2	2	
	Total	474	63	94	135	84	49	49
Female	American Spirit	19	3	7	4	4	1	
	Basic	16	1	2	3	2	5	3
	Benson & Hedges	10		1	3	1	1	4
	Cambridge	1				1		
	Camel	61	20	13	15	8	3	2
	Capri	9			4	1	1	3
	Carlton	4				1		3
	Doral	11			5	2	2	2
	Generic	37	1	6	10	12	3	5
	GPC	27		4	13	8	1	1
	Kool	8	1		5	1		1
	Lucky Strike	2		1			1	
	Malibu	1			1			
	Marlboro	130	28	45	38	12	5	2
	Merit	6		1	1	1	1	2
	Misty	2					2	
	Monclair	2					1	1
	More	5			1	1	2	1
	Newport	9	5	2	1			1
	Old Golds	11		1	2	4	2	2
	Pall Mall	3					2	1
	Roll My Own	6	1	1	3	1		
	Salem	8		1	2	3	1	1
Virginia Slims	18		1	7	3	5	2	

Winstons	19	2	2	4	3	3	5
Don't know/Not sure	8		1	3	3		1
Other	39	1	5	10	11	7	5
Refused	2				1		1

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

The last time you bought cigarettes, did you purchase them by the carton or the pack?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Carton		36.3	14.0	27.5	30.8	49.7	62.5	68.2
Pack		61.3	81.7	70.5	65.9	48.3	37.5	31.8
Other, specify		2.4	4.4	2.0	3.3	2.1		
Male	Carton	31.3	4.8	31.9	34.6	41.7	47.6	43.5
	Pack	66.1	88.8	66.9	62.2	56.8	52.4	56.5
	Other, specify	2.5	6.4	1.1	3.2	1.4		
Female	Carton	41.8	26.4	21.8	27.1	60.1	80.1	78.7
	Pack	55.9	71.9	75.2	69.5	37.0	19.9	21.3
	Other, specify	2.3	1.7	3.1	3.5	2.9		

Denominator is: All survey respondents who currently smoke cigarettes every day.

The last time you bought cigarettes, did you purchase them by the carton or the pack?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Carton		302	15	38	64	81	59	45
Pack		503	100	133	145	82	27	16
Other, specify		16	2	3	7	4		
Don?t remember		2				1		1
Refused		6		1	1	1	2	1
Male	Total	356	54	81	82	86	39	14
	Carton	108	3	20	25	33	19	8
	Pack	237	50	59	54	50	18	6
	Other, specify	7	1	1	3	2		
	Refused	4		1		1	2	
Female	Total	473	63	94	135	83	49	49
	Carton	194	12	18	39	48	40	37
	Pack	266	50	74	91	32	9	10
	Other, specify	9	1	2	4	2		
	Don?t remember	2				1		1
	Refused	2			1			1

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

From what type of store did you buy the cigarettes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Convenience store, including those at gas stations		39.2	54.1	48.2	35.3	34.0	26.0	22.8
Grocery store		16.4	16.8	14.6	15.2	18.2	13.2	24.8
Gas station without convenience store		9.1	10.4	13.3	8.9	4.4	7.7	8.1
Drug store		1.3	.7	1.4	1.3	1.4	2.9	
Discount outlets		6.9	3.9	.8	7.0	11.7	17.3	6.1
Tobacco shop		20.0	12.2	15.9	22.2	21.0	29.3	27.4
Restaurant		.3			1.2			
Bar, Tavern		1.4	1.2	1.1	2.9			2.5
Vending Machine		.2		.5	.4			
Other, specify		5.1	.7	4.2	5.7	9.2	3.7	8.3
Male	Convenience store, including those at gas stations	44.6	60.5	51.3	34.6	42.4	28.8	43.5
	Grocery store	14.8	15.2	13.1	12.2	20.6	12.1	17.4
	Gas station without convenience store	9.5	10.4	12.5	10.9	4.5	10.6	
	Drug store	.6				1.4	3.0	
	Discount outlets	5.1	3.2		8.3	5.8	13.6	
	Tobacco shop	18.9	10.8	17.9	22.4	19.5	27.3	17.4
	Restaurant	.5			1.9			
	Bar, Tavern	1.5			4.5			8.7
	Other, specify	4.6		5.1	5.1	5.8	4.5	13.0
Female	Convenience store, including those at gas stations	33.3	45.5	44.1	36.0	23.0	22.5	14.3
	Grocery store	18.2	19.0	16.5	18.0	15.1	14.6	27.9
	Gas station without convenience store	8.8	10.3	14.3	6.9	4.3	4.0	11.4
	Drug store	2.1	1.7	3.1	2.6	1.4	2.6	
	Discount outlets	8.8	5.0	1.9	5.7	19.4	21.9	8.6
	Tobacco shop	21.2	14.0	13.4	21.9	23.0	31.8	31.4
	Restaurant	.1			.4			
	Bar, Tavern	1.3	2.9	2.5	1.3			
	Vending Machine	.5		1.2	.9			
	Other, specify	5.8	1.7	3.1	6.2	13.7	2.6	6.4

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

From what type of store did you buy the cigarettes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Convenience store, including those at gas stations		320	65	82	83	54	24	12
Grocery store		131	18	25	31	29	11	17
Gas station without convenience store		71	11	24	17	11	6	2
Drug store		13	1	3	4	3	2	
Discount outlets		65	5	2	16	21	15	6
Tobacco shop		163	14	26	43	35	26	19
Restaurant		2			2			
Bar, Tavern		10	2	3	4			1
Vending Machine		2		1	1			
Don't know/Not sure		2		1	1			
Other, specify		46	1	7	14	15	4	5
Refused		4		1	1	1		1
Male	Total	356	54	81	82	86	39	14
	Convenience store, including those at gas stations	158	34	37	32	38	12	5
	Grocery store	51	6	12	10	15	4	4
	Gas station without convenience store	36	6	12	8	6	4	
	Drug store	2				1	1	
	Discount outlets	19	2		7	5	5	
	Tobacco shop	65	6	15	16	15	10	3
	Restaurant	1			1			
	Bar, Tavern	4			3			1
	Other, specify	18		4	5	5	3	1
	Refused	2		1		1		
Female	Total	473	63	94	135	83	49	49
	Convenience store, including those at gas stations	162	31	45	51	16	12	7
	Grocery store	80	12	13	21	14	7	13
	Gas station without convenience store	35	5	12	9	5	2	2
	Drug store	11	1	3	4	2	1	
	Discount outlets	46	3	2	9	16	10	6
	Tobacco shop	98	8	11	27	20	16	16
	Restaurant	1			1			
	Bar, Tavern	6	2	3	1			
	Vending Machine	2		1	1			
	Don't know/Not sure	2		1	1			
	Other, specify	28	1	3	9	10	1	4
	Refused	2			1			1

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In what type of business was the vending machine?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Restaurant		50.0			100.0			
Bar/Tavern		50.0		100.0				
Female	Restaurant	50.0			100.0			
	Bar/Tavern	50.0		100.0				
Denominator is: All survey respondents who currently smoke cigarettes every day and bought cigarettes from a vending machine.								

In what type of business was the vending machine?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2		1	1			
Restaurant		1			1			
Bar/Tavern		1		1				
Female	Total	2		1	1			
	Restaurant	1			1			
	Bar/Tavern	1		1				
Denominator is: All survey respondents who currently smoke cigarettes every day and bought cigarettes from a vending machine.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the last year, have you bought cigarettes over the Internet?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		.5		.6	.9	.6		
No		99.5	100.0	99.4	99.1	99.4	100.0	100.0
Male	Yes	.3		1.1				
	No	99.7	100.0	98.9	100.0	100.0	100.0	100.0
Female	Yes	.7			1.7	1.4		
	No	99.3	100.0	100.0	98.3	98.6	100.0	100.0

Denominator is: All survey respondents who currently smoke cigarettes every day.

In the last year, have you bought cigarettes over the Internet?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		829	117	175	217	169	88	63
Yes		3		1	1	1		
No		823	117	173	216	166	88	63
Refused		3		1		2		
Male	Total	356	54	81	82	86	39	14
	Yes	1		1				
	No	352	54	79	82	84	39	14
	Refused	3		1		2		
Female	Total	473	63	94	135	83	49	49
	Yes	2			1	1		
	No	471	63	94	134	82	49	49

Denominator is: All survey respondents who currently smoke cigarettes every day.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past three months, how many cartons of cigarettes have you bought through the Internet?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
2		22.8				100.0		
6		28.9		100.0				
Refused		48.4			100.0			
Male	6	100.0		100.0				
Female	2	32.0				100.0		
	Refused	68.0			100.0			

Denominator is: All survey respondents who currently smoke cigarettes every day and bought cigarettes over the Internet.

In the past three months, how many cartons of cigarettes have you bought through the Internet?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3		1	1	1		
2		1				1		
6		1		1				
Refused		1			1			
Male	Total	1		1				
	6	1		1				
Female	Total	2			1	1		
	2	1				1		
	Refused	1			1			

Denominator is: All survey respondents who currently smoke cigarettes every day and bought cigarettes over the Internet

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever smoked a cigar, even just a few puffs?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		48.2	54.7	51.5	49.9	49.7	46.7	38.3
No		51.8	45.3	48.5	50.1	50.3	53.3	61.7
Male	Yes	71.8	67.6	69.9	70.2	74.1	77.1	72.6
	No	28.2	32.4	30.1	29.8	25.9	22.9	27.4
Female	Yes	25.8	41.0	32.3	30.2	25.2	17.6	13.3
	No	74.2	59.0	67.7	69.8	74.8	82.4	86.7

Denominator is: All survey respondents.

Have you ever smoked a cigar, even just a few puffs?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Yes		3,443	377	711	761	713	429	452
No		4,199	313	717	831	834	608	896
Don't know/Not sure		13			3	2	5	3
Refused		48	6	8	10	12	6	6
Male	Total	3,092	307	630	641	646	403	465
	Yes	2,222	211	438	455	475	306	337
	No	849	94	188	182	166	94	125
	Don't know/Not sure	4			1		2	1
	Refused	17	2	4	3	5	1	2
Female	Total	4,611	389	806	964	915	645	892
	Yes	1,221	166	273	306	238	123	115
	No	3,350	219	529	649	668	514	771
	Don't know/Not sure	9			2	2	3	2
	Refused	31	4	4	7	7	5	4

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time you smoked a cigar?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month (0 to 1 month ago)		8.0	14.2	10.1	10.8	5.3	4.6	2.0
Within the past 3 months (1 to 3 months ago)		5.9	13.2	9.7	5.7	4.2	1.9	.4
Within the past 6 months (3 to 6 months ago)		6.1	13.2	8.0	7.2	4.9	1.0	1.0
Within the past year (6 to 12 months ago)		9.4	14.6	13.9	12.0	8.1	4.7	.5
Within the past 5 years (1 to 5 years ago)		22.0	37.8	36.2	21.5	17.0	11.7	5.1
Within the past 15 years (5 to 15 years ago)		14.6	5.5	18.2	19.4	16.9	13.4	9.0
15 or more years ago		34.0	1.5	3.8	23.4	43.6	62.7	82.0
Male	Within the past month (0 to 1 month ago)	9.0	16.1	12.8	12.5	5.8	5.1	2.5
	Within the past 3 months (1 to 3 months ago)	6.5	15.5	12.3	6.2	4.1	2.0	.5
	Within the past 6 months (3 to 6 months ago)	6.5	15.9	8.9	8.0	5.7	.8	.7
	Within the past year (6 to 12 months ago)	9.9	16.5	14.5	13.9	8.2	5.9	.4
	Within the past 5 years (1 to 5 years ago)	20.7	30.2	35.6	20.3	18.7	13.4	6.2
	Within the past 15 years (5 to 15 years ago)	14.6	3.4	14.0	20.9	18.2	14.3	10.7
	15 or more years ago	32.8	2.3	2.0	18.1	39.3	58.6	79.0
Female	Within the past month (0 to 1 month ago)	5.4	10.9	4.0	6.9	3.9	2.8	
	Within the past 3 months (1 to 3 months ago)	4.5	9.3	4.0	4.6	4.3	1.7	
	Within the past 6 months (3 to 6 months ago)	5.0	8.4	6.2	5.5	2.7	1.7	2.1
	Within the past year (6 to 12 months ago)	7.9	11.2	12.6	7.6	7.5		1.2
	Within the past 5 years (1 to 5 years ago)	25.3	51.1	37.6	24.0	12.1	4.4	.6
	Within the past 15 years (5 to 15 years ago)	14.8	9.3	27.7	16.2	13.3	9.4	2.4
	15 or more years ago	37.1		7.9	35.3	56.2	80.0	93.7
Denominator is: All survey respondents who said that they had smoked cigars.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time you smoked a cigar?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,443	377	711	761	713	429	452
Within the past month (0 to 1 month ago)		268	55	70	80	36	19	8
Within the past 3 months (1 to 3 months ago)		191	51	57	45	29	7	2
Within the past 6 months (3 to 6 months ago)		202	42	60	55	34	6	5
Within the past year (6 to 12 months ago)		316	55	92	86	62	18	3
Within the past 5 years (1 to 5 years ago)		732	145	255	157	110	44	21
Within the past 15 years (5 to 15 years ago)		515	26	139	143	117	50	40
15 or more years ago		1,180	1	32	187	313	279	368
Don't know/Not sure		39	2	6	8	12	6	5
Male	Total	2,222	211	438	455	475	306	337
	Within the past month (0 to 1 month ago)	205	36	58	59	28	16	8
	Within the past 3 months (1 to 3 months ago)	135	34	45	29	19	6	2
	Within the past 6 months (3 to 6 months ago)	142	30	41	38	27	3	3
	Within the past year (6 to 12 months ago)	222	34	62	63	44	18	1
	Within the past 5 years (1 to 5 years ago)	446	66	153	89	80	38	20
	Within the past 15 years (5 to 15 years ago)	329	9	66	93	86	38	37
	15 or more years ago	716	1	9	79	183	182	262
	Don't know/Not sure	27	1	4	5	8	5	4
Female	Total	1,221	166	273	306	238	123	115
	Within the past month (0 to 1 month ago)	63	19	12	21	8	3	
	Within the past 3 months (1 to 3 months ago)	56	17	12	16	10	1	
	Within the past 6 months (3 to 6 months ago)	60	12	19	17	7	3	2
	Within the past year (6 to 12 months ago)	94	21	30	23	18		2
	Within the past 5 years (1 to 5 years ago)	286	79	102	68	30	6	1
	Within the past 15 years (5 to 15 years ago)	186	17	73	50	31	12	3
	15 or more years ago	464		23	108	130	97	106
	Don't know/Not sure	12	1	2	3	4	1	1

Denominator is: All survey respondents who said that they had smoked cigars.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past month, did you smoke cigars . . . ?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Every day		2.9			1.6	1.7	24.0	14.3
Several times a week		7.5	5.7	5.7	4.9	12.0		50.0
Once a week		10.5	13.1	16.2	5.7	7.7	10.2	7.1
Less than once a week		79.1	81.2	78.1	87.8	78.5	65.8	28.6
Male	Every day	2.9			2.0	2.1	19.2	14.3
	Several times a week	7.2	3.6	6.5	4.0	11.7		50.0
	Once a week	11.9	18.2	18.5	5.0	6.4	11.5	7.1
	Less than once a week	77.9	78.2	75.0	89.1	79.7	69.2	28.6
Female	Every day	2.6					60.0	
	Several times a week	8.4	11.0		8.8	13.3		
	Once a week	4.5			8.8	13.3		
	Less than once a week	84.5	89.0	100.0	82.4	73.3	40.0	
Denominator is: All survey respondents who said that they smoked a cigar within the past month.								

In the past month, did you smoke cigars . . . ?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		268	55	70	80	36	19	8
Every day		8			2	1	4	1
Several times a week		21	3	5	5	5		3
Once a week		25	4	10	5	3	2	1
Less than once a week		213	48	55	67	27	13	3
Don't know/Not sure		1			1			
Male	Total	205	36	58	59	28	16	8
	Every day	7			2	1	3	1
	Several times a week	17	2	5	3	4		3
	Once a week	22	4	10	3	2	2	1
	Less than once a week	158	30	43	50	21	11	3
	Don't know/Not sure	1			1			
Female	Total	63	19	12	21	8	3	
	Every day	1					1	
	Several times a week	4	1		2	1		
	Once a week	3			2	1		
	Less than once a week	55	18	12	17	6	2	
Denominator is: All survey respondents who said that they smoked a cigar within the past month.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you seriously considering stopping smoking cigars in the next six months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		47.7	63.4	37.5	47.6	50.0	31.7	33.3
No		52.3	36.6	62.5	52.4	50.0	68.3	66.7
Male	Yes	45.7	61.9	36.8	47.3	46.1	30.4	33.3
	No	54.3	38.1	63.2	52.7	53.9	69.6	66.7
Female	Yes	56.2	67.0	42.1	48.5	69.2	40.0	
	No	43.8	33.0	57.9	51.5	30.8	60.0	

Denominator is: All survey respondents who said that they had smoked a cigar within the past month.

Are you seriously considering stopping smoking cigars in the next six months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		268	55	70	80	36	19	8
Yes		114	32	23	35	16	6	2
No		140	21	46	39	18	11	5
Don't know/Not sure		14	2	1	6	2	2	1
Male	Total	205	36	58	59	28	16	8
	Yes	78	19	18	24	11	4	2
	No	115	15	39	30	16	10	5
	Don't know/Not sure	12	2	1	5	1	2	1
Female	Total	63	19	12	21	8	3	
	Yes	36	13	5	11	5	2	
	No	25	6	7	9	2	1	
	Don't know/Not sure	2			1	1		

Denominator is: All survey respondents who said that they had smoked a cigar within the past month.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

At risk for smoking-related illnesses (current smokers).
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at risk		79.2	71.7	73.8	74.9	79.6	83.9	90.8
At risk		20.8	28.3	26.2	25.1	20.4	16.1	9.2
Male	Not at risk	77.7	71.9	71.5	74.3	76.4	82.7	91.7
	At risk	22.3	28.1	28.5	25.7	23.6	17.3	8.3
Female	Not at risk	80.7	71.5	76.3	75.4	82.9	84.9	90.3
	At risk	19.3	28.5	23.7	24.6	17.1	15.1	9.7
Denominator is: All survey respondents.								

At risk for smoking-related illnesses (current smokers).
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Not at risk		6,093	488	1,071	1,202	1,230	874	1,228
At risk		1,596	207	362	401	329	172	125
Don't know/Not sure/Refused		14	1	3	2	2	2	4
Male	Total	3,092	307	630	641	646	403	465
	Not at risk	2,392	215	460	481	481	331	424
	At risk	693	92	168	159	164	72	38
	Don't know/Not sure/Refused	7		2	1	1		3
Female	Total	4,611	389	806	964	915	645	892
	Not at risk	3,701	273	611	721	749	543	804
	At risk	903	115	194	242	165	100	87
	Don't know/Not sure/Refused	7	1	1	1	1	2	1
Denominator is: All survey respondents.								