

**Have you been pregnant in the last five years?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	32.9	36.3	48.5	19.6			
No	67.1	63.7	51.5	80.4			
Female Yes	32.9	36.3	48.5	19.6			
No	67.1	63.7	51.5	80.4			

Denominator is:  
All female respondents under the age of 45 who are not currently pregnant.

**Have you been pregnant in the last five years?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	935	158	331	446			
Yes	300	59	156	85			
No	629	99	173	357			
Refused	6		2	4			
Female Total	935	158	331	446			
Yes	300	59	156	85			
No	629	99	173	357			
Refused	6		2	4			

Denominator is:  
All female respondents under the age of 45 who are not currently pregnant.

**Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
You wanted to be pregnant sooner		11.7	6.3	13.3	13.9			
You wanted to be pregnant later		17.9	34.2	15.2	7.9			
You wanted to be pregnant then		48.7	42.2	51.5	49.7			
Didn't want to be pregnant then or anytime		12.7	8.7	13.3	15.2			
Don't know/Not sure		9.0	8.7	6.8	13.2			
Female	You wanted to be pregnant sooner	11.7	6.3	13.3	13.9			
	You wanted to be pregnant later	17.9	34.2	15.2	7.9			
	You wanted to be pregnant then	48.7	42.2	51.5	49.7			
	Didn't want to be pregnant then or anytime	12.7	8.7	13.3	15.2			
	Don't know/Not sure	9.0	8.7	6.8	13.2			

Denominator is:

All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

**Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		300	59	156	85			
You wanted to be pregnant sooner		33	3	18	12			
You wanted to be pregnant later		56	23	26	7			
You wanted to be pregnant then		139	22	79	38			
Didn't want to be pregnant then or anytime		43	6	22	15			
Don't know/Not sure		28	5	11	12			
Refused		1			1			
Female	Total	300	59	156	85			
	You wanted to be pregnant sooner	33	3	18	12			
	You wanted to be pregnant later	56	23	26	7			
	You wanted to be pregnant then	139	22	79	38			
	Didn't want to be pregnant then or anytime	43	6	22	15			
	Don't know/Not sure	28	5	11	12			
	Refused	1			1			

Denominator is:

All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

**Are you or your husband or partner using any kind of birth control now?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	80.5	79.9	83.2	78.6			
No	17.4	17.3	13.9	20.3			
Not sexually active	2.1	2.7	2.9	1.1			
Female							
Yes	80.5	79.9	83.2	78.6			
No	17.4	17.3	13.9	20.3			
Not sexually active	2.1	2.7	2.9	1.1			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

**Are you or your husband or partner using any kind of birth control now?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	763	135	283	345			
Yes	595	104	231	260			
No	134	23	41	70			
Not sexually active	22	7	8	7			
Don't know/Not sure	1			1			
Refused	11	1	3	7			
Female							
Total	763	135	283	345			
Yes	595	104	231	260			
No	134	23	41	70			
Not sexually active	22	7	8	7			
Don't know/Not sure	1			1			
Refused	11	1	3	7			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

**When you have intercourse, how often do you use a method to prevent pregnancy?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Some of the time		5.4	8.1	3.9	4.1			
Most of the time		9.8	10.1	9.5	9.9			
Every time		84.8	81.8	86.7	86.0			
Female	Some of the time	5.4	8.1	3.9	4.1			
	Most of the time	9.8	10.1	9.5	9.9			
	Every time	84.8	81.8	86.7	86.0			

Denominator is:

All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, but not sterilization or tubal ligation.

**When you have intercourse, how often do you use a method to prevent pregnancy?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		357	95	161	101			
Some of the time		15	6	5	4			
Most of the time		33	9	15	9			
Every time		300	78	137	85			
Don't know/Not sure		8	2	4	2			
Refused		1			1			
Female	Total	357	95	161	101			
	Some of the time	15	6	5	4			
	Most of the time	33	9	15	9			
	Every time	300	78	137	85			
	Don't know/Not sure	8	2	4	2			
	Refused	1			1			

Denominator is:

All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, but not sterilization or tubal ligation.

**How long have you been using a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
More than six months	83.8	80.1	81.6	92.1			
6 months or less	16.2	19.9	18.4	7.9			
Female							
More than six months	83.8	80.1	81.6	92.1			
6 months or less	16.2	19.9	18.4	7.9			

Denominator is:

All female respondents under the age of 45 who are sexually active, are using birth control now, but not sterilization or tubal ligation, and who use this method every time.

**How long have you been using a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	300	78	137	85			
More than six months	254	63	113	78			
6 months or less	44	15	23	6			
Don't know/Not sure	2		1	1			
Female							
Total	300	78	137	85			
More than six months	254	63	113	78			
6 months or less	44	15	23	6			
Don't know/Not sure	2		1	1			

Denominator is:

All female respondents under the age of 45 who are sexually active, are using birth control now, but not sterilization or tubal ligation, and who use this method every time.

**In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	73.6	86.4	76.8	57.6			
No	26.4	13.6	23.2	42.4			
Female Yes	73.6	86.4	76.8	57.6			
Female No	26.4	13.6	23.2	42.4			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

**In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	501	122	203	176			
Yes	361	101	157	103			
No	124	16	42	66			
Don't know/Not sure	11	4	3	4			
Refused	5	1	1	3			
Female Total	501	122	203	176			
Female Yes	361	101	157	103			
Female No	124	16	42	66			
Female Don't know/Not sure	11	4	3	4			
Female Refused	5	1	1	3			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

**In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	97.9	98.2	98.9	96.0			
No	2.1	1.8	1.1	4.0			
Female Yes	97.9	98.2	98.9	96.0			
Female No	2.1	1.8	1.1	4.0			

Denominator is:

All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

**In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	361	101	157	103			
Yes	350	99	153	98			
No	9	1	3	5			
Don't know/Not sure	2	1	1				
Female Total	361	101	157	103			
Female Yes	350	99	153	98			
Female No	9	1	3	5			
Female Don't know/Not sure	2	1	1				

Denominator is:

All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

**From your understanding, how would you say the emergency birth control can be used:?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
To prevent a pregnancy up to 3 days after unprotected sex	52.1	56.3	53.2	48.4			
To end a pregnancy several weeks after it has begun	.9		1.5	1.1			
Both of the above	12.4	13.7	7.3	15.9			
Neither of the above	18.4	20.7	19.3	16.2			
Don't know/Not sure	16.2	9.3	18.7	18.5			
Female							
To prevent a pregnancy up to 3 days after unprotected sex	52.1	56.3	53.2	48.4			
To end a pregnancy several weeks after it has begun	.9		1.5	1.1			
Both of the above	12.4	13.7	7.3	15.9			
Neither of the above	18.4	20.7	19.3	16.2			
Don't know/Not sure	16.2	9.3	18.7	18.5			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

**From your understanding, how would you say the emergency birth control can be used:?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	604	122	224	258			
To prevent a pregnancy up to 3 days after unprotected sex	315	70	121	124			
To end a pregnancy several weeks after it has begun	6		3	3			
Both of the above	76	19	19	38			
Neither of the above	104	22	41	41			
Don't know/Not sure	98	11	39	48			
Refused	5		1	4			
Female							
Total	604	122	224	258			
To prevent a pregnancy up to 3 days after unprotected sex	315	70	121	124			
To end a pregnancy several weeks after it has begun	6		3	3			
Both of the above	76	19	19	38			
Neither of the above	104	22	41	41			
Don't know/Not sure	98	11	39	48			
Refused	5		1	4			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

**In the past 5 years, have you used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	4.7	8.2	6.8	.6			
No	95.3	91.8	93.2	99.4			
Female Yes	4.7	8.2	6.8	.6			
No	95.3	91.8	93.2	99.4			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

**In the past 5 years, have you used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	604	122	224	258			
Yes	29	11	16	2			
No	572	110	208	254			
Don't know/Not sure	2	1		1			
Refused	1			1			
Female Total	604	122	224	258			
Yes	29	11	16	2			
No	572	110	208	254			
Don't know/Not sure	2	1		1			
Refused	1			1			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

**In the last year, have you used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	40.4	54.5	25.0	66.7			
No	59.6	45.5	75.0	33.3			
Female Yes	40.4	54.5	25.0	66.7			
Female No	59.6	45.5	75.0	33.3			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last year.

**In the last year, have you used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	29	11	16	2			
Yes	11	5	5	1			
No	18	6	11	1			
Female Total	29	11	16	2			
Female Yes	11	5	5	1			
Female No	18	6	11	1			

Denominator is:

All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last year.

**What are your reasons for not using any birth control now?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		5.6	4.3	9.2	4.3			
I want to get pregnant		30.7	44.1	30.8	24.9			
I don't want to use birth control		11.4	12.9	12.3	10.3			
My husband partner doesn't want to use birth control		3.4		6.2	3.4			
I don't think I can get pregnant		18.4		9.2	31.3			
I can't pay for birth control		3.7	12.9		1.7			
Other		26.7	25.8	32.3	24.0			
Female	I am not having sex	5.6	4.3	9.2	4.3			
	I want to get pregnant	30.7	44.1	30.8	24.9			
	I don't want to use birth control	11.4	12.9	12.3	10.3			
	My husband partner doesn't want to use birth control	3.4		6.2	3.4			
	I don't think I can get pregnant	18.4		9.2	31.3			
	I can't pay for birth control	3.7	12.9		1.7			
	Other	26.7	25.8	32.3	24.0			

Denominator is:

All female respondents under the age of 45 who are sexually active and are not using birth control.

**What are your reasons for not using any birth control now?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		135	23	41	71			
I am not having sex		11	1	5	5			
I want to get pregnant		33	9	11	13			
I don't want to use birth control		13	2	4	7			
My husband partner doesn't want to use birth control		3		1	2			
I don't think I can get pregnant		22		3	19			
I can't pay for birth control		3	2		1			
Don't know/Not sure		5		1	4			
Other		38	7	14	17			
Refused		7	2	2	3			
Female	Total	135	23	41	71			
	I am not having sex	11	1	5	5			
	I want to get pregnant	33	9	11	13			
	I don't want to use birth control	13	2	4	7			
	My husband partner doesn't want to use birth control	3		1	2			
	I don't think I can get pregnant	22		3	19			
	I can't pay for birth control	3	2		1			
	Don't know/Not sure	5		1	4			
	Other	38	7	14	17			
	Refused	7	2	2	3			

Denominator is:

All female respondents under the age of 45 who are sexually active and are not using birth control.

**What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Family planning clinic	8.7	16.7	9.1	4.0			
Health Department clinic	6.9	16.8	6.2	2.0			
A community health center	4.2	6.6	4.1	3.0			
A private gynecologist	38.5	22.7	39.4	46.3			
A general or family physician	38.0	34.4	36.5	41.1			
Some other kind of place	3.7	2.8	4.6	3.5			
Female							
Family planning clinic	8.7	16.7	9.1	4.0			
Health Department clinic	6.9	16.8	6.2	2.0			
A community health center	4.2	6.6	4.1	3.0			
A private gynecologist	38.5	22.7	39.4	46.3			
A general or family physician	38.0	34.4	36.5	41.1			
Some other kind of place	3.7	2.8	4.6	3.5			

Denominator is:

All female respondents under the age of 45.

**What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		987	177	358	452			
Family planning clinic		79	27	33	19			
Health Department clinic		59	26	23	10			
A community health center		38	11	13	14			
A private gynecologist		374	41	136	197			
A general or family physician		379	62	131	186			
Don't know/Refused		18	4	6	8			
Some other kind of place		35	5	15	15			
Refused		5	1	1	3			
Female	Total	987	177	358	452			
	Family planning clinic	79	27	33	19			
	Health Department clinic	59	26	23	10			
	A community health center	38	11	13	14			
	A private gynecologist	374	41	136	197			
	A general or family physician	379	62	131	186			
	Don't know/Refused	18	4	6	8			
	Some other kind of place	35	5	15	15			
	Refused	5	1	1	3			

Denominator is:  
All female respondents under the age of 45.

**Have you ever used the services at a family planning clinic?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		34.1	30.3	33.3	36.4			
No		65.9	69.7	66.7	63.6			
Female	Yes	34.1	30.3	33.3	36.4			
	No	65.9	69.7	66.7	63.6			

Denominator is:  
All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

**Have you ever used the services at a family planning clinic?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		907	149	325	433			
Yes		326	46	117	163			
No		576	101	206	269			
Don't know/Not sure		3	2	1				
Refused		2		1	1			
Female	Total	907	149	325	433			
	Yes	326	46	117	163			
	No	576	101	206	269			
	Don't know/Not sure	3	2	1				
	Refused	2		1	1			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

**How long has it been since you used the services at a family planning clinic?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		23.0	45.9	27.0	6.8			
Within the past 2 years (1 to 2 years ago)		10.5	23.5	9.0	4.2			
Within the past 3 years (2 to 3 years ago)		4.6	7.4	7.0	1.0			
Within the past 5 years (3 to 5 years ago)		7.6	8.4	9.0	6.2			
5 or more years ago		54.2	14.8	48.0	81.8			
Female	Within the past year (1 to 12 months ago)	23.0	45.9	27.0	6.8			
	Within the past 2 years (1 to 2 years ago)	10.5	23.5	9.0	4.2			
	Within the past 3 years (2 to 3 years ago)	4.6	7.4	7.0	1.0			
	Within the past 5 years (3 to 5 years ago)	7.6	8.4	9.0	6.2			
	5 or more years ago	54.2	14.8	48.0	81.8			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

**How long has it been since you used the services at a family planning clinic?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		405	73	150	182			
Within the past year (1 to 12 months ago)		83	34	37	12			
Within the past 2 years (1 to 2 years ago)		40	18	14	8			
Within the past 3 years (2 to 3 years ago)		18	6	10	2			
Within the past 5 years (3 to 5 years ago)		29	6	13	10			
5 or more years ago		235	9	76	150			
Female	Total	405	73	150	182			
	Within the past year (1 to 12 months ago)	83	34	37	12			
	Within the past 2 years (1 to 2 years ago)	40	18	14	8			
	Within the past 3 years (2 to 3 years ago)	18	6	10	2			
	Within the past 5 years (3 to 5 years ago)	29	6	13	10			
	5 or more years ago	235	9	76	150			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

**Have you ever used a health department clinic for female health concerns?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		22.8	26.0	25.6	19.2			
No		77.2	74.0	74.4	80.8			
Female	Yes	22.8	26.0	25.6	19.2			
	No	77.2	74.0	74.4	80.8			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

**Have you ever used a health department clinic for female health concerns?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		928	151	335	442			
Yes		214	36	90	88			
No		698	109	240	349			
Don't know/Not sure		15	6	4	5			
Refused		1		1				
Female	Total	928	151	335	442			
	Yes	214	36	90	88			
	No	698	109	240	349			
	Don't know/Not sure	15	6	4	5			
	Refused	1		1				

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

**How long has it been since you used a health department clinic for female health concerns?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		17.0	44.3	9.6	7.5			
Within the past 2 years (1 to 2 years ago)		12.0	28.1	13.5	.3			
Within the past 3 years (2 to 3 years ago)		5.7	7.2	9.0	1.4			
Within the past 5 years (2 to 3 years ago)		9.4	16.8	11.6	2.7			
5 or more years ago		56.0	3.6	56.3	88.1			
Female	Within the past year (1 to 12 months ago)	17.0	44.3	9.6	7.5			
	Within the past 2 years (1 to 2 years ago)	12.0	28.1	13.5	.3			
	Within the past 3 years (2 to 3 years ago)	5.7	7.2	9.0	1.4			
	Within the past 5 years (2 to 3 years ago)	9.4	16.8	11.6	2.7			
	5 or more years ago	56.0	3.6	56.3	88.1			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

**How long has it been since you used a health department clinic for female health concerns?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		216	36	91	89			
Within the past year (1 to 12 months ago)		30	15	9	6			
Within the past 2 years (1 to 2 years ago)		24	11	12	1			
Within the past 3 years (2 to 3 years ago)		14	3	9	2			
Within the past 5 years (2 to 3 years ago)		21	5	12	4			
5 or more years ago		126	2	48	76			
Don't know/Not sure		1		1				
Female								
Total		216	36	91	89			
Within the past year (1 to 12 months ago)		30	15	9	6			
Within the past 2 years (1 to 2 years ago)		24	11	12	1			
Within the past 3 years (2 to 3 years ago)		14	3	9	2			
Within the past 5 years (2 to 3 years ago)		21	5	12	4			
5 or more years ago		126	2	48	76			
Don't know/Not sure		1		1				

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

**Earlier you said that you went to a health department clinic for female health concerns.  
How long has it been since you've used a health department clinic for those services?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		56.0	82.1	27.8	22.6			
Within the past 2 years (1 to 2 years ago)		17.2	12.5	26.6	12.9			
Within the past 3 years (2 to 3 years ago)		6.7		20.3				
Within the past 5 years (3 to 5 years ago)		12.1		12.7	58.1			
5 or more years ago		7.9	5.4	12.7	6.5			
Female	Within the past year (1 to 12 months ago)	56.0	82.1	27.8	22.6			
	Within the past 2 years (1 to 2 years ago)	17.2	12.5	26.6	12.9			
	Within the past 3 years (2 to 3 years ago)	6.7		20.3				
	Within the past 5 years (3 to 5 years ago)	12.1		12.7	58.1			
	5 or more years ago	7.9	5.4	12.7	6.5			

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

**Earlier you said that you went to a health department clinic for female health concerns.  
How long has it been since you've used a health department clinic for those services?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		58	25	23	10			
Within the past year (1 to 12 months ago)		32	19	10	3			
Within the past 2 years (1 to 2 years ago)		9	3	4	2			
Within the past 3 years (2 to 3 years ago)		4		4				
Within the past 5 years (3 to 5 years ago)		6		2	4			
5 or more years ago		5	1	3	1			
Don't know/not sure		2	2					
Female	Total	58	25	23	10			
	Within the past year (1 to 12 months ago)	32	19	10	3			
	Within the past 2 years (1 to 2 years ago)	9	3	4	2			
	Within the past 3 years (2 to 3 years ago)	4		4				
	Within the past 5 years (3 to 5 years ago)	6		2	4			
	5 or more years ago	5	1	3	1			
	Don't know/not sure	2	2					

Denominator is:

All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

**Does your health insurance cover at least some birth control methods?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		78.8	79.6	79.9	77.4			
No		21.2	20.4	20.1	22.6			
Female	Yes	78.8	79.6	79.9	77.4			
	No	21.2	20.4	20.1	22.6			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

**Does your health insurance cover at least some birth control methods?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		819	136	290	393			
Yes		475	92	186	197			
No		129	24	48	57			
Don't know/Not sure		213	20	54	139			
Refused		2		2				
Female	Total	819	136	290	393			
	Yes	475	92	186	197			
	No	129	24	48	57			
	Don't know/Not sure	213	20	54	139			
	Refused	2		2				

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

**Does your health insurance pay for the birth control method you use?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		62.7	62.2	66.9	59.2			
No		37.3	37.8	33.1	40.8			
Female	Yes	62.7	62.2	66.9	59.2			
	No	37.3	37.8	33.1	40.8			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

**Does your health insurance pay for the birth control method you use?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		496	79	185	232			
Yes		273	47	114	112			
No		165	27	62	76			
Don't know/Not sure		55	5	8	42			
Refused		3		1	2			
Female	Total	496	79	185	232			
	Yes	273	47	114	112			
	No	165	27	62	76			
	Don't know/Not sure	55	5	8	42			
	Refused	3		1	2			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

**Does your health insurance pay for the birth control method you want to use?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		53.3	51.6	59.2	47.9			
No		43.6	48.4	39.5	44.3			
I don't want to use a method		3.1		1.2	7.8			
Female	Yes	53.3	51.6	59.2	47.9			
	No	43.6	48.4	39.5	44.3			
	I don't want to use a method	3.1		1.2	7.8			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are not sexually active, are using birth control other than tubal ligation or not using birth control, because partner doesn't want to use or is unable to pay for birth control.

**Does your health insurance pay for the birth control method you want to use?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		475	101	184	190			
Yes		216	47	99	70			
No		183	44	73	66			
I don't want to use a method		13		2	11			
Don't know/Not sure		59	10	9	40			
Refused		4		1	3			
Female	Total	475	101	184	190			
	Yes	216	47	99	70			
	No	183	44	73	66			
	I don't want to use a method	13		2	11			
	Don't know/Not sure	59	10	9	40			
	Refused	4		1	3			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are not sexually active, are using birth control other than tubal ligation or not using birth control, because partner doesn't want to use or is unable to pay for birth control.

**Did you know there is free or low cost birth control at health departments and clinics?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		79.4	75.4	80.2	81.3			
No		20.6	24.6	19.8	18.7			
Female	Yes	79.4	75.4	80.2	81.3			
	No	20.6	24.6	19.8	18.7			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.

**Did you know there is free or low cost birth control at health departments and clinics?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		604	122	224	258			
Yes		470	91	176	203			
No		127	30	45	52			
Don't know/Not sure		7	1	3	3			
Female	Total	604	122	224	258			
	Yes	470	91	176	203			
	No	127	30	45	52			
	Don't know/Not sure	7	1	3	3			

Denominator is:

All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.

**Have you had sexual intercourse that resulted in pregnancy in the last 5 years?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		33.0	22.6	46.3	27.7			
No		67.0	77.4	53.7	72.3			
Male	Yes	33.0	22.6	46.3	27.7			
	No	67.0	77.4	53.7	72.3			

Denominator is:

All male respondents under the age of 45.

**Have you had sexual intercourse that resulted in pregnancy in the last 5 years?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		811	181	280	350			
Yes		247	39	118	90			
No		556	141	161	254			
Don't know/Not sure		2	1		1			
Refused		6		1	5			
Male	Total	811	181	280	350			
	Yes	247	39	118	90			
	No	556	141	161	254			
	Don't know/Not sure	2	1		1			
	Refused	6		1	5			

Denominator is:  
All male respondents under the age of 45.

**When was the last time a sex partner became pregnant by you?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
She is currently pregnant		8.8	10.1	8.1	9.1			
Pregnant within the past year		19.5	34.3	19.4	12.4			
Within the past 5 years		71.7	55.6	72.5	78.5			
Male	She is currently pregnant	8.8	10.1	8.1	9.1			
	Pregnant within the past year	19.5	34.3	19.4	12.4			
	Within the past 5 years	71.7	55.6	72.5	78.5			

Denominator is:  
All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

**When was the last time a sex partner became pregnant by you?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	247	39	118	90			
She is currently pregnant	20	4	8	8			
Pregnant within the past year	50	15	24	11			
Within the past 5 years	177	20	86	71			
Male							
Total	247	39	118	90			
She is currently pregnant	20	4	8	8			
Pregnant within the past year	50	15	24	11			
Within the past 5 years	177	20	86	71			

Denominator is:

All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

**Thinking back to just before she got pregnant how did you feel about her becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
You wanted her to be pregnant sooner	7.8	10.1	6.9	8.0			
You wanted her to be pregnant later	13.4	28.3	12.1	8.0			
You wanted her to be pregnant then	63.3	25.3	72.1	69.2			
You didn't want her to be pregnant	10.5	27.3	5.7	9.2			
Don't know/Not sure	5.0	9.1	3.2	5.5			
Male							
You wanted her to be pregnant sooner	7.8	10.1	6.9	8.0			
You wanted her to be pregnant later	13.4	28.3	12.1	8.0			
You wanted her to be pregnant then	63.3	25.3	72.1	69.2			
You didn't want her to be pregnant	10.5	27.3	5.7	9.2			
Don't know/Not sure	5.0	9.1	3.2	5.5			

Denominator is:

All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

**Thinking back to just before she got pregnant how did you feel about her becoming pregnant?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		247	39	118	90			
You wanted her to be pregnant sooner		18	4	7	7			
You wanted her to be pregnant later		33	12	14	7			
You wanted her to be pregnant then		155	12	83	60			
You didn't want her to be pregnant		28	9	9	10			
Don't know/Not sure		12	2	5	5			
Refused		1			1			
Male	Total	247	39	118	90			
	You wanted her to be pregnant sooner	18	4	7	7			
	You wanted her to be pregnant later	33	12	14	7			
	You wanted her to be pregnant then	155	12	83	60			
	You didn't want her to be pregnant	28	9	9	10			
	Don't know/Not sure	12	2	5	5			
	Refused	1			1			

Denominator is:

All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

**Are you or your wife or partner using any kind of birth control now?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		84.9	87.8	81.0	87.0			
No		13.2	8.8	17.3	11.7			
Not sexually active		1.9	3.4	1.7	1.3			
Male	Yes	84.9	87.8	81.0	87.0			
	No	13.2	8.8	17.3	11.7			
	Not sexually active	1.9	3.4	1.7	1.3			

Denominator is:

All male respondents under the age of 45 who are sexually active and whose sex partners are not pregnant.

**Are you or your wife or partner using any kind of birth control now?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		681	132	252	297			
Yes		567	113	202	252			
No		82	9	41	32			
Not sexually active		17	6	6	5			
Don't know/Not sure		1	1					
Refused		14	3	3	8			
Male	Total	681	132	252	297			
	Yes	567	113	202	252			
	No	82	9	41	32			
	Not sexually active	17	6	6	5			
	Don't know/Not sure	1	1					
	Refused	14	3	3	8			

Denominator is:

All male respondents under the age of 45 who are sexually active and whose sex partners are not pregnant.

**What kinds of birth control are you or your wife or partner using now?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Tubes tied (sterilization)	15.2	1.2	10.7	25.5			
Vasectomy	18.0		13.5	30.1			
Pill	25.7	36.6	32.8	14.6			
Condoms	26.1	40.7	26.2	19.2			
Foam, jelly, cream	.6			1.4			
Diaphragm	.6		1.6				
Norplant	.6	1.2		.9			
Shots (Depo-Provera)	6.5	12.0	6.9	3.6			
Withdrawal	1.0	1.2	1.1	.9			
Other	5.7	7.1	7.2	3.7			
Male							
Tubes tied (sterilization)	15.2	1.2	10.7	25.5			
Vasectomy	18.0		13.5	30.1			
Pill	25.7	36.6	32.8	14.6			
Condoms	26.1	40.7	26.2	19.2			
Foam, jelly, cream	.6			1.4			
Diaphragm	.6		1.6				
Norplant	.6	1.2		.9			
Shots (Depo-Provera)	6.5	12.0	6.9	3.6			
Withdrawal	1.0	1.2	1.1	.9			
Other	5.7	7.1	7.2	3.7			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**What kinds of birth control are you or your wife or partner using now?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	566	113	202	251			
Tubes tied (sterilization)	81	2	20	59			
Vasectomy	100		28	72			
Pill	144	42	65	37			
Condoms	146	41	53	52			
Foam, jelly, cream	3			3			
Diaphragm	3		3				
Norplant	3	1		2			
Shots (Depo-Provera)	32	13	11	8			
Withdrawal	5	1	2	2			
Don't know/Not sure	6	2	2	2			
Other	29	6	14	9			
Refused	14	5	4	5			
Male							
Total	566	113	202	251			
Tubes tied (sterilization)	81	2	20	59			
Vasectomy	100		28	72			
Pill	144	42	65	37			
Condoms	146	41	53	52			
Foam, jelly, cream	3			3			
Diaphragm	3		3				
Norplant	3	1		2			
Shots (Depo-Provera)	32	13	11	8			
Withdrawal	5	1	2	2			
Don't know/Not sure	6	2	2	2			
Other	29	6	14	9			
Refused	14	5	4	5			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**When you have intercourse, how often do you use a method to prevent pregnancy?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Some of the time		5.7	4.8	5.2	7.2			
Most of the time		14.6	10.4	18.9	12.8			
Every time		78.0	83.3	73.4	79.0			
Don't know/Not sure		1.1	1.6	.7	1.0			
Refused		.7		1.7				
Male	Some of the time	5.7	4.8	5.2	7.2			
	Most of the time	14.6	10.4	18.9	12.8			
	Every time	78.0	83.3	73.4	79.0			
	Don't know/Not sure	1.1	1.6	.7	1.0			
	Refused	.7		1.7				

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**When you have intercourse, how often do you use a method to prevent pregnancy?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		365	104	148	113			
Some of the time		22	5	8	9			
Most of the time		50	12	24	14			
Every time		287	85	113	89			
Don't know/Not sure		4	2	1	1			
Refused		2		2				
Male	Total	365	104	148	113			
	Some of the time	22	5	8	9			
	Most of the time	50	12	24	14			
	Every time	287	85	113	89			
	Don't know/Not sure	4	2	1	1			
	Refused	2		2				

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**How long have you been using a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
More than 6 months		88.0	83.9	90.5	89.3			
6 months		12.0	16.1	9.5	10.7			
Male	More than 6 months	88.0	83.9	90.5	89.3			
	6 months	12.0	16.1	9.5	10.7			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**How long have you been using a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		287	85	113	89			
More than 6 months		253	72	101	80			
6 months		33	12	12	9			
Don't know/Not sure		1	1					
Male	Total	287	85	113	89			
	More than 6 months	253	72	101	80			
	6 months	33	12	12	9			
	Don't know/Not sure	1	1					

Denominator is:  
All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

**What are your reasons for not using any birth control now?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		15.9	31.8	18.8	7.1			
I want my wife or partner to get pregnant		30.8	27.3	40.3	19.6			
I don't want to use birth control		13.8	9.1	18.8	8.9			
I don't think my wife or partner can get pregnant		10.9		2.7	25.0			
I can't pay for birth control		2.4	9.1	2.7				
Other		26.1	22.7	16.8	39.3			
Male	I am not having sex	15.9	31.8	18.8	7.1			
	I want my wife or partner to get pregnant	30.8	27.3	40.3	19.6			
	I don't want to use birth control	13.8	9.1	18.8	8.9			
	I don't think my wife or partner can get pregnant	10.9		2.7	25.0			
	I can't pay for birth control	2.4	9.1	2.7				
	Other	26.1	22.7	16.8	39.3			

Denominator is:  
All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.

**What are your reasons for not using any birth control now?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		82	9	41	32			
I am not having sex		9	2	5	2			
I want my wife or partner to get pregnant		21	1	15	5			
I don't want to use birth control		10	1	6	3			
I don't think my wife or partner can get pregnant		9		2	7			
I can't pay for birth control		2	1	1				
Don't know/Not sure		5	1	4				
Other		22	2	8	12			
Refused		4	1		3			
Male	Total	82	9	41	32			
	I am not having sex	9	2	5	2			
	I want my wife or partner to get pregnant	21	1	15	5			
	I don't want to use birth control	10	1	6	3			
	I don't think my wife or partner can get pregnant	9		2	7			
	I can't pay for birth control	2	1	1				
	Don't know/Not sure	5	1	4				
	Other	22	2	8	12			
	Refused	4	1		3			

Denominator is:

All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.

**In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	12.1	21.6	13.9	4.8			
No	87.9	78.4	86.1	95.2			
Male Yes	12.1	21.6	13.9	4.8			
Male No	87.9	78.4	86.1	95.2			

Denominator is:  
All male respondents under the age of 45.

**In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	811	181	280	350			
Yes	82	36	32	14			
No	724	145	246	333			
Refused	5		2	3			
Male Total	811	181	280	350			
Male Yes	82	36	32	14			
Male No	724	145	246	333			
Male Refused	5		2	3			

Denominator is:  
All male respondents under the age of 45.

**When you went for birth control or family planning services in the last year, did you go to either a  
Planned Parenthood clinic  
or a health department clinic?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	66.5	83.9	51.4	58.6			
No	33.5	16.1	48.6	41.4			
Male Yes	66.5	83.9	51.4	58.6			
Male No	33.5	16.1	48.6	41.4			

Denominator is:

All male respondents under the age of 45 who went someplace for birth control or family planning services.

**When you went for birth control or family planning services in the last year, did you go to either a Planned Parenthood clinic  
or a health department clinic?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	82	36	32	14			
Yes	52	28	16	8			
No	29	7	16	6			
Don't know/Not sure	1	1					
Male Total	82	36	32	14			
Male Yes	52	28	16	8			
Male No	29	7	16	6			
Male Don't know/Not sure	1	1					

Denominator is:

All male respondents under the age of 45 who went someplace for birth control or family planning services.

**In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	77.7	86.4	73.9	74.9			
No	22.3	13.6	26.1	25.1			
Male Yes	77.7	86.4	73.9	74.9			
Male No	22.3	13.6	26.1	25.1			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

**In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	467	120	195	152			
Yes	351	102	140	109			
No	96	15	47	34			
Don't know/Not sure	13	2	6	5			
Refused	7	1	2	4			
Male Total	467	120	195	152			
Male Yes	351	102	140	109			
Male No	96	15	47	34			
Male Don't know/Not sure	13	2	6	5			
Male Refused	7	1	2	4			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

**In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	97.1	99.2	97.7	94.1			
No	2.9	.8	2.3	5.9			
Male Yes	97.1	99.2	97.7	94.1			
Male No	2.9	.8	2.3	5.9			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

**In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	351	102	140	109			
Yes	338	100	136	102			
No	9	1	2	6			
Don't know/Not sure	3	1	2				
Refused	1			1			
Male Total	351	102	140	109			
Male Yes	338	100	136	102			
Male No	9	1	2	6			
Male Don't know/Not sure	3	1	2				
Male Refused	1			1			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

**Does your health insurance coverage pay for at least some of the cost of a vasectomy?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	74.5	73.5	76.2	73.5			
No	25.5	26.5	23.8	26.5			
Male Yes	74.5	73.5	76.2	73.5			
Male No	25.5	26.5	23.8	26.5			

Denominator is:  
All male respondents under the age of 45 who have health insurance.

**Does your health insurance coverage pay for at least some of the cost of a vasectomy?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	628	113	225	290			
Yes	200	29	75	96			
No	64	10	23	31			
Don't know/Not sure	359	74	125	160			
Refused	5		2	3			
Male Total	628	113	225	290			
Male Yes	200	29	75	96			
Male No	64	10	23	31			
Male Don't know/Not sure	359	74	125	160			
Male Refused	5		2	3			

Denominator is:  
All male respondents under the age of 45 who have health insurance.

**Did you know there is free of low cost birth control at health departments and Planned Parenthood clinics?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	80.7	83.2	82.4	77.3			
No	19.3	16.8	17.6	22.7			
Male Yes	80.7	83.2	82.4	77.3			
Male No	19.3	16.8	17.6	22.7			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**Did you know there is free of low cost birth control at health departments and Planned Parenthood clinics?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	549	122	215	212			
Yes	431	100	171	160			
No	104	22	37	45			
Don't know/Not sure	12		6	6			
Refused	2		1	1			
Male Total	549	122	215	212			
Male Yes	431	100	171	160			
Male No	104	22	37	45			
Male Don't know/Not sure	12		6	6			
Male Refused	2		1	1			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**From your understanding, how would you say emergency birth control can be used?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
To prevent pregnancy up to three days after unprotected sex	35.5	37.5	40.7	28.5			
To end a pregnancy several weeks after it has begun	2.0	2.0	3.4	.4			
Both of the above	11.7	16.2	7.7	13.2			
Neither of the above	24.8	21.7	24.5	27.2			
Don't know/Not sure	26.0	22.6	23.7	30.7			
Male							
To prevent pregnancy up to three days after unprotected sex	35.5	37.5	40.7	28.5			
To end a pregnancy several weeks after it has begun	2.0	2.0	3.4	.4			
Both of the above	11.7	16.2	7.7	13.2			
Neither of the above	24.8	21.7	24.5	27.2			
Don't know/Not sure	26.0	22.6	23.7	30.7			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**From your understanding, how would you say emergency birth control can be used?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		549	122	215	212			
To prevent pregnancy up to three days after unprotected sex		201	45	92	64			
To end a pregnancy several weeks after it has begun		9	2	6	1			
Both of the above		61	19	16	26			
Neither of the above		129	27	49	53			
Don't know/Not sure		144	29	49	66			
Refused		5		3	2			
Male	Total	549	122	215	212			
	To prevent pregnancy up to three days after unprotected sex	201	45	92	64			
	To end a pregnancy several weeks after it has begun	9	2	6	1			
	Both of the above	61	19	16	26			
	Neither of the above	129	27	49	53			
	Don't know/Not sure	144	29	49	66			
	Refused	5		3	2			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**In the last five years, did a partner of yours use emergency birth control pills?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		5.5	8.7	6.3	2.5			
No		94.5	91.3	93.7	97.5			
Male	Yes	5.5	8.7	6.3	2.5			
	No	94.5	91.3	93.7	97.5			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**In the last five years, did a partner of yours use emergency birth control pills?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		549	122	215	212			
Yes		31	12	14	5			
No		498	104	196	198			
Don't know/Not sure		17	6	3	8			
Refused		3		2	1			
Male	Total	549	122	215	212			
	Yes	31	12	14	5			
	No	498	104	196	198			
	Don't know/Not sure	17	6	3	8			
	Refused	3		2	1			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

**In the last year, did a partner of yours use emergency birth control pills?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		47.0	64.0	37.5	33.3			
No		53.0	36.0	62.5	66.7			
Male	Yes	47.0	64.0	37.5	33.3			
	No	53.0	36.0	62.5	66.7			

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.

**In the last year, did a partner of yours use emergency birth control pills?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		31	12	14	5			
Yes		14	8	4	2			
No		16	4	9	3			
Don't know/Not sure		1		1				
Male	Total	31	12	14	5			
	Yes	14	8	4	2			
	No	16	4	9	3			
	Don't know/Not sure	1		1				

Denominator is:

All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.

**What kinds of birth control are you or your husband or partner using now?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Tubes tied (sterilization)	20.3	5.8	20.2	27.9			
Vasectomy (sterilization)	18.0		10.2	34.2			
Pill	33.2	58.3	36.6	17.2			
Condoms	15.2	17.9	18.3	11.1			
Foam, jelly, cream	.3		.2	.4			
Diaphragm	1.0		2.1	.6			
Shots (Depo-Provera)	5.8	12.9	4.9	2.8			
Withdrawal	1.2	.9	2.1	.6			
Other, specify	4.9	4.2	5.2	5.1			
Female							
Tubes tied (sterilization)	20.3	5.8	20.2	27.9			
Vasectomy (sterilization)	18.0		10.2	34.2			
Pill	33.2	58.3	36.6	17.2			
Condoms	15.2	17.9	18.3	11.1			
Foam, jelly, cream	.3		.2	.4			
Diaphragm	1.0		2.1	.6			
Shots (Depo-Provera)	5.8	12.9	4.9	2.8			
Withdrawal	1.2	.9	2.1	.6			
Other, specify	4.9	4.2	5.2	5.1			

Denominator is:

All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.

**What kinds of birth control are you or your husband or partner using now?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	595	104	231	260			
Tubes tied (sterilization)	125	5	48	72			
Vasectomy (sterilization)	104		21	83			
Pill	183	55	84	44			
Condoms	98	22	42	34			
Foam, jelly, cream	2		1	1			
Diaphragm	7		5	2			
Shots (Depo-Provera)	33	13	13	7			
Withdrawal	6	1	3	2			
Don't know/Not sure	3	2	1				
Other, specify	30	5	13	12			
Refused	4	1		3			
Female							
Total	595	104	231	260			
Tubes tied (sterilization)	125	5	48	72			
Vasectomy (sterilization)	104		21	83			
Pill	183	55	84	44			
Condoms	98	22	42	34			
Foam, jelly, cream	2		1	1			
Diaphragm	7		5	2			
Shots (Depo-Provera)	33	13	13	7			
Withdrawal	6	1	3	2			
Don't know/Not sure	3	2	1				
Other, specify	30	5	13	12			
Refused	4	1		3			

Denominator is:

All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.