

**Oregon BRFSS 2002 Family Planning Module - Males**

**Are you or your wife or partner doing anything now to keep from getting pregnant?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes	57.5	44.8	64.1	64.1	58.5	41.4
No	24.8	14.8	23.6	24.7	27.2	41.5
No partner/Not sexually active	17.1	40.0	11.2	10.5	13.8	17.1
Same sex partner	.6	.3	1.1	.6	.6	

Denominator is:  
All male respondents younger than 60.

**Are you or your wife or partner doing anything now to keep from getting pregnant?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	1,495	151	359	381	421	183
Yes	834	75	226	235	232	66
No	342	16	75	82	102	67
No partner/Not sexually active	274	57	51	50	71	45
Same sex partner	10	1	3	3	3	
Don't know/Not sure	4		2		2	
Refused	31	2	2	11	11	5

Denominator is:  
All male respondents younger than 60.

**Oregon BRFSS 2002 Family Planning Module - Males**

**What are you or your wife or partner doing now to keep from getting pregnant?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	16.6		11.3	19.3	24.2	29.8
Vasectomy (sterilization)	28.0	1.5	13.4	30.8	46.9	52.5
Pill	20.3	35.6	30.7	18.6	8.5	1.2
Condoms	18.3	35.2	26.2	13.9	10.3	3.4
Foam, jelly, cream	.4		.4	1.0		
Diaphragm	1.5	1.0	.6	1.6	1.6	5.8
Norplant	.1				.3	
IUD	3.6	4.0	7.5	3.4	.6	
Shots (Depo-Provera)	3.7	5.5	5.6	4.5	.4	2.3
Withdrawal	.3	2.0			.3	
Not having sex at certain times (rhythm)	3.4	4.4	3.4	3.0	3.4	3.0
No partner/Not sexually active	1.6	7.6		1.2	.6	2.2
Other methods	2.2	3.5	1.0	2.7	2.8	

Denominator is:

All male respondents younger than 60 who use birth control.

**What are you or your wife or partner doing now to keep from getting pregnant?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	833	75	226	235	231	66
Tubes tied (sterilization)	131		24	41	48	18
Vasectomy (sterilization)	258	1	31	75	115	36
Pill	162	29	69	44	19	1
Condoms	141	24	54	37	23	3
Foam, jelly, cream	3		1	2		
Diaphragm	12	1	1	3	5	2
Norplant	1				1	
IUD	22	3	14	4	1	
Shots (Depo-Provera)	29	5	13	9	1	1
Withdrawal	2	1			1	
Not having sex at certain times (rhythm)	28	3	8	7	8	2
No partner/Not sexually active	10	3		3	2	2
Other methods	16	3	2	6	5	
Don't know/Not sure	4		3	1		
Refused	14	2	6	3	2	1

Denominator is:

All male respondents younger than 60 who use birth control.

**Oregon BRFSS 2002 Family Planning Module - Males**

**What other method are you also using to prevent pregnancy?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	.7		.4	1.3	1.5	
Vasectomy (sterilization)	.2			.8		
Pill	5.1	12.0	4.9	1.9	.7	
Condoms	10.4	13.9	11.6	8.8	4.8	7.4
Foam, jelly, cream	.6	2.1		.4		
Diaphragm	.3		.8			
Norplant	.1				.7	
Shots (Depo-Provera)	.2	1.1				
Withdrawal	.8	3.3				
Not having sex at certain times (rhythm)	6.5	6.5	3.7	9.2	9.7	
No partner/Not sexually active	1.3	1.1	1.4		2.9	7.4
Other methods	2.1	4.9	1.7	.8		7.4
No other methods	71.8	55.1	75.4	76.8	79.6	77.8

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**What other method are you also using to prevent pregnancy?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	416	69	162	112	64	9
Tubes tied (sterilization)	3		1	1	1	
Vasectomy (sterilization)	1			1		
Pill	20	8	7	4	1	
Condoms	49	10	23	11	4	1
Foam, jelly, cream	3	2		1		
Diaphragm	1		1			
Norplant	1				1	
Shots (Depo-Provera)	1	1				
Withdrawal	1	1				
Not having sex at certain times (rhythm)	26	4	7	9	6	
No partner/Not sexually active	5	1	2		1	1
Other methods	8	3	2	2		1
Don't know/Not sure	1			1		
No other methods	296	39	119	82	50	6

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Males**

**What is your main reason for not doing anything to keep getting your wife or partner pregnant?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Not sexually active/No partner	9.3	23.2	9.6	11.7	5.7	1.2
You want a pregnancy	9.6	2.9	24.6	14.9	1.0	
You or your partner don't want to use birth control	.8	4.5			1.0	
You/your partner don't like birth control/Fear side effects	.4		1.8			
You can't pay for birth control	.2		1.1			
Don't think you or your partner can get pregnant	5.2	4.5	2.9		10.5	7.7
You or your partner had tubes tied (sterilization)	4.7		3.5	4.3	8.0	4.5
You or your partner had a vasectomy (sterilization)	8.2		1.8	4.9	17.2	12.1
You or your partner had a hysterectomy (sterilization)	19.4		5.2	19.7	30.8	32.5
You or your partner are too old	11.5			4.9	17.4	36.4
You or your partner just had a baby/postpartum	.4			1.8		
Other reason	16.9	44.8	11.2	27.6	6.9	5.6
Don't care if get pregnant	3.7		12.5	2.3	1.5	
Same sex partner	.9		1.7	2.3		
Partner is pregnant now	8.9	20.1	24.2	5.8		

Denominator is:

All male respondents younger than 60, who do not use birth control.

**What is your main reason for not doing anything to keep getting your wife or partner pregnant?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	341	16	75	81	102	67
Not sexually active/No partner	33	5	8	13	6	1
You want a pregnancy	29	1	17	10	1	
You or your partner don't want to use birth control	2	1			1	
You/your partner don't like birth control/Fear side effects	1		1			
You can't pay for birth control	1		1			
Don't think you or your partner can get pregnant	17	1	2		10	4
You or your partner had tubes tied (sterilization)	12		2	3	4	3
You or your partner had a vasectomy (sterilization)	27		1	3	15	8
You or your partner had a hysterectomy (sterilization)	69		4	14	31	20
You or your partner are too old	42			3	15	24
You or your partner just had a baby/postpartum	1			1		
Other reason	38	3	6	18	6	5
Don't care if get pregnant	12		9	2	1	
Same sex partner	3		1	2		
Partner is pregnant now	25	5	16	4		
Don't know/Not sure	10		1	4	5	
Refused	19		6	4	7	2

Denominator is:

All male respondents younger than 60, who do not use birth control.

**Oregon BRFSS 2002 Family Planning Module - Males**

**Has a sex partner of yours been pregnant in the last five years?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes	18.2	15.1	38.0	21.8	4.9	2.2
No	81.8	84.9	62.0	78.2	95.1	97.8

Denominator is:

All male respondents younger than 60, whose wives or partners are not currently pregnant.

**Has a sex partner of yours been pregnant in the last five years?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	1,440	140	333	369	416	182
Yes	206	21	99	66	17	3
No	1,040	98	188	261	339	154
Don't know/Not sure	4	1	2			1
Refused	190	20	44	42	60	24

Denominator is:

All male respondents younger than 60, whose wives or partners are not currently pregnant.

**Thinking back to just before your wife or partner got pregnant with her current pregnancy,  
how did you feel her about becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Male	100.0	100.0	100.0	100.0
You wanted her to be pregnant sooner	10.7		4.7	50.0
You wanted her to be pregnant later	20.7	55.2	11.7	
You wanted her to be pregnant then	51.8	22.4	72.7	19.6
You didn't want her to be pregnant then or in the future	5.6	22.4		
Don't know/Not sure	11.3		10.9	30.4

Denominator is:

All males younger than 60 whose wives or partners are not currently pregnant.

**Oregon BRFSS 2002 Family Planning Module - Males**

**Thinking back to just before your wife or partner got pregnant with her current pregnancy, how did you feel her about becoming pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Male	25	5	16	4
You wanted her to be pregnant sooner	3		1	2
You wanted her to be pregnant later	5	3	2	
You wanted her to be pregnant then	14	1	12	1
You didn't want her to be pregnant then or in the future	1	1		
Don't know/Not sure	2		1	1

Denominator is:

All males younger than 60 whose wives or partners are not currently pregnant.

**Thinking back to the most recent pregnancy, just before she got pregnant, how did you feel about her becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
You wanted her to be pregnant sooner	6.6	3.0	5.6	9.7	6.7	
You wanted her to be pregnant later	15.7	42.6	15.0	4.6	20.8	
You wanted her to be pregnant then	65.6	43.0	66.9	73.9	64.0	60.8
You didn't want her to be pregnant then or in the future	12.1	11.5	12.5	11.8	8.5	39.2

Denominator is:

All male respondents younger than 60, whose wives or partners have been pregnant in the last five years.

**Thinking back to the most recent pregnancy, just before she got pregnant, how did you feel about her becoming pregnant?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	206	21	99	66	17	3
You wanted her to be pregnant sooner	14	1	6	6	1	
You wanted her to be pregnant later	26	7	13	4	2	
You wanted her to be pregnant then	126	9	64	42	10	1
You didn't want her to be pregnant then or in the future	24	3	10	8	2	1
Don't know/Not sure	13	1	4	5	2	1
Refused	3		2	1		

Denominator is:

All male respondents younger than 60, whose wives or partners have been pregnant in the last five years.

**Oregon BRFSS 2002 Family Planning Module - Males**

**Does your health insurance cover the cost of birth control?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes (covers all/part of cost of some birth control methods)	53.0	66.9	50.8	48.9	55.9	41.7
No, (does not cover any birth control methods)	47.0	33.1	49.2	51.1	44.1	58.3

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and have medical coverage.

**Does your health insurance cover the cost of birth control?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	499	54	162	136	104	43
Yes (covers all/part of cost of some birth control methods)	149	20	58	36	27	8
No, (does not cover any birth control methods)	143	10	55	43	24	11
Don't know/Not sure	170	19	36	47	48	20
Refused	37	5	13	10	5	4

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and have medical coverage.

**Would you use a different birth control method if you had insurance that paid for it?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes	40.1	50.3	41.7	33.4	33.5	7.2
No	59.9	49.7	58.3	66.6	66.5	92.8

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Males**

**Would you use a different birth control method if you had insurance that paid for it?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	399	66	155	107	63	8
Yes	101	21	41	24	14	1
No	151	24	62	36	25	4
Don't know/Not sure	31	6	7	15	3	
Refused	116	15	45	32	21	3

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes	76.1	68.4	79.3	76.5	77.1	78.1
No	23.9	31.6	20.7	23.5	22.9	21.9

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	626	81	222	165	114	44
Yes	483	62	177	126	86	32
No	126	19	39	36	24	8
Don't know/Not sure	10		3	3	1	3
Refused	7		3		3	1

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Males**

**Where are you or your husband/partner getting your birth control method(s)? Would you say at . . .**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
A family planning clinic	10.9	18.6	10.0	9.9	1.7	10.1
A health department clinic	7.3	15.0	6.7	3.7	3.4	
A community health center	6.8	4.6	9.2	2.9	12.7	
A private gynecologist	15.7	6.0	17.7	19.8	15.4	40.3
A general or family physician	14.7	13.0	18.2	13.7	8.5	20.1
A drug store or other store	37.4	32.7	29.9	47.1	50.5	29.5
Some other kind of place	7.1	10.1	8.3	2.8	8.0	

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**Where are you or your husband/partner getting your birth control method(s)? Would you say at . . .**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	344	57	141	92	48	6
A family planning clinic	29	10	11	5	2	1
A health department clinic	20	9	6	3	2	
A community health center	17	2	10	2	3	
A private gynecologist	50	3	22	16	8	1
A general or family physician	52	9	26	12	4	1
A drug store or other store	120	15	38	43	21	3
Some other kind of place	20	5	9	3	3	
Don't know/Not sure	31	3	18	7	3	
Refused	5	1	1	1	2	

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**When you have intercourse, how often do you use a method to prevent pregnancy? Would you say . . .**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Some of the time	9.6	9.8	12.1	8.0	6.2	
Most of the time	14.5	18.8	13.2	10.3	12.4	60.6
Every time	76.0	71.4	74.8	81.7	81.4	39.4

Denominator is:

All male respondents younger than 60, are sexually active, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Males**

**When you have intercourse, how often do you use a method to prevent pregnancy? Would you say . . .**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	401	66	155	108	64	8
Some of the time	31	5	15	8	3	
Most of the time	54	11	20	12	7	4
Every time	296	47	116	83	46	4
Don't know/Not sure	10	1	3	4	2	
Refused	10	2	1	1	6	

Denominator is:

All male respondents younger than 60, are sexually active, and are not sterile.

**From your understanding, how would you say the emergency birth control can be used:?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
To prevent a pregnancy up to 3 days after unprotected sex	36.5	42.8	36.9	36.2	32.8	21.8
To end a pregnancy several weeks after it has begun	1.2	3.0	1.6		.4	
Both of the above	13.5	7.8	17.8	12.9	13.0	11.6
Neither of the above	23.9	29.4	23.5	22.7	20.8	21.3
Don't know/Not sure	24.9	17.1	20.3	28.2	32.9	45.2

Denominator is:

All males younger than 60, who are not using birth control or using birth control other than sterilization.

**From your understanding, how would you say the emergency birth control can be used:?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	626	81	222	165	114	44
To prevent a pregnancy up to 3 days after unprotected sex	220	30	85	60	37	8
To end a pregnancy several weeks after it has begun	6	2	3		1	
Both of the above	73	7	29	18	13	6
Neither of the above	144	27	49	36	23	9
Don't know/Not sure	152	14	42	47	33	16
Refused	31	1	14	4	7	5

Denominator is:

All males younger than 60, who are not using birth control or using birth control other than sterilization.

**Oregon BRFSS 2002 Family Planning Module - Males**

**During the past 5 years, have has a wife/partner of yours used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	100.0	100.0	100.0	100.0	100.0	100.0
Yes	3.1	4.9	3.3	2.3	2.9	
No	96.9	95.1	96.7	97.7	97.1	100.0

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**During the past 5 years, have has a wife/partner of yours used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Male	626	81	222	165	114	44
Yes	18	5	8	3	2	
No	568	72	197	157	106	36
Don't know/Not sure	12	3	3	2	1	3
Refused	28	1	14	3	5	5

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

**In the last year, has your wife/partner used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Male	100.0	100.0	100.0	100.0	100.0
Yes	56.7	68.3	51.3	37.8	70.0
No	43.3	31.7	48.7	62.2	30.0

Denominator is:

All male respondents younger than 60, whose wives or partners used emergency birth control pills during the last year.

**Oregon BRFSS 2002 Family Planning Module - Males**

**In the last year, has your wife/partner used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Male	18	5	8	3	2
Yes	9	3	4	1	1
No	9	2	4	2	1

Denominator is:

All male respondents younger than 60, whose wives or partners used emergency birth control pills during the last year.