

Oregon BRFSS 2003

Have you ever been tested for HIV?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	45.9	43.2	59.8	52.3	41.2	27.9	
No	54.1	56.8	40.2	47.7	58.8	72.1	
Male Yes	46.9	42.7	54.9	51.3	47.2	32.8	
Male No	53.1	57.3	45.1	48.7	52.8	67.2	
Female Yes	44.9	43.7	65.2	53.3	35.4	23.2	
Female No	55.1	56.3	34.8	46.7	64.6	76.8	

Denominator is:  
All survey respondents younger than 65 years of age.

Have you ever been tested for HIV?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	3,044	279	615	708	805	637	
Yes	1,394	127	379	379	333	176	
No	1,574	148	227	312	446	441	
Don't know/Not sure	65	4	8	14	21	18	
Refused	11		1	3	5	2	
Male Total	1,284	127	263	305	336	253	
Male Yes	592	54	144	154	158	82	
Male No	659	71	118	145	162	163	
Male Don't know/Not sure	27	2	1	4	12	8	
Male Refused	6			2	4		
Female Total	1,760	152	352	403	469	384	
Female Yes	802	73	235	225	175	94	
Female No	915	77	109	167	284	278	
Female Don't know/Not sure	38	2	7	10	9	10	
Female Refused	5		1	1	1	2	

Denominator is:  
All survey respondents younger than 65 years of age.

Oregon BRFSS 2003

What was the main reason you had your last test for HIV?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
It was required	16.3	10.1	10.9	22.2	18.2	20.8	
Someone suggested you should be tested	2.8	1.4	2.3	2.8	3.8	4.1	
You thought you may have gotten HIV through sex or drugs	3.7	2.3	3.0	3.9	4.1	6.6	
You just wanted to find out whether you had HIV	23.4	32.2	26.3	18.6	19.3	23.9	
You were worried that you could give HIV to someone	1.8	3.2	1.4	1.1	3.0		
If FEMALE: You were pregnant	11.5	14.1	21.6	11.5	1.4		
It was done as part of a routine medical check up	25.6	24.9	22.3	25.1	31.4	25.1	
You were tested for some other reason	14.9	11.8	12.2	14.8	18.8	19.6	
Male							
It was required	19.1	10.9	14.4	26.2	19.5	24.3	
Someone suggested you should be tested	2.8		3.9	1.9	3.6	4.1	
You thought you may have gotten HIV through sex or drugs	3.5	2.0	3.9	3.5	3.5	4.4	
You just wanted to find out whether you had HIV	25.8	40.5	34.3	19.5	16.4	19.5	
You were worried that you could give HIV to someone	3.2	6.1	3.0	2.2	4.3		
It was done as part of a routine medical check up	30.8	25.8	26.0	34.2	37.5	27.2	
You were tested for some other reason	14.9	14.6	14.7	12.5	15.2	20.6	
Female							
It was required	13.3	9.3	7.7	18.4	16.6	15.9	
Someone suggested you should be tested	2.8	2.9	.9	3.7	4.0	4.1	
You thought you may have gotten HIV through sex or drugs	4.0	2.5	2.2	4.4	5.0	9.6	
You just wanted to find out whether you had HIV	21.0	23.3	19.0	17.7	22.9	29.8	
You were worried that you could give HIV to someone	.2				1.2		
If FEMALE: You were pregnant	23.5	29.2	41.2	22.6	3.1		
It was done as part of a routine medical check up	20.1	23.9	18.9	16.2	23.8	22.3	
You were tested for some other reason	15.0	8.8	9.9	17.1	23.4	18.2	

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV.

Oregon BRFSS 2003

What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,394	127	379	379	333	176	
It was required		216	12	39	78	56	31	
Someone suggested you should be tested		42	2	6	14	14	6	
You thought you may have gotten HIV through sex or drugs		61	5	13	14	15	14	
You just wanted to find out whether you had HIV		330	35	101	77	70	47	
You were worried that you could give HIV to someone		19	3	4	3	9		
If FEMALE: You were pregnant		166	22	90	47	7		
It was done as part of a routine medical check up		337	35	77	90	92	43	
You were tested for some other reason		218	13	48	55	67	35	
Don't know/Not sure		3			1	2		
Refused		2		1		1		
Male	Total	592	54	144	154	158	82	
	It was required	114	7	22	39	29	17	
	Someone suggested you should be tested	17		4	3	7	3	
	You thought you may have gotten HIV through sex or drugs	21	2	6	4	6	3	
	You just wanted to find out whether you had HIV	149	19	52	31	29	18	
	You were worried that you could give HIV to someone	17	3	4	3	7		
	It was done as part of a routine medical check up	176	15	31	52	54	24	
	You were tested for some other reason	94	8	24	21	24	17	
	Don't know/Not sure	3			1	2		
	Refused	1		1				
Female	Total	802	73	235	225	175	94	
	It was required	102	5	17	39	27	14	
	Someone suggested you should be tested	25	2	2	11	7	3	
	You thought you may have gotten HIV through sex or drugs	40	3	7	10	9	11	
	You just wanted to find out whether you had HIV	181	16	49	46	41	29	
	You were worried that you could give HIV to someone	2				2		
	If FEMALE: You were pregnant	166	22	90	47	7		
	It was done as part of a routine medical check up	161	20	46	38	38	19	
	You were tested for some other reason	124	5	24	34	43	18	
	Refused	1				1		

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV.

Oregon BRFSS 2003

Where did you have your last blood test for HIV?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Private doctor or HMO	37.1	28.7	36.9	44.3	33.2	39.0	
Counseling and testing site	3.6	4.1	5.2	2.1	3.1	3.4	
Hospital	16.9	13.7	16.2	16.6	19.5	18.7	
Clinic	29.3	37.4	34.4	21.1	29.1	25.4	
In jail or prison	.7	1.9		.9		1.7	
Home	5.4		2.1	8.5	9.9	4.8	
Somewhere else	7.1	14.2	5.2	6.5	5.3	7.1	
Male							
Private doctor or HMO	33.0	21.4	34.4	38.3	30.6	38.1	
Counseling and testing site	3.6	4.1	6.0	2.3	3.0	1.6	
Hospital	16.9	15.6	16.5	14.4	21.8	14.7	
Clinic	30.3	36.4	35.7	22.8	29.7	26.9	
In jail or prison	1.3	3.7		1.9		2.9	
Home	6.0		1.8	10.9	8.7	7.0	
Somewhere else	8.9	18.7	5.6	9.4	6.2	8.8	
Female							
Private doctor or HMO	41.4	36.6	39.2	50.2	36.6	40.1	
Counseling and testing site	3.6	4.1	4.5	1.9	3.1	5.8	
Hospital	16.9	11.5	15.9	18.9	16.6	23.8	
Clinic	28.4	38.4	33.1	19.4	28.2	23.5	
Home	4.7		2.4	6.0	11.4	1.9	
Somewhere else	5.1	9.3	4.9	3.7	4.1	4.8	

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.

Oregon BRFSS 2003

Where did you have your last blood test for HIV?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	1,394	127	379	379	333	176	
Private doctor or HMO	538	37	148	171	117	65	
Counseling and testing site	53	6	20	8	11	8	
Hospital	230	16	60	62	58	34	
Clinic	387	49	120	79	95	44	
In jail or prison	6	2		3		1	
Home	76		9	29	30	8	
Somewhere else	93	16	22	25	18	12	
Don't know/Not sure	10	1		2	4	3	
Refused	1					1	
Male							
Total	592	54	144	154	158	82	
Private doctor or HMO	198	9	49	62	49	29	
Counseling and testing site	24	3	9	4	6	2	
Hospital	98	10	25	21	29	13	
Clinic	177	21	49	34	51	22	
In jail or prison	6	2		3		1	
Home	36		3	15	12	6	
Somewhere else	50	9	9	15	11	6	
Don't know/Not sure	2					2	
Refused	1					1	
Female							
Total	802	73	235	225	175	94	
Private doctor or HMO	340	28	99	109	68	36	
Counseling and testing site	29	3	11	4	5	6	
Hospital	132	6	35	41	29	21	
Clinic	210	28	71	45	44	22	
Home	40		6	14	18	2	
Somewhere else	43	7	13	10	7	6	
Don't know/Not sure	8	1		2	4	1	

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.

Oregon BRFSS 2003

**In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		10.6	30.0	16.3	7.6	2.6	.6	
No		89.4	70.0	83.7	92.4	97.4	99.4	
Male	Yes	8.2	22.3	11.7	6.2	2.4	.2	
	No	91.8	77.7	88.3	93.8	97.6	99.8	
Female	Yes	13.0	38.8	21.2	9.1	2.8	1.0	
	No	87.0	61.2	78.8	90.9	97.2	99.0	

Denominator is:

All survey respondents younger than 65 years of age

Oregon BRFSS 2003

In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		3,033	277	613	707	804	632	
Yes		276	87	102	58	25	4	
No		2,748	189	511	645	777	626	
Don't know/Not sure		2			1		1	
Refused		7	1		3	2	1	
Male	Total	1,283	127	263	305	336	252	
	Yes	80	23	27	19	10	1	
	No	1,198	104	236	283	324	251	
	Don't know/Not sure	1			1			
	Refused	4			2	2		
Female	Total	1,750	150	350	402	468	380	
	Yes	196	64	75	39	15	3	
	No	1,550	85	275	362	453	375	
	Don't know/Not sure	1					1	
	Refused	3	1		1		1	

Denominator is:  
All survey respondents younger than 65 years of age

Oregon BRFSS 2003

**True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
True	54.1	56.5	59.0	50.5	53.5	51.3	
False	15.7	19.2	15.2	18.1	14.1	12.1	
Don't know/Not sure	30.1	24.3	25.8	31.2	32.3	36.5	
Refused	.1			.2	.1	.1	
Male							
True	50.7	52.4	54.2	48.3	48.6	50.9	
False	18.4	21.5	20.0	20.6	17.3	11.3	
Don't know/Not sure	30.8	26.1	25.9	30.7	33.8	37.8	
Refused	.1			.3	.3		
Female							
True	57.6	61.0	64.2	52.8	58.4	51.7	
False	13.0	16.7	10.1	15.6	10.9	12.9	
Don't know/Not sure	29.4	22.3	25.7	31.6	30.7	35.3	
Refused	.0					.1	

Denominator is:

All survey respondents younger than 65 years of age.



Oregon BRFSS 2003

**True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?**

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		3,045	279	615	708	806	637
True		1,668	165	379	365	430	329
False		435	52	80	114	112	77
Don't know/Not sure		939	62	156	228	263	230
Refused		3			1	1	1
Male	Total	1,285	127	263	305	337	253
	True	648	69	147	147	157	128
	False	226	27	47	58	62	32
	Don't know/Not sure	409	31	69	99	117	93
	Refused	2			1	1	
Female	Total	1,760	152	352	403	469	384
	True	1,020	96	232	218	273	201
	False	209	25	33	56	50	45
	Don't know/Not sure	530	31	87	129	146	137
	Refused	1					1

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2003

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
True		91.5	90.1	90.4	91.4	94.2	90.3
False		1.8	3.0	1.9	2.7	.7	1.0
Don't know		6.6	6.9	7.7	5.7	5.0	8.5
Refused		.1			.2	.1	.2
Male	True	91.3	91.5	91.4	90.6	94.7	86.8
	False	2.0	2.4	2.6	3.4	.6	.6
	Don't know	6.6	6.1	6.0	5.7	4.4	12.3
	Refused	.2			.3	.3	.3
Female	True	91.6	88.5	89.4	92.1	93.6	93.6
	False	1.7	3.7	1.1	2.1	.8	1.4
	Don't know	6.7	7.8	9.5	5.8	5.6	4.8
	Refused	.0					.1

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2003

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,044	279	615	708	805	637	
True		2,817	252	568	655	760	582	
False		47	8	10	17	5	7	
Don't know		176	19	37	35	39	46	
Refused		4			1	1	2	
Male	Total	1,284	127	263	305	336	253	
	True	1,179	116	244	278	318	223	
	False	19	2	5	8	2	2	
	Don't know	83	9	14	18	15	27	
	Refused	3			1	1	1	
Female	Total	1,760	152	352	403	469	384	
	True	1,638	136	324	377	442	359	
	False	28	6	5	9	3	5	
	Don't know	93	10	23	17	24	19	
	Refused	1					1	

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2003

How important do you think it is for people to know their HIV status by getting tested?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Very important		88.6	94.8	92.5	88.1	85.4	83.3	
Somewhat important		7.2	4.6	5.8	7.5	8.8	8.7	
Not at all important		.4		.3	.4	.1	1.3	
Don't know/Not sure		.5	.6	.5	.6	.2	.8	
Depends on the risk		3.1		.8	3.1	5.2	5.9	
Refused		.2		.2	.3	.4	.1	
Male	Very important	86.8	93.5	90.2	85.5	83.9	81.7	
	Somewhat important	9.1	5.6	8.0	9.1	11.6	10.5	
	Not at all important	.4			.3	.3	1.6	
	Don't know/Not sure	.6	.8	.8	.3		1.4	
	Depends on the risk	2.6		.6	4.2	3.4	4.8	
	Refused	.4		.3	.6	.8		
Female	Very important	90.5	96.2	95.0	90.8	86.8	84.9	
	Somewhat important	5.2	3.4	3.4	5.8	6.0	6.9	
	Not at all important	.4		.5	.5		1.1	
	Don't know/Not sure	.4	.4	.1	.8	.3	.1	
	Depends on the risk	3.5		1.0	2.1	6.9	6.9	
	Refused	.0					.1	

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2003

How important do you think it is for people to know their HIV status by getting tested?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		3,044	279	615	708	805	637	
Very important		2,692	267	570	627	696	532	
Somewhat important		214	10	34	53	64	53	
Not at all important		15		2	3	1	9	
Don't know/Not sure		14	2	3	3	2	4	
Depends on the risk		103		5	20	40	38	
Refused		6		1	2	2	1	
Male	Total	1,284	127	263	305	336	253	
	Very important	1,103	119	236	260	281	207	
	Somewhat important	122	7	22	30	39	24	
	Not at all important	7			1	1	5	
	Don't know/Not sure	7	1	2	1		3	
	Depends on the risk	40		2	11	13	14	
	Refused	5		1	2	2		
Female	Total	1,760	152	352	403	469	384	
	Very important	1,589	148	334	367	415	325	
	Somewhat important	92	3	12	23	25	29	
	Not at all important	8		2	2		4	
	Don't know/Not sure	7	1	1	2	2	1	
	Depends on the risk	63		3	9	27	24	
	Refused	1					1	

Denominator is:

All survey respondents younger than 65 years of age.