

Antibiotics are drugs like penicillin that are used to fight or prevent bacterial infection. In the past 4 weeks, have you taken any antibiotics?

(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Yes	9.1	8.6	7.8	7.8	8.1	11.4	11.6	
No	90.9	91.4	92.2	92.2	91.9	88.6	88.4	
Male	Yes	6.8	4.9	4.8	3.7	7.3	9.3	11.9
	No	93.2	95.1	95.2	96.3	92.7	90.7	88.1
Female	Yes	11.3	12.2	10.8	11.9	8.8	13.5	11.3
	No	88.7	87.8	89.2	88.1	91.2	86.5	88.7

Denominator is:
All survey respondents.

Antibiotics are drugs like penicillin that are used to fight or prevent bacterial infection. In the past 4 weeks, have you taken any antibiotics?

(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	2,928	167	442	509	610	557	643	
Yes	288	18	39	44	49	67	71	
No	2,619	149	403	462	557	486	562	
Don't know/Not sure	16			2	2	4	8	
Refused	5			1	2		2	
Male	Total	1,141	59	180	196	235	227	244
	Yes	84	3	8	9	16	21	27
	No	1,050	56	172	186	218	204	214
	Don't know/Not sure	6			1	1	2	2
	Refused	1						1
Female	Total	1,787	108	262	313	375	330	399
	Yes	204	15	31	35	33	46	44
	No	1,569	93	231	276	339	282	348
	Don't know/Not sure	10			1	1	2	6
	Refused	4			1	2		1

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: I will be sick for a longer time if I don't receive an antibiotic for cough, cold, or flu symptoms.

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Strongly agree		10.3	11.0	8.9	9.7	9.0	10.7	13.5
Somewhat agree		16.3	29.7	14.4	13.9	14.8	12.5	15.7
Neither agree or disagree		8.2	6.5	9.5	7.5	6.2	10.4	10.0
Somewhat disagree		25.9	30.5	27.2	25.6	23.3	23.3	26.8
Strongly disagree		39.3	22.3	39.9	43.4	46.7	43.0	34.0
Male	Strongly agree	10.8	10.0	12.2	13.3	9.3	9.5	9.6
	Somewhat agree	17.2	31.1	14.4	15.7	14.6	14.4	16.7
	Neither agree or disagree	8.6	7.7	10.5	5.9	7.2	9.5	11.8
	Somewhat disagree	27.9	30.2	30.9	27.0	25.7	29.2	25.0
	Strongly disagree	35.6	21.0	32.0	38.1	43.3	37.3	36.9
Female	Strongly agree	9.8	12.1	5.5	6.2	8.7	11.8	16.3
	Somewhat agree	15.4	28.3	14.5	12.1	15.0	10.8	15.0
	Neither agree or disagree	7.9	5.2	8.5	9.1	5.2	11.2	8.7
	Somewhat disagree	24.0	30.8	23.5	24.2	21.0	17.9	28.1
	Strongly disagree	42.8	23.6	47.9	48.4	50.1	48.4	32.0

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: I will be sick for a longer time if I don't receive an antibiotic for cough, cold, or flu symptoms.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,928	167	442	509	610	557	643
Strongly agree		271	20	28	37	53	56	77
Somewhat agree		420	48	68	66	85	66	87
Neither agree or disagree		237	11	41	37	39	53	56
Somewhat disagree		695	47	116	129	132	124	147
Strongly disagree		1,178	40	181	226	289	243	199
Don't know/Not sure		101	1	8	12	8	12	60
Refused		26			2	4	3	17
Male	Total	1,141	59	180	196	235	227	244
	Strongly agree	100	6	14	20	21	19	20
	Somewhat agree	175	18	28	28	33	32	36
	Neither agree or disagree	99	5	19	10	20	20	25
	Somewhat disagree	295	16	54	55	58	64	48
	Strongly disagree	414	14	57	75	98	85	85
	Don't know/Not sure	48		8	6	4	6	24
	Refused	10			2	1	1	6
Female	Total	1,787	108	262	313	375	330	399
	Strongly agree	171	14	14	17	32	37	57
	Somewhat agree	245	30	40	38	52	34	51
	Neither agree or disagree	138	6	22	27	19	33	31
	Somewhat disagree	400	31	62	74	74	60	99
	Strongly disagree	764	26	124	151	191	158	114
	Don't know/Not sure	53	1		6	4	6	36
	Refused	16				3	2	11

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: By the time I am sick enough to talk to or visit a doctor because of a cold, I usually expect a prescription for antibiotics.

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Strongly agree		18.0	30.5	17.7	18.2	15.2	15.4	14.1
Somewhat agree		17.8	23.6	18.7	20.1	17.8	14.7	11.8
Neither agree or disagree		6.8	3.7	7.0	5.3	6.2	8.1	10.4
Somewhat disagree		21.9	21.9	27.0	17.8	20.0	22.4	23.1
Strongly disagree		35.6	20.2	29.7	38.6	40.8	39.4	40.6
Male	Strongly agree	19.9	35.6	20.7	20.8	15.4	14.3	14.8
	Somewhat agree	17.8	19.0	21.0	18.6	18.5	16.9	10.5
	Neither agree or disagree	6.3	2.9	7.2	4.6	5.9	8.9	8.5
	Somewhat disagree	23.6	24.3	29.6	17.6	23.2	23.0	24.2
	Strongly disagree	32.5	18.2	21.5	38.5	36.9	36.9	42.0
Female	Strongly agree	16.2	25.3	14.5	15.7	15.1	16.4	13.6
	Somewhat agree	17.7	28.3	16.3	21.6	17.0	12.8	12.7
	Neither agree or disagree	7.3	4.6	6.7	6.1	6.5	7.3	11.7
	Somewhat disagree	20.3	19.6	24.2	18.0	16.9	21.8	22.3
	Strongly disagree	38.5	22.3	38.3	38.7	44.6	41.7	39.7

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: By the time I am sick enough to talk to or visit a doctor because of a cold, I usually expect a prescription for antibiotics.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,928	167	442	509	610	557	643
Strongly agree		443	42	75	81	91	75	79
Somewhat agree		474	43	86	92	99	78	76
Neither agree or disagree		195	7	29	26	36	41	56
Somewhat disagree		591	37	108	94	115	115	122
Strongly disagree		1,083	33	140	204	252	221	233
Don't know/Not sure		122	4	3	11	15	23	66
Refused		20	1	1	1	2	4	11
Male	Total	1,141	59	180	196	235	227	244
	Strongly agree	179	17	36	38	33	24	31
	Somewhat agree	187	12	39	32	41	37	26
	Neither agree or disagree	74	3	13	8	14	19	17
	Somewhat disagree	249	14	49	35	51	52	48
	Strongly disagree	384	12	40	79	86	79	88
	Don't know/Not sure	57	1	2	3	9	14	28
	Refused	11		1	1	1	2	6
Female	Total	1,787	108	262	313	375	330	399
	Strongly agree	264	25	39	43	58	51	48
	Somewhat agree	287	31	47	60	58	41	50
	Neither agree or disagree	121	4	16	18	22	22	39
	Somewhat disagree	342	23	59	59	64	63	74
	Strongly disagree	699	21	100	125	166	142	145
	Don't know/Not sure	65	3	1	8	6	9	38
	Refused	9	1			1	2	5

Denominator is:
All survey respondents.

How often are antibiotics needed for a sore throat?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		2.5	5.7	3.1	2.1	1.6	1.5	1.6
Almost always		4.4	5.3	3.7	4.5	4.7	3.9	4.7
Sometimes		45.8	44.6	45.0	46.9	45.2	48.4	45.1
Almost never		32.1	32.5	34.4	34.0	34.1	30.3	26.0
Never		15.2	11.9	13.8	12.6	14.5	15.9	22.6
Male	Always	2.7	3.9	4.3	3.0	2.3	1.2	1.2
	Almost always	4.2	4.1	3.7	4.5	4.3	4.8	3.7
	Sometimes	42.4	43.3	43.8	43.5	42.0	44.8	36.1
	Almost never	32.9	34.4	33.5	32.4	34.6	31.4	30.3
	Never	17.8	14.2	14.8	16.5	16.8	17.7	28.7
Female	Always	2.2	7.4	1.9	1.2	.9	1.9	2.0
	Almost always	4.6	6.4	3.7	4.4	5.0	3.1	5.4
	Sometimes	49.0	45.7	46.2	50.2	48.3	51.6	51.6
	Almost never	31.4	30.7	35.4	35.6	33.5	29.2	22.8
	Never	12.7	9.8	12.8	8.7	12.3	14.2	18.2

Denominator is:
All survey respondents.

How often are antibiotics needed for a sore throat?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,927	167	442	508	610	557	643
Always		53	8	9	9	8	8	11
Almost always		120	12	16	19	28	18	27
Sometimes		1,291	73	194	235	262	260	267
Almost never		910	50	153	171	203	176	157
Never		451	22	63	64	94	77	131
Don't know/Not sure		85	2	6	8	12	16	41
Refused		17		1	2	3	2	9
Male	Total	1,140	59	180	195	235	227	244
	Always	23	2	5	5	5	4	2
	Almost always	42	4	6	8	8	8	8
	Sometimes	450	23	76	79	94	98	80
	Almost never	364	20	63	65	76	71	69
	Never	209	9	25	33	44	35	63
	Don't know/Not sure	41	1	5	3	7	9	16
	Refused	11			2	1	2	6
Female	Total	1,787	108	262	313	375	330	399
	Always	30	6	4	4	3	4	9
	Almost always	78	8	10	11	20	10	19
	Sometimes	841	50	118	156	168	162	187
	Almost never	546	30	90	106	127	105	88
	Never	242	13	38	31	50	42	68
	Don't know/Not sure	44	1	1	5	5	7	25
	Refused	6		1		2		3

Denominator is:
All survey respondents.

How often are antibiotics needed for a cold?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		1.6	.8	1.9	1.7	2.7	1.2	.8
Almost always		2.6	6.6	2.7	3.4	1.3	.3	2.6
Sometimes		22.2	33.6	25.6	22.1	16.8	18.7	20.0
Almost never		24.5	26.3	28.3	21.5	24.1	24.7	22.7
Never		49.0	32.7	41.6	51.3	55.1	55.1	53.9
Male	Always	2.4	1.4	3.3	3.1	4.3	.2	.2
	Almost always	3.3	8.0	4.0	4.3	1.2	.5	2.5
	Sometimes	25.0	34.7	31.3	25.9	17.6	21.4	21.2
	Almost never	25.4	27.4	28.9	23.8	24.0	24.3	24.1
	Never	44.0	28.5	32.6	42.8	52.9	53.6	52.0
Female	Always	1.0	.3	.6	.4	1.1	2.2	1.3
	Almost always	2.0	5.1	1.3	2.4	1.3	.2	2.6
	Sometimes	19.6	32.6	19.9	18.3	16.0	16.1	19.1
	Almost never	23.7	25.2	27.7	19.3	24.2	25.0	21.7
	Never	53.7	36.9	50.6	59.7	57.4	56.6	55.3

Denominator is:
All survey respondents.

How often are antibiotics needed for a cold?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,926	167	442	508	610	557	642
Always		38	3	4	7	11	7	6
Almost always		59	11	11	12	7	2	16
Sometimes		547	53	94	94	95	95	116
Almost never		694	39	128	106	148	136	137
Never		1,517	60	196	281	337	313	330
Don't know/Not sure		58	1	9	7	9	4	28
Refused		13			1	3		9
Male	Total	1,139	59	180	195	235	227	243
	Always	20	2	3	5	8	1	1
	Almost always	27	5	7	6	2	1	6
	Sometimes	239	18	44	47	41	43	46
	Almost never	282	12	54	47	56	57	56
	Never	532	22	63	87	124	122	114
	Don't know/Not sure	33		9	2	3	3	16
	Refused	6			1	1		4
Female	Total	1,787	108	262	313	375	330	399
	Always	18	1	1	2	3	6	5
	Almost always	32	6	4	6	5	1	10
	Sometimes	308	35	50	47	54	52	70
	Almost never	412	27	74	59	92	79	81
	Never	985	38	133	194	213	191	216
	Don't know/Not sure	25	1		5	6	1	12
	Refused	7				2		5

Denominator is:
All survey respondents.

How often are antibiotics needed for a cough without fever?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Always		1.4	2.2	1.8	1.5	1.1	.9	1.2
Almost always		2.3	3.3	2.4	3.8	.8	1.0	2.4
Sometimes		23.3	23.2	27.7	23.8	21.3	21.4	21.9
Almost never		26.4	28.9	30.4	25.1	26.1	26.1	21.9
Never		46.6	42.4	37.7	45.9	50.7	50.6	52.6
Male	Always	1.7	2.8	2.6	1.8	1.5	.5	.7
	Almost always	3.0	4.0	3.3	4.8	1.3	2.2	2.4
	Sometimes	25.1	24.6	31.2	27.1	22.5	20.1	22.6
	Almost never	27.8	28.1	29.5	27.7	28.6	29.4	22.2
	Never	42.5	40.5	33.4	38.6	46.2	47.8	52.0
Female	Always	1.2	1.6	.9	1.3	.7	1.4	1.5
	Almost always	1.6	2.5	1.5	2.7	.4		2.3
	Sometimes	21.6	21.7	24.1	20.5	20.0	22.5	21.5
	Almost never	25.1	29.8	31.3	22.5	23.7	23.1	21.7
	Never	50.5	44.4	42.2	53.0	55.1	53.0	53.1

Denominator is:
All survey respondents.

How often are antibiotics needed for a cough without fever?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,926	167	442	508	610	557	642
Always		34	4	7	6	6	4	7
Almost always		47	6	8	12	4	5	12
Sometimes		605	40	110	107	117	114	117
Almost never		725	50	133	125	155	139	123
Never		1,365	65	177	239	305	269	310
Don't know/Not sure		132	2	7	17	20	26	60
Refused		18			2	3		13
Male	Total	1,139	59	180	195	235	227	243
	Always	14	2	4	3	3	1	1
	Almost always	24	2	4	6	2	5	5
	Sometimes	237	13	48	44	46	41	45
	Almost never	304	18	54	54	67	64	47
	Never	486	23	67	80	107	99	110
	Don't know/Not sure	66	1	3	7	9	17	29
	Refused	8			1	1		6
Female	Total	1,787	108	262	313	375	330	399
	Always	20	2	3	3	3	3	6
	Almost always	23	4	4	6	2		7
	Sometimes	368	27	62	63	71	73	72
	Almost never	421	32	79	71	88	75	76
	Never	879	42	110	159	198	170	200
	Don't know/Not sure	66	1	4	10	11	9	31
	Refused	10			1	2		7

Denominator is:
All survey respondents.

How often are antibiotics needed for a runny nose with yellow or green mucous?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		10.2	15.5	6.5	12.0	11.8	9.7	6.7
Almost always		13.6	15.3	11.8	15.0	15.7	14.9	9.2
Sometimes		44.2	39.7	48.3	47.0	44.7	46.1	36.9
Almost never		14.1	11.6	18.1	12.4	13.3	12.4	16.0
Never		17.9	18.0	15.4	13.7	14.5	16.8	31.3
Male	Always	9.7	17.4	7.4	9.8	12.0	7.1	5.1
	Almost always	12.4	13.3	10.2	15.6	14.0	15.2	4.9
	Sometimes	41.9	40.0	45.7	45.8	42.0	40.8	33.4
	Almost never	14.6	9.4	20.2	13.0	11.8	14.4	17.7
Female	Never	21.4	19.9	16.5	15.8	20.1	22.5	39.0
	Always	10.7	13.5	5.5	14.2	11.6	12.2	7.8
	Almost always	14.8	17.2	13.4	14.3	17.3	14.6	12.4
	Sometimes	46.3	39.4	51.1	48.1	47.3	51.0	39.4
	Almost never	13.7	13.7	15.8	11.8	14.7	10.6	14.8
	Never	14.6	16.2	14.2	11.6	9.2	11.6	25.6

Denominator is:
All survey respondents.

How often are antibiotics needed for a runny nose with yellow or green mucous?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,926	167	442	508	610	557	642
Always		241	19	26	55	61	45	35
Almost always		362	24	51	70	92	74	51
Sometimes		1,214	67	211	235	259	241	201
Almost never		395	17	77	60	81	69	91
Never		498	31	66	63	76	88	174
Don't know/Not sure		199	9	11	24	37	40	78
Refused		17			1	4		12
Male	Total	1,139	59	180	195	235	227	243
	Always	78	7	13	15	22	12	9
	Almost always	115	7	16	24	30	29	9
	Sometimes	429	23	79	86	89	83	69
	Almost never	164	5	35	27	28	32	37
	Never	251	14	31	30	43	51	82
	Don't know/Not sure	93	3	6	12	21	20	31
	Refused	9			1	2		6
Female	Total	1,787	108	262	313	375	330	399
	Always	163	12	13	40	39	33	26
	Almost always	247	17	35	46	62	45	42
	Sometimes	785	44	132	149	170	158	132
	Almost never	231	12	42	33	53	37	54
	Never	247	17	35	33	33	37	92
	Don't know/Not sure	106	6	5	12	16	20	47
	Refused	8				2		6

Denominator is:
All survey respondents.

Are you aware of any dangers to yourself or other people associated with taking antibiotics?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Yes		45.5	38.3	45.0	50.2	53.9	49.6	32.2
No		52.9	61.3	53.5	49.1	44.5	49.2	63.5
Don't know/Not sure		1.2	.3	1.4	.7	1.2	.9	2.0
Refused		.5				.4	.3	2.3
Male	Yes	40.9	33.3	36.7	47.9	48.7	46.1	27.5
	No	57.5	66.7	61.5	52.1	50.3	52.3	66.8
	Don't know/Not sure	1.2		1.8		1.0	1.3	2.9
	Refused	.4					.2	2.7
Female	Yes	49.8	43.4	53.8	52.4	59.0	52.8	35.7
	No	48.5	55.9	45.2	46.2	38.8	46.3	61.0
	Don't know/Not sure	1.1	.7	1.0	1.5	1.4	.5	1.4
	Refused	.6				.8	.3	1.9

Denominator is:
All survey respondents.

Are you aware of any dangers to yourself or other people associated with taking antibiotics?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,926	167	442	508	610	557	642
Yes		1,365	67	209	268	326	286	209
No		1,509	99	227	235	273	266	409
Don't know/Not sure		35	1	6	5	8	3	12
Refused		17				3	2	12
Male	Total	1,139	59	180	195	235	227	243
	Yes	473	22	70	97	111	108	65
	No	645	37	107	98	122	116	165
	Don't know/Not sure	14		3		2	2	7
	Refused	7					1	6
Female	Total	1,787	108	262	313	375	330	399
	Yes	892	45	139	171	215	178	144
	No	864	62	120	137	151	150	244
	Don't know/Not sure	21	1	3	5	6	1	5
	Refused	10				3	1	6

Denominator is:
All survey respondents.

What kind of health dangers do you see to yourself and other people associated with taking antibiotics?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Male	Not aware of any dangers	54.3	61.7	55.0	49.8	45.9	50.3	67.0
	Emerging drug resistance	26.8	18.3	27.1	30.3	34.7	32.5	14.2
	Allergies or reactions to antibiotics	17.3	14.1	15.4	16.8	21.7	19.1	15.3
	Antibiotics likely to kill friendly bacteria	5.2	3.6	7.0	6.8	6.4	4.2	1.8
	Unhealthy practice to take drugs or chemicals in general	2.0	3.5	2.3	1.1	1.8	1.2	2.6
	Other reason	1.9		2.8	1.7	2.4	1.9	2.0
	Aware of danger, but gave no reason(s)	1.7	3.1	2.2	3.0	.3	.7	1.5
	Not aware of any dangers	58.9	66.7	63.3	52.1	51.3	53.8	71.7
	Emerging drug resistance	24.6	15.7	20.4	28.7	32.7	30.9	14.6
	Allergies or reactions to antibiotics	14.4	11.4	12.9	14.9	18.2	16.7	10.5
	Antibiotics likely to kill friendly bacteria	4.1	3.4	4.0	5.8	5.8	2.7	1.1
	Unhealthy practice to take drugs or chemicals in general	1.7	2.8	1.6	.5	2.8	.7	1.9
	Other reason	1.6		4.2	1.1	1.1	1.1	1.6
	Aware of danger, but gave no reason(s)	1.8	1.5	2.2	4.5		.7	1.1
Female	Not aware of any dangers	49.9	56.6	46.2	47.6	40.5	47.0	63.6
	Emerging drug resistance	28.9	21.0	34.2	31.9	36.7	34.1	13.8
	Allergies or reactions to antibiotics	20.1	16.9	18.0	18.8	25.3	21.4	18.9
	Antibiotics likely to kill friendly bacteria	6.2	3.8	10.2	7.8	7.1	5.5	2.3
	Unhealthy practice to take drugs or chemicals in general	2.3	4.2	3.1	1.7	.9	1.7	3.2
	Other reason	2.2		1.3	2.3	3.6	2.7	2.3
	Aware of danger, but gave no reason(s)	1.7	4.6	2.1	1.5	.7	.7	1.8

Denominator is:

All survey respondents who said they were aware of any dangers to themselves and other people associated with taking antibiotics.

What kind of health dangers do you see to yourself and other people associated with taking antibiotics?

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,926	167	442	508	610	557	642
	Not aware of any dangers	1,544	100	233	240	281	269	421
	Emerging drug resistance	828	33	133	165	212	192	93
	Allergies or reactions to antibiotics	518	24	73	93	129	108	91
	Antibiotics likely to kill friendly bacteria	161	5	35	37	40	26	18
	Unhealthy practice to take drugs or chemicals in general	62	8	11	8	9	8	18
	Other reason	61		9	10	16	14	12
	Aware of danger, but gave no reason(s)	41	7	8	10	3	3	10
	Refused	18			1	3	2	12
Male								
	Not aware of any dangers	659	37	110	98	124	118	172
	Emerging drug resistance	294	10	45	58	74	73	34
	Allergies or reactions to antibiotics	157	7	23	30	38	37	22
	Antibiotics likely to kill friendly bacteria	52	2	8	14	16	7	5
	Unhealthy practice to take drugs or chemicals in general	21	3	3	2	6	2	5
	Other reason	18		6	3	3	3	3
	Aware of danger, but gave no reason(s)	16	2	3	7		1	3
	Refused	8			1		1	6
Female								
	Not aware of any dangers	885	63	123	142	157	151	249
	Emerging drug resistance	534	23	88	107	138	119	59
	Allergies or reactions to antibiotics	361	17	50	63	91	71	69
	Antibiotics likely to kill friendly bacteria	109	3	27	23	24	19	13
	Unhealthy practice to take drugs or chemicals in general	41	5	8	6	3	6	13
	Other reason	43		3	7	13	11	9
	Aware of danger, but gave no reason(s)	25	5	5	3	3	2	7
	Refused	10				3	1	6

Denominator is:

All survey respondents who said they were aware of any dangers to themselves and other people associated with taking antibiotics.