

Antibiotics are drugs like penicillin that are used to fight or prevent bacterial infection. In the past 4 weeks, have you taken any antibiotic medicine?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	9.4	10.0	10.4	9.0	7.0	6.6	13.4
No	90.6	90.0	89.6	91.0	93.0	93.4	86.6
Male							
Yes	8.2	10.2	8.1	7.1	7.2	5.2	12.5
No	91.8	89.8	91.9	92.9	92.8	94.8	87.5
Female							
Yes	10.5	9.8	12.8	10.8	6.8	7.9	14.1
No	89.5	90.2	87.2	89.2	93.2	92.1	85.9

Denominator is:
All survey respondents.

Antibiotics are drugs like penicillin that are used to fight or prevent bacterial infection. In the past 4 weeks, have you taken any antibiotic medicine?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,990	146	409	476	614	602	743
Yes	294	18	44	47	45	42	98
No	2,675	126	364	427	567	555	636
Don't know/Not sure	11			1	1	2	7
Refused	10	2	1	1	1	3	2
Male							
Total	1,183	60	176	177	256	268	246
Yes	95	7	14	13	18	15	28
No	1,077	52	162	163	236	251	213
Don't know/Not sure	8			1	1	1	5
Refused	3	1			1	1	
Female							
Total	1,807	86	233	299	358	334	497
Yes	199	11	30	34	27	27	70
No	1,598	74	202	264	331	304	423
Don't know/Not sure	3					1	2
Refused	7	1	1	1		2	2

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: I will be sick for a longer time if I don't receive an antibiotic for cough, cold, or flu symptoms.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Strongly agree	16.1	14.7	21.2	13.3	12.2	14.5	21.1
Somewhat agree	12.7	14.8	11.5	9.2	11.4	13.9	16.9
Neither agree or disagree	1.9	1.4	2.3	1.7	1.7	1.4	2.9
Somewhat disagree	25.9	37.6	23.6	27.0	23.4	23.3	23.6
Strongly disagree	43.4	31.5	41.3	48.9	51.3	46.9	35.5
Male							
Strongly agree	18.9	15.3	26.5	16.1	16.1	16.2	21.9
Somewhat agree	14.5	16.5	12.1	10.1	14.9	17.3	19.3
Neither agree or disagree	1.7	1.2	1.0	1.7	1.8	1.2	3.3
Somewhat disagree	25.9	38.9	23.2	27.7	23.9	22.8	20.9
Strongly disagree	39.0	28.1	37.2	44.4	43.3	42.4	34.5
Female							
Strongly agree	13.5	14.0	15.6	10.4	8.3	12.9	20.4
Somewhat agree	10.8	13.0	10.9	8.2	8.1	10.8	15.1
Neither agree or disagree	2.2	1.7	3.7	1.6	1.7	1.5	2.6
Somewhat disagree	25.9	36.2	24.0	26.1	22.9	23.6	25.7
Strongly disagree	47.6	35.1	45.7	53.6	59.0	51.1	36.2

Denominator is:

All survey respondents.

How much do you agree/disagree with the following statement?: I will be sick for a longer time if I don't receive an antibiotic for cough, cold, or flu symptoms.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,990	146	409	476	614	602	743
Strongly agree		425	19	69	56	68	78	135
Somewhat agree		350	22	43	44	59	74	108
Neither agree or disagree		57	2	11	7	12	9	16
Somewhat disagree		712	52	100	120	148	135	157
Strongly disagree		1,291	45	179	235	308	279	245
Don't know/Not sure		133	3	6	9	17	24	74
Refused		22	3	1	5	2	3	8
Male	Total	1,183	60	176	177	256	268	246
	Strongly agree	190	9	36	23	37	38	47
	Somewhat agree	169	10	20	20	35	42	42
	Neither agree or disagree	23	1	3	3	5	4	7
	Somewhat disagree	282	21	45	49	65	57	45
	Strongly disagree	458	15	69	78	103	113	80
	Don't know/Not sure	52	2	3	1	10	14	22
	Refused	9	2		3	1		3
Female	Total	1,807	86	233	299	358	334	497
	Strongly agree	235	10	33	33	31	40	88
	Somewhat agree	181	12	23	24	24	32	66
	Neither agree or disagree	34	1	8	4	7	5	9
	Somewhat disagree	430	31	55	71	83	78	112
	Strongly disagree	833	30	110	157	205	166	165
	Don't know/Not sure	81	1	3	8	7	10	52
	Refused	13	1	1	2	1	3	5

Denominator is:
All survey respondents.

How much do you agree/disagree with the following statement?: By the time I am sick enough to talk to or visit a doctor because of a cold, I usually expect a prescription for antibiotics.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Strongly agree	23.6	26.0	27.2	23.8	22.2	18.5	23.5
Somewhat agree	17.9	32.0	18.0	12.9	17.6	14.5	16.3
Neither agree or disagree	1.9	.6	2.2	2.4	1.4	2.2	2.5
Somewhat disagree	22.1	21.2	23.0	24.3	18.7	24.8	20.7
Strongly disagree	34.5	20.2	29.5	36.6	40.1	40.0	36.9
Male							
Strongly agree	26.0	28.2	29.6	28.4	24.6	19.5	24.1
Somewhat agree	19.3	32.6	20.9	13.8	18.3	14.9	18.3
Neither agree or disagree	1.9		2.8	2.2	.4	2.5	3.4
Somewhat disagree	21.3	17.6	21.9	23.0	19.9	26.1	18.7
Strongly disagree	31.5	21.6	24.8	32.6	36.8	37.0	35.4
Female							
Strongly agree	21.3	23.8	24.6	19.1	20.0	17.6	23.1
Somewhat agree	16.6	31.3	15.0	12.0	16.8	14.1	14.9
Neither agree or disagree	1.9	1.3	1.6	2.5	2.3	1.9	1.8
Somewhat disagree	22.8	24.9	24.1	25.7	17.6	23.5	22.2
Strongly disagree	37.3	18.7	34.6	40.7	43.2	42.8	38.1

Denominator is:

All survey respondents.

How much do you agree/disagree with the following statement?: By the time I am sick enough to talk to or visit a doctor because of a cold, I usually expect a prescription for antibiotics.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,990	146	409	476	614	602	743
Strongly agree		623	34	102	101	132	99	155
Somewhat agree		479	47	72	63	103	84	110
Neither agree or disagree		58	1	8	11	9	14	15
Somewhat disagree		632	30	92	111	116	141	142
Strongly disagree		1,061	29	125	184	241	232	250
Don't know/Not sure		118	3	9	3	13	27	63
Refused		19	2	1	3		5	8
Male	Total	1,183	60	176	177	256	268	246
	Strongly agree	271	16	48	45	62	46	54
	Somewhat agree	203	20	37	24	44	39	39
	Neither agree or disagree	24		4	4	1	8	7
	Somewhat disagree	251	9	39	40	50	69	44
	Strongly disagree	374	12	43	63	88	93	75
	Don't know/Not sure	57	2	5		11	13	26
	Refused	3	1		1			1
Female	Total	1,807	86	233	299	358	334	497
	Strongly agree	352	18	54	56	70	53	101
	Somewhat agree	276	27	35	39	59	45	71
	Neither agree or disagree	34	1	4	7	8	6	8
	Somewhat disagree	381	21	53	71	66	72	98
	Strongly disagree	687	17	82	121	153	139	175
	Don't know/Not sure	61	1	4	3	2	14	37
	Refused	16	1	1	2		5	7

Denominator is:
All survey respondents.

How often do you think antibiotics are needed for a sore throat that lasts less than a week?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		3.4	5.5	3.5	3.0	1.7	2.0	5.1
Almost always		2.6	3.5	5.0	1.6	1.7	1.7	2.3
Sometimes		31.1	33.6	30.2	31.1	27.9	29.6	35.1
Almost never		31.3	30.5	33.1	30.2	34.7	32.5	25.9
Never		31.7	26.9	28.2	34.1	34.1	34.2	31.6
Male	Always	4.1	8.3	4.8	3.7	1.7	3.1	4.4
	Almost always	2.5	4.1	4.4	1.0	1.3	1.6	2.8
	Sometimes	32.0	33.3	31.5	33.9	29.4	29.9	34.8
	Almost never	30.8	28.1	34.3	28.5	32.9	33.5	26.1
	Never	30.5	26.3	25.0	32.9	34.7	31.9	32.0
Female	Always	2.6	2.5	2.0	2.4	1.6	1.0	5.7
	Almost always	2.8	2.9	5.6	2.2	2.1	1.9	2.0
	Sometimes	30.1	33.9	28.7	28.1	26.5	29.3	35.4
	Almost never	31.7	33.1	31.9	31.9	36.3	31.5	25.8
	Never	32.8	27.6	31.8	35.4	33.5	36.3	31.2

Denominator is:
All survey respondents.

How often do you think antibiotics are needed for a sore throat that lasts less than a week?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,990	146	409	476	614	602	743
Always		83	5	11	11	10	8	38
Almost always		64	4	16	7	8	11	18
Sometimes		883	49	116	130	168	175	245
Almost never		916	46	141	148	209	190	182
Never		973	40	121	172	209	210	221
Don't know/Not sure		54	3	3	5	9	6	31
Refused		17	2	1	3	1	2	8
Male		1,183	60	176	177	256	268	246
Total		1,183	60	176	177	256	268	246
Always		36	3	7	6	5	5	10
Almost always		23	2	6	2	3	3	7
Sometimes		354	22	51	52	71	79	79
Almost never		365	17	63	53	82	90	60
Never		374	15	48	61	89	86	75
Don't know/Not sure		27	1	1	2	5	5	14
Refused		4	1	1	1	1	1	1
Female		1,807	86	233	299	358	334	497
Total		1,807	86	233	299	358	334	497
Always		47	2	4	5	5	3	28
Almost always		41	2	10	5	5	8	11
Sometimes		529	27	65	78	97	96	166
Almost never		551	29	78	95	127	100	122
Never		599	25	73	111	120	124	146
Don't know/Not sure		27	2	2	3	4	1	17
Refused		13	1	1	2	2	2	7

Denominator is:
All survey respondents.

How often to you think antibiotics are needed for a cold that lasts less than a week?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		1.8	1.7	3.4	1.4	.8	1.2	2.6
Almost always		1.9	2.6	3.3	2.9		1.6	1.0
Sometimes		13.3	22.6	15.8	11.0	10.0	8.9	13.6
Almost never		21.1	24.4	23.1	19.3	21.6	20.3	18.7
Never		61.9	48.6	54.4	65.4	67.6	68.1	64.1
Male	Always	2.2	2.2	4.6	1.1	.5	1.2	3.6
	Almost always	2.6	4.7	3.1	4.5		2.6	1.2
	Sometimes	16.9	26.7	22.5	13.1	13.0	10.6	17.0
	Almost never	21.1	22.3	21.5	20.4	21.7	21.3	19.2
	Never	57.2	44.2	48.2	60.9	64.9	64.3	59.0
Female	Always	1.5	1.2	2.0	1.7	1.1	1.2	1.8
	Almost always	1.1	.4	3.4	1.3		.6	.9
	Sometimes	9.8	18.2	8.6	8.9	7.2	7.3	11.1
	Almost never	21.2	26.7	24.9	18.1	21.5	19.3	18.3
	Never	66.4	53.5	61.0	69.9	70.2	71.7	67.9

Denominator is:
All survey respondents.

How often to you think antibiotics are needed for a cold that lasts less than a week?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,990	146	409	476	614	602	743
Always		45	3	11	5	5	5	16
Almost always		39	3	11	10		5	10
Sometimes		322	29	53	49	53	50	88
Almost never		603	35	99	78	131	124	136
Never		1,922	74	231	329	417	410	461
Don't know/Not sure		40		3	2	6	6	23
Refused		19	2	1	3	2	2	9
Male		1,183	60	176	177	256	268	246
Total		1,183	60	176	177	256	268	246
Always		24	2	8	2	2	2	8
Almost always		21	2	4	7		3	5
Sometimes		169	16	32	23	31	27	40
Almost never		245	13	39	33	57	60	43
Never		694	26	91	110	160	171	136
Don't know/Not sure		24		2	1	4	5	12
Refused		6	1		1	2		2
Female		1,807	86	233	299	358	334	497
Total		1,807	86	233	299	358	334	497
Always		21	1	3	3	3	3	8
Almost always		18	1	7	3		2	5
Sometimes		153	13	21	26	22	23	48
Almost never		358	22	60	45	74	64	93
Never		1,228	48	140	219	257	239	325
Don't know/Not sure		16		1	1	2	1	11
Refused		13	1	1	2		2	7

Denominator is:

All survey respondents.

How often do you think antibiotics are needed for a cough without fever that lasts less than a week?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		1.7	1.5	3.3	1.4	.6	.3	2.8
Almost always		1.3	1.5	3.2	1.1	.4	1.0	.7
Sometimes		10.4	20.9	10.2	9.8	8.2	6.9	9.1
Almost never		17.5	20.7	22.5	14.3	16.2	17.8	14.3
Never		69.1	55.4	60.8	73.5	74.7	74.0	73.0
Male	Always	1.9	1.7	4.0	1.8		.6	3.6
	Almost always	1.8	2.2	4.0	1.7	.4	1.8	.4
	Sometimes	13.9	27.0	15.1	11.9	11.7	9.6	10.5
	Almost never	18.9	17.6	23.6	16.9	16.7	20.3	18.2
	Never	63.4	51.6	53.4	67.7	71.2	67.8	67.2
Female	Always	1.4	1.2	2.6	.9	1.1		2.2
	Almost always	.9	.8	2.4	.5	.4	.3	1.0
	Sometimes	7.0	14.5	4.9	7.5	4.9	4.2	8.0
	Almost never	16.1	24.0	21.3	11.6	15.7	15.4	11.5
	Never	74.6	59.5	68.8	79.4	77.9	80.1	77.3

Denominator is:
All survey respondents.

How often do you think antibiotics are needed for a cough without fever that lasts less than a week?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,989	146	409	476	614	601	743
Always		37	2	10	4	3	1	17
Almost always		27	2	10	4	2	3	6
Sometimes		232	26	32	36	42	38	58
Almost never		489	31	91	61	98	107	101
Never		2,146	83	260	367	461	445	530
Don't know/Not sure		40	1	5		6	6	22
Refused		18	1	1	4	2	1	9
Male		1,183	60	176	177	256	268	246
Total		1,183	60	176	177	256	268	246
Always		18	1	6	2		1	8
Almost always		13	1	5	2	1	2	2
Sometimes		130	16	20	18	27	25	24
Almost never		224	11	42	29	44	55	43
Never		770	30	100	124	179	182	155
Don't know/Not sure		21		3		3	3	12
Refused		7	1		2	2		2
Female		1,806	86	233	299	358	333	497
Total		1,806	86	233	299	358	333	497
Always		19	1	4	2	3		9
Almost always		14	1	5	2	1	1	4
Sometimes		102	10	12	18	15	13	34
Almost never		265	20	49	32	54	52	58
Never		1,376	53	160	243	282	263	375
Don't know/Not sure		19	1	2		3	3	10
Refused		11		1	2		1	7

Denominator is:
All survey respondents.

How often do you think antibiotics are needed for a runny nose with yellow or green mucous that lasts less than a week?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Always		5.8	5.5	6.2	5.2	4.6	4.8	8.6
Almost always		4.8	6.1	5.5	5.8	3.8	4.1	4.0
Sometimes		28.0	32.0	25.2	28.4	30.2	26.7	25.8
Almost never		18.6	17.9	24.5	19.5	17.4	17.2	14.1
Never		42.8	38.5	38.5	41.1	44.0	47.2	47.5
Male	Always	6.2	7.5	8.8	5.1	4.9	4.9	6.1
	Almost always	3.9	5.2	4.1	3.6	3.8	3.9	3.0
	Sometimes	26.5	31.8	24.8	31.0	26.1	25.5	19.2
	Almost never	19.0	14.5	26.6	20.6	16.2	16.6	16.5
	Never	44.4	41.0	35.7	39.8	49.0	49.1	55.1
Female	Always	5.4	3.4	3.5	5.2	4.3	4.8	10.4
	Almost always	5.8	7.1	7.0	8.1	3.7	4.3	4.8
	Sometimes	29.4	32.3	25.7	25.8	34.1	27.8	30.6
	Almost never	18.2	21.4	22.4	18.4	18.5	17.7	12.3
	Never	41.2	35.9	41.5	42.5	39.4	45.4	41.9

Denominator is:
All survey respondents.

How often do you think antibiotics are needed for a runny nose with yellow or green mucous that lasts less than a week?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,989	146	409	476	614	601	743
Always		171	10	21	23	27	29	61
Almost always		135	7	21	28	24	23	32
Sometimes		778	44	101	122	181	155	175
Almost never		509	26	95	87	102	101	98
Never		1,289	53	162	209	268	274	323
Don't know/Not sure		86	4	8	3	10	17	44
Refused		21	2	1	4	2	2	10
Male	Total	1,183	60	176	177	256	268	246
	Always	69	5	14	8	14	12	16
	Almost always	41	3	6	7	9	9	7
	Sometimes	272	18	39	49	59	62	45
	Almost never	209	9	44	34	42	44	36
	Never	536	21	69	75	123	128	120
	Don't know/Not sure	49	3	4	2	7	13	20
	Refused	7	1		2	2		2
Female	Total	1,806	86	233	299	358	333	497
	Always	102	5	7	15	13	17	45
	Almost always	94	4	15	21	15	14	25
	Sometimes	506	26	62	73	122	93	130
	Almost never	300	17	51	53	60	57	62
	Never	753	32	93	134	145	146	203
	Don't know/Not sure	37	1	4	1	3	4	24
	Refused	14	1	1	2		2	8

Denominator is:

All survey respondents.

Are you aware of any dangers to yourself or other people associated with taking antibiotics?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		49.1	41.4	46.5	55.5	55.8	56.3	36.7
No		48.8	55.0	49.9	43.6	43.2	42.7	60.5
Don't know/Not sure		1.4	1.6	3.2	.4	.4	.7	2.0
Refused		.7	2.0	.3	.5	.6	.4	.8
Male	Yes	44.2	40.8	39.4	51.7	49.5	51.8	29.4
	No	54.0	58.4	56.3	47.2	48.5	48.0	69.3
	Don't know/Not sure	1.2		4.2	.6	.9		1.1
	Refused	.5	.8		.6	1.2	.2	.3
Female	Yes	53.8	42.2	54.2	59.3	61.9	60.6	42.2
	No	43.8	51.3	43.0	40.0	38.1	37.5	53.9
	Don't know/Not sure	1.5	3.3	2.2	.3		1.4	2.7
	Refused	.9	3.3	.6	.4		.5	1.2

Denominator is:

All survey respondents.

Are you aware of any dangers to yourself or other people associated with taking antibiotics?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,989	146	409	476	614	601	743
Yes		1,531	66	202	270	353	343	297
No		1,404	75	195	201	256	252	425
Don't know/Not sure		37	2	11	2	3	4	15
Refused		17	3	1	3	2	2	6
Male	Total	1,183	60	176	177	256	268	246
	Yes	531	26	73	93	129	137	73
	No	633	33	97	82	122	130	169
	Don't know/Not sure	13		6	1	3		3
	Refused	6	1		1	2	1	1
Female	Total	1,806	86	233	299	358	333	497
	Yes	1,000	40	129	177	224	206	224
	No	771	42	98	119	134	122	256
	Don't know/Not sure	24	2	5	1		4	12
	Refused	11	2	1	2		1	5

Denominator is:

All survey respondents.

What kind of health dangers do you see to yourself and other people associated with taking antibiotics?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Male	Not aware of any dangers	50.6	57.7	53.3	44.3	43.9	43.5	63.0
	Emerging drug resistance	31.3	20.0	30.4	33.6	40.8	36.1	22.7
	Allergies or reactions to antibiotics	19.3	13.5	16.8	22.8	22.5	23.5	14.8
	Antibiotics likely to kill friendly bacteria	5.9	3.3	5.8	7.6	6.9	6.9	3.9
	Unhealthy practice to take drugs or chemicals in general	2.3	3.9	2.0	1.2	2.4	3.1	2.0
	Other reason	2.1	2.5	2.1	4.3	.9	1.8	1.2
	Aware of danger, but gave no reason(s)	2.1	4.1	2.3	2.1	1.6	.7	2.0
	Not aware of any dangers	55.6	58.9	60.6	48.0	49.9	48.1	70.6
	Emerging drug resistance	28.4	19.4	25.4	32.9	35.9	34.8	18.5
	Allergies or reactions to antibiotics	14.7	9.9	12.2	18.0	17.5	18.2	10.6
	Antibiotics likely to kill friendly bacteria	5.7	3.3	6.5	7.4	5.3	7.4	3.1
	Unhealthy practice to take drugs or chemicals in general	2.3	7.4	1.4	.6	2.2	2.5	1.1
	Other reason	2.5	3.9	2.1	5.3	1.0	1.1	1.2
	Aware of danger, but gave no reason(s)	1.5	2.2	1.6	1.7	1.8	.4	1.4
Female	Not aware of any dangers	45.7	56.4	45.5	40.4	38.1	39.1	57.3
	Emerging drug resistance	34.0	20.7	35.9	34.3	45.5	37.4	25.9
	Allergies or reactions to antibiotics	23.7	17.4	21.8	27.7	27.3	28.7	18.1
	Antibiotics likely to kill friendly bacteria	6.1	3.4	5.1	7.8	8.3	6.5	4.5
	Unhealthy practice to take drugs or chemicals in general	2.3		2.6	1.9	2.5	3.6	2.7
	Other reason	1.8	1.1	2.2	3.3	.9	2.4	1.2
	Aware of danger, but gave no reason(s)	2.6	6.2	3.0	2.5	1.5	1.0	2.4

Denominator is:

All survey respondents who said they were aware of any dangers to themselves and other people associated with taking antibiotics.

What kind of health dangers do you see to yourself and other people associated with taking antibiotics?

Unweighted Frequencies

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,989	146	409	476	614	601	743
	Not aware of any dangers	1,441	77	206	203	259	256	440
	Emerging drug resistance	996	33	130	164	260	223	186
	Allergies or reactions to antibiotics	613	23	75	110	145	142	118
	Antibiotics likely to kill friendly bacteria	184	6	25	36	41	45	31
	Unhealthy practice to take drugs or chemicals in general	61	3	8	7	13	15	15
	Other reason	56	4	7	20	5	10	10
	Aware of danger, but gave no reason(s)	55	7	9	11	9	4	15
	Refused	18	3	2	3	2	2	6
Male								
	Not aware of any dangers	646	33	103	83	125	130	172
	Emerging drug resistance	354	12	47	60	94	93	48
	Allergies or reactions to antibiotics	180	7	22	33	46	48	24
	Antibiotics likely to kill friendly bacteria	66	3	12	12	12	20	7
	Unhealthy practice to take drugs or chemicals in general	19	3	2	1	6	5	2
	Other reason	21	2	3	8	2	3	3
	Aware of danger, but gave no reason(s)	18	2	3	3	4	1	5
	Refused	6	1		1	2	1	1
Female								
	Not aware of any dangers	795	44	103	120	134	126	268
	Emerging drug resistance	642	21	83	104	166	130	138
	Allergies or reactions to antibiotics	433	16	53	77	99	94	94
	Antibiotics likely to kill friendly bacteria	118	3	13	24	29	25	24
	Unhealthy practice to take drugs or chemicals in general	42		6	6	7	10	13
	Other reason	35	2	4	12	3	7	7
	Aware of danger, but gave no reason(s)	37	5	6	8	5	3	10
	Refused	12	2	2	2		1	5

Denominator is:

All survey respondents who said they were aware of any dangers to themselves and other people associated with taking antibiotics.