

# Oregon 2007 BRFSS

## Overweight and obesity prevalence among adults (Body Mass Index).

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Underweight (less than 18.5)	1.3	2.9	1.0	1.0	1.2	.9	1.5
Normal weight (18.5 to less than 25)	36.7	54.3	38.9	34.5	31.0	30.3	36.3
Overweight (25 to less than 30)	35.8	24.0	34.5	36.4	38.3	38.2	39.7
Obese (30.0 or more)	26.2	18.8	25.5	28.1	29.5	30.7	22.4
Male							
Underweight (less than 18.5)	.7	2.1	.4	.2	.5	.4	.8
Normal weight (18.5 to less than 25)	31.1	55.8	35.8	24.8	21.1	24.7	31.3
Overweight (25 to less than 30)	42.0	24.8	38.5	45.1	48.2	44.5	46.7
Obese (30.0 or more)	26.2	17.3	25.3	29.9	30.2	30.3	21.2
Female							
Underweight (less than 18.5)	2.0	3.7	1.8	1.9	1.9	1.3	2.1
Normal weight (18.5 to less than 25)	42.5	52.7	42.4	45.2	41.0	36.0	40.4
Overweight (25 to less than 30)	29.3	23.2	30.0	26.8	28.2	31.7	34.1
Obese (30.0 or more)	26.1	20.4	25.8	26.1	28.9	31.0	23.4

Denominator is:  
All survey respondents.

# Oregon 2007 BRFSS

## Overweight and obesity prevalence among adults (Body Mass Index).

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	10,025	299	970	1,428	1,995	2,304	3,029
Underweight (less than 18.5)	135	9	12	16	25	24	49
Normal weight (18.5 to less than 25)	3,483	151	369	515	665	698	1,085
Overweight (25 to less than 30)	3,457	70	305	463	680	808	1,131
Obese (30.0 or more)	2,554	54	237	367	545	678	673
Don't Know/Not Sure/Refused	396	15	47	67	80	96	91
Male							
Total	3,821	135	358	558	756	918	1,096
Underweight (less than 18.5)	24	3	2	1	5	4	9
Normal weight (18.5 to less than 25)	1,090	73	124	145	176	223	349
Overweight (25 to less than 30)	1,675	33	138	245	352	406	501
Obese (30.0 or more)	993	23	91	160	214	275	230
Don't Know/Not Sure/Refused	39	3	3	7	9	10	7
Female							
Total	6,204	164	612	870	1,239	1,386	1,933
Underweight (less than 18.5)	111	6	10	15	20	20	40
Normal weight (18.5 to less than 25)	2,393	78	245	370	489	475	736
Overweight (25 to less than 30)	1,782	37	167	218	328	402	630
Obese (30.0 or more)	1,561	31	146	207	331	403	443
Don't Know/Not Sure/Refused	357	12	44	60	71	86	84

Denominator is:  
All survey respondents.

## Oregon 2007 BRFSS

### Adults at risk for chronic disease based on Body Mass Index (BMI) being 25.0 or higher.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Not at risk (BMI < 25)	38.1	57.2	39.9	35.5	32.2	31.2	37.8
At risk (BMI >= 25)	61.9	42.8	60.1	64.5	67.8	68.8	62.2
Male							
Not at risk (BMI < 25)	31.7	57.9	36.2	25.0	21.6	25.2	32.1
At risk (BMI >= 25)	68.3	42.1	63.8	75.0	78.4	74.8	67.9
Female							
Not at risk (BMI < 25)	44.5	56.4	44.2	47.1	42.9	37.2	42.5
At risk (BMI >= 25)	55.5	43.6	55.8	52.9	57.1	62.8	57.5

Denominator is:  
All survey respondents.

### Adults at risk for chronic disease based on Body Mass Index (BMI) being 25.0 or higher.

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	10,025	299	970	1,428	1,995	2,304	3,029
Not at risk (BMI < 25)	3,618	160	381	531	690	722	1,134
At risk (BMI >= 25)	6,011	124	542	830	1,225	1,486	1,804
Don't Know/Not Sure/Refused	396	15	47	67	80	96	91
Male							
Total	3,821	135	358	558	756	918	1,096
Not at risk (BMI < 25)	1,114	76	126	146	181	227	358
At risk (BMI >= 25)	2,668	56	229	405	566	681	731
Don't Know/Not Sure/Refused	39	3	3	7	9	10	7
Female							
Total	6,204	164	612	870	1,239	1,386	1,933
Not at risk (BMI < 25)	2,504	84	255	385	509	495	776
At risk (BMI >= 25)	3,343	68	313	425	659	805	1,073
Don't Know/Not Sure/Refused	357	12	44	60	71	86	84

Denominator is:  
All survey respondents.