

Oregon 2008 BRFSS

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		64.8	47.8	69.8	77.3	59.8	53.0
No		18.7	13.1	16.6	14.9	28.3	36.3
No partner/Not sexually active		15.5	39.1	12.2	6.7	10.6	10.7
Same sex partner		1.0		1.5	1.2	1.3	
Male	Yes	61.2	42.1	63.6	76.9	59.8	53.0
	No	21.3	14.6	17.6	14.9	28.3	36.3
No partner/Not sexually active		16.3	43.3	16.6	6.4	10.6	10.7
Same sex partner		1.2		2.1	1.7	1.3	
Female	Yes	71.2	54.1	76.7	77.6		
	No	14.1	11.4	15.3	14.7		
	No partner/Not sexually active	14.2	34.5	7.3	7.1		
	Same sex partner	.5		.7	.5		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant.

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,685	130	343	625	346	241
Yes		1,081	63	237	467	196	118
No		338	17	55	89	90	87
No partner/Not sexually active		227	49	42	54	49	33
Same sex partner		16		4	7	5	
Don't know/Not sure		2		1	1		
Refused		21	1	4	7	6	3
Male	Total	1,049	65	134	263	346	241
	Yes	616	26	83	193	196	118
	No	248	9	22	40	90	87
	No partner/Not sexually active	153	29	23	19	49	33
	Same sex partner	13		3	5	5	
	Don't know/Not sure	2		1	1		
	Refused	17	1	2	5	6	3
Female	Total	636	65	209	362		
	Yes	465	37	154	274		
	No	90	8	33	49		
	No partner/Not sexually active	74	20	19	35		
	Same sex partner	3		1	2		
	Don't know/Not sure						
	Refused	4		2	2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant.

Oregon 2008 BRFSS

What are you/your spouse/partner doing now to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (female sterilization)	15.9	5.8	13.7	19.1	20.1	23.9
Hysterectomy (female sterilization)	3.8		.6	4.0	11.1	10.7
Vasectomy (male sterilization)	25.2		13.7	32.2	45.9	55.2
Pill, all kinds (Seasonale, etc.)	21.2	36.8	30.1	15.9	7.3	2.1
Condoms (male or female)	17.5	34.6	18.1	15.4	10.2	4.3
Contraceptive implants (Jadelle or Implants)	.5		.6	.6	.5	.9
Shots (Depo-Provera)	1.2	1.1	1.2	2.1		
Contraceptive ring (nuvaring or others)	1.2	4.7	1.4	.3		
Contraceptive Patch	1.2	4.2	1.4	.2	.7	
Diaphragm, cervical ring or cap	1.2	1.0	1.0	1.6	.9	
IUD (including Mirena)	6.5	6.3	11.8	4.6	2.1	.9
Emergency contraception (EC)						
Withdrawal	1.3	4.0	1.1	.5	1.2	
Not having sex at certain times (rhythm)	2.0		3.8	2.1		.9
Other method (foam, jelly, cream, etc.)	1.3	1.6	1.6	1.5		1.3
Male						
Tubes tied (female sterilization)	16.6	9.6	13.3	16.5	20.1	23.9
Hysterectomy (female sterilization)	6.1		1.2	6.7	11.1	10.7
Vasectomy (male sterilization)	31.3		18.4	33.1	45.9	55.2
Pill, all kinds (Seasonale, etc.)	17.1	29.3	29.1	15.9	7.3	2.1
Condoms (male or female)	16.6	43.7	16.4	16.6	10.2	4.3
Contraceptive implants (Jadelle or Implants)	.3			.2	.5	.9
Shots (Depo-Provera)	.6	2.4		1.2		
Contraceptive ring (nuvaring or others)	.7		2.9			
Contraceptive Patch	1.1	2.4	2.9		.7	
Diaphragm, cervical ring or cap	1.1		1.2	2.0	.9	
IUD (including Mirena)	3.8	3.6	6.9	3.7	2.1	.9
Emergency contraception (EC)						
Withdrawal	1.8	9.0	2.3		1.2	
Not having sex at certain times (rhythm)	1.6		3.7	2.0		.9
Other method (foam, jelly, cream, etc.)	1.2		1.7	2.1		1.3
Female						
Tubes tied (female sterilization)	15.0	2.8	14.0	21.9		
Hysterectomy (female sterilization)	.4			.9		
Vasectomy (male sterilization)	16.2		9.3	31.2		
Pill, all kinds (Seasonale, etc.)	27.3	42.7	30.9	16.0		
Condoms (male or female)	18.9	27.2	19.6	14.1		
Contraceptive implants (Jadelle or Implants)	.9		1.2	1.0		
Shots (Depo-Provera)	2.2		2.4	3.1		
Contraceptive ring (nuvaring or others)	1.9	8.5		.5		
Contraceptive Patch	1.3	5.6		.4		
Diaphragm, cervical ring or cap	1.2	1.9	.9	1.3		
IUD (including Mirena)	10.5	8.4	16.3	5.6		
Emergency contraception (EC)						
Withdrawal	.4			1.1		
Not having sex at certain times (rhythm)	2.5		3.9	2.3		
Other method (foam, jelly, cream, etc.)	1.4	2.8	1.5	.7		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

Oregon 2008 BRFSS

What are you/your spouse/partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,081	63	237	467	196	118
Tubes tied (female sterilization)		195	3	32	91	41	28
Hysterectomy (female sterilization)		47		1	14	21	11
Vasectomy (male sterilization)		319		29	144	85	61
Pill, all kinds (Seasonale, etc.)		185	25	68	75	15	2
Condoms (male or female)		162	20	44	70	21	7
Contraceptive implants (Jadelle or Implants)		8		2	4	1	1
Shots (Depo-Provera)		15	1	4	10		
Contraceptive ring (nuvaring or others)		6	2	2	2		
Contraceptive Patch		7	3	2	1	1	
Diaphragm, cervical ring or cap		13	1	3	7	2	
IUD (including Mirena)		64	5	29	24	5	1
Emergency contraception (EC)							
Withdrawal		6	1	2	1	2	
Not having sex at certain times (rhythm)		21		10	10		1
Other method (foam, jelly, cream, etc.)		12	1	4	5		2
Don't know/Not sure		6		1	3		2
Refused		15	1	4	6	2	2
Male	Total	616	26	83	193	196	118
	Tubes tied (female sterilization)	111	2	10	30	41	28
	Hysterectomy (female sterilization)	45		1	12	21	11
	Vasectomy (male sterilization)	222		15	61	85	61
	Pill, all kinds (Seasonale, etc.)	77	8	22	30	15	2
	Condoms (male or female)	88	11	14	35	21	7
	Contraceptive implants (Jadelle or Implants)	3			1	1	1
	Shots (Depo-Provera)	3	1		2		
	Contraceptive ring (nuvaring or others)	2		2			
	Contraceptive Patch	4	1	2		1	
	Diaphragm, cervical ring or cap	7		1	4	2	
	IUD (including Mirena)	20	1	6	7	5	1
	Emergency contraception (EC)						
	Withdrawal	5	1	2		2	
	Not having sex at certain times (rhythm)	8		3	4		1
	Other method (foam, jelly, cream, etc.)	7		2	3		2
	Don't know/Not sure	5		1	2		2
	Refused	9	1	2	2	2	2

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

Oregon 2008 BRFSS

What are you/your spouse/partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Female	Total	465	37	154	274		
	Tubes tied (female sterilization)	84	1	22	61		
	Hysterectomy (female sterilization)	2			2		
	Vasectomy (male sterilization)	97		14	83		
	Pill, all kinds (Seasonale, etc.)	108	17	46	45		
	Condoms (male or female)	74	9	30	35		
	Contraceptive implants (Jadelle or Implants)	5		2	3		
	Shots (Depo-Provera)	12		4	8		
	Contraceptive ring (nuvaring or others)	4	2		2		
	Contraceptive Patch	3	2		1		
	Diaphragm, cervical ring or cap	6	1	2	3		
	IUD (including Mirena)	44	4	23	17		
	Emergency contraception (EC)						
	Withdrawal	1			1		
	Not having sex at certain times (rhythm)	13		7	6		
	Other method (foam, jelly, cream, etc.)	5	1	2	2		
	Don't know/Not sure	1			1		
	Refused	6		2	4		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

Oregon 2008 BRFSS

When you have intercourse, how often do you/your spouse/partner use a method to prevent pregnancy?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Some of the time		6.1	9.1	4.3	5.2	10.1	12.5
Most of the time		11.6	11.4	11.3	12.7	8.1	20.8
Or every time		82.3	79.5	84.4	82.1	81.8	66.7
Male	Some of the time	8.0	16.2	3.4	7.2	10.1	12.5
	Most of the time	13.4	11.8	13.6	16.1	8.1	20.8
	Or every time	78.6	72.1	83.1	76.7	81.8	66.7
Female	Some of the time	4.2	4.1	5.1	2.8		
	Most of the time	9.8	11.2	9.4	8.9		
	Or every time	86.0	84.8	85.5	88.3		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

When you have intercourse, how often do you/your spouse/partner use a method to prevent pregnancy?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		509	59	172	213	48	17
Some of the time		28	4	9	9	4	2
Most of the time		62	7	20	27	5	3
Or every time		399	45	137	170	39	8
Don't know/Not sure		9	1	3	3		2
Refused		11	2	3	4		2
Male	Total	235	24	57	89	48	17
	Some of the time	15	2	2	5	4	2
	Most of the time	36	3	9	16	5	3
	Or every time	174	17	44	66	39	8
	Don't know/Not sure	4		1	1		2
	Refused	6	2	1	1		2
Female	Total	274	35	115	124		
	Some of the time	13	2	7	4		
	Most of the time	26	4	11	11		
	Or every time	225	28	93	104		
	Don't know/Not sure	5	1	2	2		
	Refused	5		2	3		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

Oregon 2008 BRFSS

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Didn't think was going to have sex/No regular partner		18.1	63.6	12.9	11.9	11.7	5.3
You want a pregnancy		18.3	15.9	42.8	22.0	1.1	
Your or your partner don't want to use birth control		2.2		2.5	5.2	1.6	
You or your partner don't like bc/fear side effects		1.1			.5	4.1	
You can't pay for birth control		.2		.7			
Lapse in use of a method		.2			1.0		
Don't think you or your partner can get pregnant		10.4		6.5	16.2	12.1	15.7
You or your partner had tubes tied (sterilization)		4.3		2.1	5.1	5.2	9.4
You or your partner had a vasectomy (sterilization)		6.0		1.4	8.0	12.6	5.6
You or your partner had a hysterectomy		7.9		2.5	6.6	11.5	21.0
You or your partner are too old		11.7			2.3	23.0	38.6
You or your partner are currently breast-feeding		.3			1.6		
You or your partner just had a baby/postpartum		2.9		8.8	2.6		
Other reason		3.8	14.1	1.4		5.5	1.3
Don't care if get pregnant		9.2	6.4	9.8	13.7	10.4	1.9
Partner is pregnant now		3.4		8.6	3.2	1.1	1.3
Male	Didn't think was going to have sex/No regular partner	15.8	76.8	4.5	8.8	11.7	5.3
	You want a pregnancy	12.6		40.9	26.5	1.1	
	Your or your partner don't want to use birth control	2.4		4.5	5.9	1.6	
	You or your partner don't like bc/fear side effects	1.4				4.1	
	You can't pay for birth control						
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	9.9		2.3	14.7	12.1	15.7
	You or your partner had tubes tied (sterilization)	3.6				5.2	9.4
	You or your partner had a vasectomy (sterilization)	5.9			2.9	12.6	5.6
	You or your partner had a hysterectomy	10.5		4.5	10.3	11.5	21.0
	You or your partner are too old	15.6			1.5	23.0	38.6
	You or your partner are currently breast-feeding	.5			2.9		
	You or your partner just had a baby/postpartum	3.1		13.6	2.9		
	Other reason	4.7	23.2			5.5	1.3
	Don't care if get pregnant	9.4		13.6	17.7	10.4	1.9
	Partner is pregnant now	4.7		15.9	5.9	1.1	1.3

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Female	Didn't think was going to have sex/No regular partner	24.2	43.2	22.9	15.6		
	You want a pregnancy	34.0	40.5	45.0	16.8		
	Your or your partner don't want to use birth control	1.6			4.5		
	You or your partner don't like bc/fear side effects	.4			1.1		
	You can't pay for birth control	.7		1.5			
	Lapse in use of a method	.8			2.2		
	Don't think you or your partner can get pregnant	11.6		11.4	17.9		
	You or your partner had tubes tied (sterilization)	6.1		4.6	11.2		
	You or your partner had a vasectomy (sterilization)	6.4		3.1	14.0		
	You or your partner had a hysterectomy	.8			2.2		
	You or your partner are too old	1.2			3.4		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	2.2		3.1	2.2		
	Other reason	1.4		3.1			
	Don't care if get pregnant	8.7	16.2	5.3	8.9		
Partner is pregnant now							

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		336	17	55	88	89	87
Didn't think was going to have sex/No regular partner		56	8	9	16	17	6
You want a pregnancy		40	4	20	15	1	
Your or your partner don't want to use birth control		6		1	4	1	
You or your partner don't like bc/fear side effects		3			1	2	
You can't pay for birth control		1		1			
Lapse in use of a method		1			1		
Don't think you or your partner can get pregnant		40		5	12	11	12
You or your partner had tubes tied (sterilization)		19		1	4	6	8
You or your partner had a vasectomy (sterilization)		21		1	5	10	5
You or your partner had a hysterectomy		30		1	3	9	17
You or your partner are too old		52			2	17	33
You or your partner are currently breast-feeding		1			1		
You or your partner just had a baby/postpartum		5		3	2		
Other reason		8	2	1		4	1
Don't care if get pregnant		18	1	5	8	3	1
Partner is pregnant now		7		3	2	1	1
Don't know/Not sure		15	1	1	7	6	
Refused		13	1	3	5	1	3

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

Oregon 2008 BRFSS

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Male	Total	246	9	22	39	89	87
	Didn't think was going to have sex/No regular partner	36	6	1	6	17	6
	You want a pregnancy	16		7	8	1	
	Your or your partner don't want to use birth control	4		1	2	1	
	You or your partner don't like bc/fear side effects	2				2	
	You can't pay for birth control						
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	29		1	5	11	12
	You or your partner had tubes tied (sterilization)	14				6	8
	You or your partner had a vasectomy (sterilization)	16			1	10	5
	You or your partner had a hysterectomy	29		1	2	9	17
	You or your partner are too old	51			1	17	33
	You or your partner are currently breast-feeding	1			1		
	You or your partner just had a baby/postpartum	3		2	1		
	Other reason	7	2			4	1
	Don't care if get pregnant	12		3	5	3	1
	Partner is pregnant now	7		3	2	1	1
	Don't know/Not sure	10	1	1	2	6	
	Refused	9		2	3	1	3
Female	Total	90	8	33	49		
	Didn't think was going to have sex/No regular partner	20	2	8	10		
	You want a pregnancy	24	4	13	7		
	Your or your partner don't want to use birth control	2			2		
	You or your partner don't like bc/fear side effects	1			1		
	You can't pay for birth control	1		1			
	Lapse in use of a method	1			1		
	Don't think you or your partner can get pregnant	11		4	7		
	You or your partner had tubes tied (sterilization)	5		1	4		
	You or your partner had a vasectomy (sterilization)	5		1	4		
	You or your partner had a hysterectomy	1			1		
	You or your partner are too old	1			1		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	2		1	1		
	Other reason	1		1			
	Don't care if get pregnant	6	1	2	3		
	Partner is pregnant now						
	Don't know/Not sure	5			5		
	Refused	4	1	1	2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

Oregon 2008 BRFSS

How do you feel about having a child now or sometime in the future?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
You don't want to have one		38.7	21.0	28.5	49.6	66.4	84.7
You do want to have one		36.5	53.6	44.3	23.3	16.8	9.2
Or you're not sure if you do or don't		24.8	25.4	27.1	27.1	16.9	6.1
Male	You don't want to have one	41.9	26.3	26.8	41.3	66.4	84.7
	You do want to have one	37.2	53.0	52.7	29.7	16.8	9.2
	Or you're not sure if you do or don't	20.9	20.7	20.4	29.0	16.9	6.1
Female	You don't want to have one	34.5	16.3	30.0	59.0		
	You do want to have one	35.7	54.1	37.0	16.1		
	Or you're not sure if you do or don't	29.8	29.7	33.0	24.9		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and are not sterile.

How do you feel about having a child now or sometime in the future?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		777	76	223	290	113	75
You don't want to have one		353	15	63	142	75	58
You do want to have one		211	42	91	59	13	6
Or you're not sure if you do or don't		183	18	64	79	18	4
Don't know/Not sure		25	1	4	10	7	3
Refused		5		1			4
Male	Total	419	33	75	123	113	75
	You don't want to have one	209	7	22	47	75	58
	You do want to have one	107	18	35	35	13	6
	Or you're not sure if you do or don't	81	7	15	37	18	4
	Don't know/Not sure	17	1	2	4	7	3
	Refused	5		1			4
Female	Total	358	43	148	167		
	You don't want to have one	144	8	41	95		
	You do want to have one	104	24	56	24		
	Or you're not sure if you do or don't	102	11	49	42		
	Don't know/Not sure	8		2	6		
	Refused						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and are not sterile.

Oregon 2008 BRFSS

How soon would you want to have a child?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Less than 12 months from now		26.4	12.4	23.5	54.1	62.9	66.7
Between 12 months to less than two years from now		34.3	31.9	41.2	29.2	3.2	
Between two years to less than 5 years from now, or 5 or more years from now		28.1	29.8	31.8	13.2	33.9	
Male							
	Less than 12 months from now	25.7		21.8	54.5	62.9	66.7
	Between 12 months to less than two years from now	31.4	35.7	35.8	28.4	3.2	
	Between two years to less than 5 years from now, or 5 or more years from now	30.1	27.8	38.8	14.2	33.9	
Female							
	Less than 12 months from now	27.4	23.3	25.5	53.0		
	Between 12 months to less than two years from now	38.2	28.6	48.1	31.3		
	Between two years to less than 5 years from now, or 5 or more years from now	25.3	31.6	22.9	10.8		33.3

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and said they wanted to have a child.

How soon would you want to have a child?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		212	42	92	59	13	6
Less than 12 months from now		67	7	21	28	7	4
Between 12 months to less than two years from now		67	12	39	15	1	
Between two years to less than 5 years from now, or 5 or more years from now		46	12	26	7	1	
Don't know/Not sure		9		1	5	3	
Refused		4		1	2	1	
Male							
	Total	107	18	35	35	13	6
	Less than 12 months from now	35		7	17	7	4
	Between 12 months to less than two years from now	29	6	13	9	1	
	Between two years to less than 5 years from now, or 5 or more years from now	25	6	13	5	1	
	Don't know/Not sure	11	6	2	1		2
	Refused	4			1	3	
	Refused	3			2	1	
Female							
	Total	105	24	57	24		
	Less than 12 months from now	32	7	14	11		
	Between 12 months to less than two years from now	38	6	26	6		
	Between two years to less than 5 years from now, or 5 or more years from now	21	6	13	2		
	Don't know/Not sure	8	5	2	1		
	Refused	5		1	4		
	Refused	1		1			

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and said they wanted to have a child.

Oregon 2008 BRFSS

From your understanding, would you say emergency birth control pills can be used . . . ?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
To prevent pregnancy after unprotected sex		61.9	64.9	65.6	62.3	43.7	47.5
To end a pregnancy several weeks after it has begun		1.4	1.4	1.5	1.2	.6	5.0
Both of the above		17.1	17.8	16.4	14.6	21.1	27.7
Neither of the above		19.5	16.0	16.5	21.9	34.6	19.8
Male	To prevent pregnancy after unprotected sex	59.1	74.6	61.8	55.8	43.7	47.5
	To end a pregnancy several weeks after it has begun	.6			1.0	.6	5.0
	Both of the above	19.8	20.5	18.1	18.4	21.1	27.7
	Neither of the above	20.5	4.9	20.1	24.7	34.6	19.8
Female	To prevent pregnancy after unprotected sex	65.5	55.9	69.1	69.4		
	To end a pregnancy several weeks after it has begun	2.4	2.6	2.8	1.4		
	Both of the above	13.8	15.3	14.9	10.3		
	Neither of the above	18.4	26.2	13.3	18.8		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		777	76	223	290	113	75
To prevent pregnancy after unprotected sex		397	46	135	152	38	26
To end a pregnancy several weeks after it has begun		11	1	4	3	1	2
Both of the above		106	12	31	34	15	14
Neither of the above		128	10	31	47	29	11
Don't know/Not sure		127	7	20	53	28	19
Refused		8		2	1	2	3
Male	Total	419	33	75	123	113	75
	To prevent pregnancy after unprotected sex	183	22	42	55	38	26
	To end a pregnancy several weeks after it has begun	4			1	1	2
	Both of the above	66	6	12	19	15	14
	Neither of the above	77	2	12	23	29	11
	Don't know/Not sure	83	3	8	25	28	19
	Refused	6		1		2	3
Female	Total	358	43	148	167		
	To prevent pregnancy after unprotected sex	214	24	93	97		
	To end a pregnancy several weeks after it has begun	7	1	4	2		
	Both of the above	40	6	19	15		
	Neither of the above	51	8	19	24		
	Don't know/Not sure	44	4	12	28		
	Refused	2		1	1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

Oregon 2008 BRFSS

In the last year, have you/your spouse/partner used emergency birth control pills?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		4.0	6.9	5.8	.5	1.7	
No		96.0	93.1	94.2	99.5	98.3	100.0
Male	Yes	2.9	4.4	5.2	.4	1.7	
	No	97.1	95.6	94.8	99.6	98.3	100.0
Female	Yes	5.4	9.2	6.3	.6		
	No	94.6	90.8	93.7	99.4		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant,not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

In the last year, have you/your spouse/partner used emergency birth control pills?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		776	75	223	290	113	75
Yes		25	7	13	3	2	
No		740	68	209	284	109	70
Don't know/Not sure		8			3	2	3
Refused		3		1			2
Male	Total	419	33	75	123	113	75
	Yes	9	2	4	1	2	
	No	402	31	71	121	109	70
	Don't know/Not sure	6			1	2	3
	Refused	2					2
Female	Total	357	42	148	167		
	Yes	16	5	9	2		
	No	338	37	138	163		
	Don't know/Not sure	2			2		
	Refused	1		1			

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant,not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.