

Are you or your partner doing anything currently now to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		59.4	57.4	63.6	65.8	51.5	42.1
No		20.4	13.2	19.6	18.4	28.7	34.8
No partner/Not sexually active		19.0	28.9	16.1	13.9	18.4	22.8
Same sex partner		1.1	.6	.7	1.9	1.4	.3
Male	Yes	53.3	53.1	54.2	59.8	51.5	42.1
	No	25.3	18.8	24.2	23.3	28.7	34.8
	No partner/Not sexually active	20.5	27.1	21.5	15.6	18.4	22.8
	Same sex partner	.9	1.0	.1	1.3	1.4	.3
Female	Yes	70.7	62.5	74.6	73.2		
	No	11.4	6.6	14.1	12.4		
	No partner/Not sexually active	16.4	31.0	9.8	11.8		
	Same sex partner	1.5		1.4	2.7		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Are you or your partner doing anything currently now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,465	131	317	475	305	237
Yes		842	64	207	325	161	85
No		335	20	58	86	76	95
No partner/Not sexually active		240	44	42	51	56	47
Same sex partner		13	1	2	4	5	1
Don't know/Not sure		8		3	1	3	1
Refused		27	2	5	8	4	8
Male	Total	968	68	146	212	305	237
	Yes	487	28	79	134	161	85
	No	271	15	34	51	76	95
	No partner/Not sexually active	176	24	27	22	56	47
	Same sex partner	10	1	1	2	5	1
	Don't know/Not sure	6		2		3	1
	Refused	18		3	3	4	8
Female	Total	497	63	171	263		
	Yes	355	36	128	191		
	No	64	5	24	35		
	No partner/Not sexually active	64	20	15	29		
	Same sex partner	3		1	2		
	Don't know/Not sure	2		1	1		
	Refused	9	2	2	5		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (or female sterilization)	15.8	2.0	10.9	23.7	22.8	31.1
Vasectomy (or male sterilization)	18.7		7.0	29.7	37.8	41.7
Birth control pills, any kind	23.1	49.4	22.5	13.6	14.6	1.4
Male condoms	15.8	18.3	23.9	11.4	8.7	4.8
Female condoms	.2		.7			
Contraceptive implant (for example, Implanon)	1.6	3.5	1.6	1.4		
Shots (for example, Depo-Provera)	1.8	2.4	4.3	.2	.2	
Contraceptive ring (for example, Nuvaring)	.8	2.6	.6	.3		
Contraceptive patch (for example, Ortho Evra)	.0		.2			
Diaphragm, cervical cap, or sponge	.1			.1	.3	
Foam, jelly, or cream	.3			.9	.3	
IUD (for example, Mirena)	13.5	8.9	23.8	11.4	6.3	6.8
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	2.1	1.9	1.1	3.9	.5	1.9
Other method	4.8	11.0	3.4	2.9	3.8	2.5
Hysterectomy	1.3			.7	4.7	9.9
Male						
Tubes tied (or female sterilization)	13.9		6.3	16.1	22.8	31.1
Vasectomy (or male sterilization)	24.8		9.8	36.9	37.8	41.7
Birth control pills, any kind	21.5	50.4	25.1	11.9	14.6	1.4
Male condoms	17.0	17.9	31.1	15.7	8.7	4.8
Female condoms	.4		1.6			
Contraceptive implant (for example, Implanon)	1.7	6.0		2.4		
Shots (for example, Depo-Provera)	1.4	1.2	5.2		.2	
Contraceptive ring (for example, Nuvaring)	.5		1.4	.5		
Contraceptive patch (for example, Ortho Evra)	.1		.3			
Diaphragm, cervical cap, or sponge	.1				.3	
Foam, jelly, or cream	.6			1.9	.3	
IUD (for example, Mirena)	10.7	12.1	17.1	9.4	6.3	6.8
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	1.8	3.7	.8	2.4	.5	1.9
Other method	3.5	8.6	1.2	2.2	3.8	2.5
Hysterectomy	2.1			.7	4.7	9.9
Female						
Tubes tied (or female sterilization)	18.3	3.9	14.7	31.2		
Vasectomy (or male sterilization)	10.3		4.6	22.6		
Birth control pills, any kind	25.3	48.4	20.3	15.3		
Male condoms	14.0	18.6	18.0	7.1		
Female condoms						

What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Contraceptive implant (for example, Implanon)	1.5	1.1	2.9	.4		
Shots (for example, Depo-Provera)	2.4	3.6	3.6	.4		
Contraceptive ring (for example, Nuvaring)	1.3	5.2				
Contraceptive patch (for example, Ortho Evra)						
Diaphragm, cervical cap, or sponge	.1			.2		
Foam, jelly, or cream						
IUD (for example, Mirena)	17.4	5.7	29.3	13.3		
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	2.6		1.5	5.3		
Other method	6.5	13.3	5.1	3.6		
Hysterectomy	.2			.6		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	841	64	207	325	161	84
Tubes tied (or female sterilization)	137	1	30	60	29	17
Vasectomy (or male sterilization)	230		21	96	69	44
Birth control pills, any kind	143	28	42	48	23	2
Male condoms	113	11	44	38	15	5
Female condoms	1		1			
Contraceptive implant (for example, Implanon)	9	2	4	3		
Shots (for example, Depo-Provera)	11	5	4	1	1	
Contraceptive ring (for example, Nuvaring)	5	1	2	2		
Contraceptive patch (for example, Ortho Evra)	1		1			
Diaphragm, cervical cap, or sponge	2			1	1	
Foam, jelly, or cream	2			1	1	
IUD (for example, Mirena)	91	9	38	36	6	2
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	20	1	5	10	1	3
Other method	35	4	8	17	4	2

What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Don't know/Not sure		6	1	2	1	1	1
Hysterectomy		15			3	7	5
Refused		20	1	5	8	3	3
Male	Total	486	28	79	134	161	84
	Tubes tied (or female sterilization)	69		6	17	29	17
	Vasectomy (or male sterilization)	170		9	48	69	44
	Birth control pills, any kind	70	11	17	17	23	2
	Male condoms	63	6	18	19	15	5
	Female condoms	1		1			
	Contraceptive implant (for example, Implanon)	3	1		2		
	Shots (for example, Depo-Provera)	5	1	3		1	
	Contraceptive ring (for example, Nuvaring)	4		2	2		
	Contraceptive patch (for example, Ortho Evra)	1		1			
	Diaphragm, cervical cap, or sponge	1				1	
	Foam, jelly, or cream	2			1	1	
	IUD (for example, Mirena)	40	4	14	14	6	2
	Emergency contraceptive (morning after pill)						
	Withdrawal (or pulling out)	10	1	3	2	1	3
	Other method	14	2	1	5	4	2
	Don't know/Not sure	6	1	2	1	1	1
	Hysterectomy	14			2	7	5
	Refused	13	1	2	4	3	3
Female	Total	355	36	128	191		
	Tubes tied (or female sterilization)	68	1	24	43		
	Vasectomy (or male sterilization)	60		12	48		
	Birth control pills, any kind	73	17	25	31		
	Male condoms	50	5	26	19		
	Female condoms						
	Contraceptive implant (for example, Implanon)	6	1	4	1		
	Shots (for example, Depo-Provera)	6	4	1	1		
	Contraceptive ring (for example, Nuvaring)	1	1				
	Contraceptive patch (for example, Ortho Evra)						
	Diaphragm, cervical cap, or sponge	1			1		
	Foam, jelly, or cream						
	IUD (for example, Mirena)	51	5	24	22		
	Emergency contraceptive (morning after pill)						
	Withdrawal (or pulling out)	10		2	8		
	Other method	21	2	7	12		
	Don't know/Not sure						
	Hysterectomy	1			1		
	Refused	7		3	4		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Didn't think going to have sex/No regular partner	4.3	5.8	8.8	1.4	3.9	
You want a pregnancy	13.7	10.6	25.2	15.3	8.2	
Don't want to use birth control						
Don't like birth control/fear side effects						
You can't pay for birth control	.2		.6			
Religious reasons						
Lapse in use of method						
Don't think you or your partner can get pregnant	24.3	17.8	20.0	17.2	34.4	37.5
You or your partner had tubes tied (sterilization)	4.7		8.0	4.1	1.4	10.0
You or your partner had a vasectomy	1.1			1.3	1.1	4.4
You or your partner had a hysterectomy	13.2		4.1	18.7	23.5	16.7
You or your partner are too old	1.7			.6	4.2	4.7
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	1.5		4.1	1.3	.5	
Other reason	30.4	56.8	23.0	31.8	23.0	26.7
Don't care if you get pregnant	1.5	2.1	.5	4.2		
Partner is pregnant now	3.5	6.9	5.7	4.1		
Male						
Didn't think going to have sex/No regular partner	4.0	7.6	9.1		3.9	
You want a pregnancy	11.4	11.2	21.5	13.6	8.2	
Don't want to use birth control						
Don't like birth control/fear side effects						
You can't pay for birth control						
Religious reasons						
Lapse in use of method						
Don't think you or your partner can get pregnant	26.3	13.6	22.7	19.5	34.4	37.5
You or your partner had tubes tied (sterilization)	3.6		1.5	5.9	1.4	10.0
You or your partner had a vasectomy	1.4			1.9	1.1	4.4
You or your partner had a hysterectomy	14.3			23.6	23.5	16.7
You or your partner are too old	1.9				4.2	4.7
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	1.9		6.2	1.9	.5	
Other reason	29.4	56.0	29.6	23.4	23.0	26.7
Don't care if you get pregnant	1.6	2.7	.8	4.6		
Partner is pregnant now	4.3	9.0	8.5	5.8		
Female						
Didn't think going to have sex/No regular partner	5.5		8.2	4.7		
You want a pregnancy	23.4	8.5	32.6	19.3		
Don't want to use birth control						

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Don't like birth control/fear side effects						
You can't pay for birth control	.8		1.8			
Religious reasons						
Lapse in use of method						
Don't think you or your partner can get pregnant	16.2	32.1	14.4	11.8		
You or your partner had tubes tied (sterilization)	9.3		21.1			
You or your partner had a vasectomy						
You or your partner had a hysterectomy	8.4		12.2	7.4		
You or your partner are too old	.8			1.9		
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum						
Other reason	34.3	59.4	9.6	51.5		
Don't care if you get pregnant	1.3			3.3		
Partner is pregnant now						

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	335	20	58	86	76	95
Didn't think going to have sex/No regular partner	15	2	6	3	4	
You want a pregnancy	43	2	18	21	2	
Don't want to use birth control						
Don't like birth control/fear side effects						
You can't pay for birth control	1		1			
Religious reasons						
Lapse in use of method						
Don't think you or your partner can get pregnant	87	2	10	15	25	35
You or your partner had tubes tied (sterilization)	13		2	2	3	6
You or your partner had a vasectomy	7			1	1	5
You or your partner had a hysterectomy	39		2	10	13	14
You or your partner are too old	12			1	6	5
You or your partner are currently breast-feeding						

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
You or your partner just had a baby/postpartum		4		1	2	1	
Other reason		98	10	14	23	21	30
Don't care if you get pregnant		5	1	1	3		
Partner is pregnant now		11	3	3	5		
Don't know/Not sure							
Refused							
Male	Total	271	15	34	51	76	95
	Didn't think going to have sex/No regular partner	10	2	4		4	
	You want a pregnancy	26	1	9	14	2	
	Don't want to use birth control						
	Don't like birth control/fear side effects						
	You can't pay for birth control						
	Religious reasons						
	Lapse in use of method						
	Don't think you or your partner can get pregnant	75	1	5	9	25	35
	You or your partner had tubes tied (sterilization)	12		1	2	3	6
	You or your partner had a vasectomy	7			1	1	5
	You or your partner had a hysterectomy	33			6	13	14
	You or your partner are too old	11				6	5
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	4		1	2	1	
	Other reason	78	7	10	10	21	30
	Don't care if you get pregnant	4	1	1	2		
	Partner is pregnant now	11	3	3	5		
	Don't know/Not sure						
	Refused						
Female	Total	64	5	24	35		
	Didn't think going to have sex/No regular partner	5		2	3		
	You want a pregnancy	17	1	9	7		
	Don't want to use birth control						
	Don't like birth control/fear side effects						
	You can't pay for birth control	1		1			
	Religious reasons						
	Lapse in use of method						
	Don't think you or your partner can get pregnant	12	1	5	6		
	You or your partner had tubes tied (sterilization)	1		1			
	You or your partner had a vasectomy						
	You or your partner had a hysterectomy	6		2	4		
	You or your partner are too old	1			1		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason	20	3	4	13		
	Don't care if you get pregnant	1			1		
	Partner is pregnant now						

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Don't know/Not sure						
Refused						

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Some of the time	6.7	9.7	7.2	4.1	.7	
Most of the time	8.5	2.3	10.5	14.4	4.4	9.7
Or every time	84.9	88.0	82.3	81.5	94.9	90.3
Male						
Some of the time	6.4	7.5	8.7	5.6	.7	
Most of the time	7.9	.4	9.5	16.1	4.4	9.7
Or every time	85.7	92.1	81.8	78.3	94.9	90.3
Female						
Some of the time	7.0	11.6	5.9	2.5		
Most of the time	9.2	3.9	11.3	12.6		
Or every time	83.9	84.4	82.9	84.8		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing something to prevent pregnancy.

When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	450	61	152	163	56	18
Some of the time	19	5	8	5	1	
Most of the time	52	4	20	20	5	3
Or every time	361	49	122	132	46	12
Don't know/Not sure	7	1	1	4		1
Refused	11	2	1	2	4	2
Male						
Total	230	27	64	65	56	18
Some of the time	7	2	3	1	1	
Most of the time	29	1	9	11	5	3
Or every time	183	21	51	53	46	12
Don't know/Not sure	3	1	1			1
Refused	8	2			4	2
Female						
Total	220	34	88	98		
Some of the time	12	3	5	4		
Most of the time	23	3	11	9		
Or every time	178	28	71	79		
Don't know/Not sure	4			4		
Refused	3		1	2		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing something to prevent pregnancy.

How do you feel about having a child now or sometime in the future? Would you say. . .

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
You don't want to have one		42.1	14.1	27.8	71.2	72.8	96.0
Want to have one, less than 12 months from now		7.7	1.7	10.3	10.9	10.3	2.5
Want to have one, between 12 months to less 2 years		12.6	7.5	24.3	7.3	6.7	
Want to have one, between 2 years to less than 5 years		20.2	27.4	29.7	7.5	8.3	
Want to have one, 5 or more years from now		17.4	49.2	7.9	3.2	1.9	1.5
Male	You don't want to have one	43.4	13.7	24.5	63.0	72.8	96.0
	Want to have one, less than 12 months from now	8.0	3.0	10.0	11.3	10.3	2.5
	Want to have one, between 12 months to less 2 years	11.3	8.4	19.6	11.2	6.7	
	Want to have one, between 2 years to less than 5 years	18.4	21.7	32.5	9.7	8.3	
	Want to have one, 5 or more years from now	18.9	53.2	13.4	4.7	1.9	1.5
Female	You don't want to have one	40.0	14.6	31.6	80.5		
	Want to have one, less than 12 months from now	7.2		10.7	10.3		
	Want to have one, between 12 months to less 2 years	14.6	6.5	29.5	2.8		
	Want to have one, between 2 years to less than 5 years	23.1	34.6	26.6	5.0		
	Want to have one, 5 or more years from now	15.1	44.3	1.7	1.4		

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

How do you feel about having a child now or sometime in the future? Would you say. . .

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		723	80	207	233	115	88
You don't want to have one		394	10	60	157	93	74
Want to have one, less than 12 months from now		61	1	21	33	3	3
Want to have one, between 12 months to less 2 years		75	5	48	18	4	
Want to have one, between 2 years to less than 5 years		83	21	49	9	4	
Want to have one, 5 or more years from now		65	41	15	5	2	2
Don't know/Not sure		34	1	11	11	5	6
Refused		11	1	3		4	3
Male	Total	440	40	94	103	115	88
	You don't want to have one	257	4	24	62	93	74
	Want to have one, less than 12 months from now	35	1	10	18	3	3
	Want to have one, between 12 months to less 2 years	36	2	17	13	4	
	Want to have one, between 2 years to less than 5 years	40	7	24	5	4	
	Want to have one, 5 or more years from now	43	25	12	2	2	2
	Don't know/Not sure	19		5	3	5	6
	Refused	10	1	2		4	3
Female	Total	283	40	113	130		
	You don't want to have one	137	6	36	95		
	Want to have one, less than 12 months from now	26		11	15		
	Want to have one, between 12 months to less 2 years	39	3	31	5		
	Want to have one, between 2 years to less than 5 years	43	14	25	4		
	Want to have one, 5 or more years from now	22	16	3	3		
	Don't know/Not sure	15	1	6	8		
	Refused	1		1			

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
To prevent pregnancy three days after unprotected sex		63.6	74.4	68.4	61.0	33.4	41.2
To end a pregnancy several weeks after it has begun		1.3	.1	1.1	.2	8.6	
Both of the above		8.5	.9	4.5	13.3	23.5	28.2
Neither of the above		26.6	24.6	26.1	25.5	34.5	30.6
Male	To prevent pregnancy three days after unprotected sex	57.4	72.7	68.5	49.4	33.4	41.2
	To end a pregnancy several weeks after it has begun	1.8		.8	.3	8.6	
	Both of the above	11.7	1.8	5.5	16.3	23.5	28.2
	Neither of the above	29.1	25.5	25.2	34.0	34.5	30.6
Female	To prevent pregnancy three days after unprotected sex	72.6	76.1	68.2	75.5		
	To end a pregnancy several weeks after it has begun	.7	.1	1.5			
	Both of the above	3.8		3.3	9.7		
	Neither of the above	22.9	23.7	27.0	14.8		

Denominator is:

All female respondents less than 45 without a hysterectomy or tubes tied and all male respondents less than 60 without a vasectomy, whose spouses or partners are not currently pregnant, and are not doing anything to prevent pregnancy, are sexually active with opposite sex partner.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		719	80	206	232	115	86
To prevent pregnancy three days after unprotected sex		373	49	123	124	45	32
To end a pregnancy several weeks after it has begun		7	1	2	1	3	
Both of the above		69	1	12	27	20	9
Neither of the above		164	19	48	48	22	27
Don't know/Not sure		95	9	20	29	23	14
Refused		11	1	1	3	2	4
Male	Total	437	40	94	102	115	86
	To prevent pregnancy three days after unprotected sex	196	23	49	47	45	32
	To end a pregnancy several weeks after it has begun	5		1	1	3	
	Both of the above	53	1	7	16	20	9
	Neither of the above	108	7	26	26	22	27
	Don't know/Not sure	66	8	10	11	23	14
	Refused	9	1	1	1	2	4
Female	Total	282	40	112	130		
	To prevent pregnancy three days after unprotected sex	177	26	74	77		
	To end a pregnancy several weeks after it has begun	2	1	1			

From your understanding, would you say emergency birth control pills can be used . . . ?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Both of the above	16		5	11		
Neither of the above	56	12	22	22		
Don't know/Not sure	29	1	10	18		
Refused	2			2		

Denominator is:

All female respondents less than 45 without a hysterectomy or tubes tied and all male respondents less than 60 without a vasectomy, whose spouses or partners are not currently pregnant, and are not doing anything to prevent pregnancy, are sexually active with opposite sex partner.

In the last year, have you, or your partner, used emergency birth control pills?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		5.9	15.9	4.2	.6	.6	
No		94.1	84.1	95.8	99.4	99.4	100.0
Male	Yes	4.6	11.1	6.0		.6	
	No	95.4	88.9	94.0	100.0	99.4	100.0
Female	Yes	8.0	21.8	2.3	1.2		
	No	92.0	78.2	97.7	98.8		

Denominator is:

All female respondents less than 45 without a hysterectomy or tubes tied and all male respondents less than 60 without a vasectomy, whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, and are sexually active with opposite sex partner.

In the last year, have you, or your partner, used emergency birth control pills?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		719	80	206	232	115	86
Yes		20	9	8	2	1	
No		683	69	196	230	107	81
Don't know/Not sure		10	1	1		4	4
Refused		6	1	1		3	1
Male	Total	437	40	94	102	115	86
	Yes	8	3	4		1	
	No	413	35	88	102	107	81
	Don't know/Not sure	10	1	1		4	4
	Refused	6	1	1		3	1
Female	Total	282	40	112	130		
	Yes	12	6	4	2		
	No	270	34	108	128		
	Don't know/Not sure						
	Refused						

Denominator is:

All female respondents less than 45 without a hysterectomy or tubes tied and all male respondents less than 60 without a vasectomy, whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, and are sexually active with opposite sex partner.