

## 2024 ICD-10-CM Casefinding List: Short Version (Required) EFFECTIVE DATES: 10/1/2023-9/30/2024

2024 COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors	
ICD-10 Code	Explanation of Code
C00 C43, C4A,C45 C48, C49C96	Malignant neoplasms (excluding category C44 and C49.A), stated or presumed to be primary (of specified site) and certain specified histologies
C44.00, C44.09	Unspecified/other malignant neoplasm of skin of lip
	Unspecified/other malignant neoplasm of skin of eyelid
C44.13-	Sebaceous cell carcinoma of skin of eyelid, including canthus Note: Effective 10/1/2018
C44.20-, C44.29-	Note: Effective 10/1/2018 Unspecified/other malignant neoplasm skin of ear and external auricular canal
	Unspecified/other malignant neoplasm of skin of other/unspecified parts of face
C44.40, C44.49	Unspecified/other malignant neoplasm of skin of scalp & neck
	Unspecified/other malignant neoplasm of skin of trunk
C44.60-, C44.69-	Unspecified/other malignant neoplasm of skin of upper limb, incl. shoulder
C44.70-, C44.79- C44.80, C44.89	Unspecified/other malignant neoplasm of skin of lower limb, including hip
C44.90, C44.99	Unspecified/other malignant neoplasm of skin of overlapping sites of skin Unspecified/other malignant neoplasm of skin of unspecified sites of skin
C44.90, C44.99 C49.A-	Gastrointestinal Stromal Tumors Note: All GIST tumors are now reportable
C49.A-	starting in 2021 (per ICD-O-3.2), including GIST, NOS
D00 D05, D07 D09	In-situ neoplasms Note 1: Excludes carcinoma in situ tumors of the cervix (D06) Note 2: Excludes prostatic intraepithelial neoplasia (PIN III)
	(8148/2) of the prostate. Other prostate in situ histologies are
	reportable
	Note 3: For D04 (carcinoma in situ of skin), excludes basal and squamous cell in situ lesions
D18.02	Hemangioma of intracranial structures and any site
D32	Benign neoplasm of meninges (cerebral, spinal and unspecified)
D33	Benign neoplasm of brain and other parts of central nervous system
D35.2 - D35.4	Benign neoplasm of pituitary gland, craniopharyngeal duct and pineal gland
D42, D43	Neoplasm of uncertain or unknown behavior of meninges, brain, CNS
D44.3 - D44.5	Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland
D45	Polycythemia vera (9950/3) ICD-10-CM Coding instruction note: Excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)
D46	(C75.0), secondary polycythemia (D75.1) Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9993)
D47.02	Systemic mastocytosis
D47.1	Chronic myeloproliterative disease (9963/3, 9975/3) ICD-10-CM Coding instruction note: Excludes the following: Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_) Chronic myeloid leukemia BCR/ABL-positive



	(C92.1_) Myelofibrosis & Secondary myelofibrosis (D75.81) Myelophthisic anemia & Myelophthisis (D61.82)		
2024 COMPRE	2024 COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors		
ICD-10 Code	Explanation of Code		
D47.3	Essential (hemorrhagic) thrombocythemia (9962/3) Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia		
D47.4	Osteomyelofibrosis (9961/3) Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia) Myelosclerosis (megakaryocytic) with myeloid metaplasia) Secondary myelofibrosis in myeloproliferative disease		
D47.9	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9970/1, 9931/3)		
47.Z-	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3) Note: Effective 1/1/2021, PTLD (9971/3) is no longer reportable (9971/1)		
D49.6, D49.7	Neoplasm of unspecified behavior of brain, endocrine glands and other CNS		
D72.11-	Hypereosonophilic syndrome [HES] (9964/3)		
K31.A22	Gastric intestinal metaplasia with high grade dysplasia		
R85.614	Cytologic evidence of malignancy on smear of anus		
R87.614	Cytologic evidence of malignancy on smear of cervix		
R87.624	Cytologic evidence of malignancy on smear of vagina		
R90.0	Intracranial space-occupying lesion found on diagnostic imaging of central nervous system		

Page | 2



2024 SUPPLEMENTAL LIST (PART I) ICD-10-CM	
ICD-10 Code	Explanation of Code
D06	Carcinoma in situ of the cervix
D13.7	Benign neoplasm of endocrine pancreas
	Note: Effective 1/1/2021: Review this code to look for the following which were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2  • Islet cell adenoma  • Nesidioblastoma
	Islet cell adenomatosis
	Insulinoma
	Beta cell adenoma
D21.4	Benign neoplasm of connective and other soft tissue of abdomen
	Note: Effective 1/1/2021: Review this code to look for the following which were
	previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2 Gastrointestinal stromal tumor, NOS/GIST, NOS/Gastrointestinal autonomic nerve tumor/GANT/Gastrointestinal pacemaker cell tumor (8936/1, now 8936/3)
D23.9	Other benign neoplasm of skin
	Other benign neoplasm of skin Benign carcinoid tumors of other sites Note: Effective 1/1/2021: Review these code to look for the following which were previously benign and borderline tumors, but are now malignant per ICD-O-3.2
	• Aggressive digital papillary adenoma (c44_) (8408/1, but now 8408/3)
D35.0-	Benign neoplasm of adrenal gland Note: Effective 1/1/2021: Review this code to look for the following which was previously a benign (8700/0) tumor of the adrenal gland, but is now malignant per ICD-O-3.2 (8700/3) • Pheochromocytoma
	Adrenal medullary paraganglioma     Chromoffin paraganglioma
	<ul> <li>Chromaffin paraganglioma</li> <li>Chromaffin tumor</li> </ul>
	• Chromaffinoma
D37.8	Neoplasm of uncertain behavior of other specified digestive organs (includes uncertain behavior of pancreas)  Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2
	<ul> <li>Pancreatic endocrine tumor, NOS (C259, 8150/1, now 8150/3)</li> <li>Islet cell tumor, NOS (C259, 8150/1, now 8150/3)</li> <li>Glucagonoma, NOS (C259, 8152/1, now 8152/3)</li> <li>Alpha cell tumor, NOS (C259, 8152/1, now 8152/3)</li> <li>Glucagon like pentid producing tumor (C259, 8152/1, now 8152/3)</li> </ul>
	<ul> <li>Glucagon-like peptid-producing tumor (C259, 8152/1, now 8152/3)</li> <li>Somastostatinoma, NOS (8156/1, now 8156/3)</li> <li>Somatostatin cell tumor, NOS (8156/1, now 8156/3)</li> <li>Endocrine tumor, functioning, NOS (8158/1, now 8158/3)</li> <li>ACTH-producing tumor (8158/1, now 8158/3)</li> </ul>
D3A	Benign carcinoid tumors  Note: Effective 1/1/2021: Review these codes to look for the following which were previously benign and borderline tumors, but are now malignant
	per ICD-O-3.2 • Carcinoid tumor, argentaffinoma, NOS (8240/1, now 8241/3) • Enterochromaffin-like cell carcinoid, NOS (8242/1, now 8241/3)



2024 STIDDI EMENITAT TIST (DADTI) ICD 10 CM		
2024 SUPPLEMENTAL LIST (PART I) ICD-10-CM		
ICD-10 Code	Explanation of Code	
D44.6	Neoplasm of uncertain behavior of lymphoid, hematopoietic and related	
	tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3)  Note: Effective 1/1/2021, PTLD (9971/3) is no longer reportable (9971/1)	
D44.7	Neoplasm of uncertain behavior of aortic body and other paraganglia	
	Note: Effective 1/1/2021: Review this code to look for the following	
	histologies which were previously borderline tumors, but are now malignant per ICD-O-3.2	
	• Paraganglioma, NOS (8680/1, now 8680/3)	
	• Sympathetic paraganglioma (8681/1, now 8681/3)	
	<ul> <li>Parasympathetic paraganglioma (8682/1, now 8682/3)</li> <li>Glomulus jugulare tumor, NOS/jugular paraganglioma/juglotympanic</li> </ul>	
	paraganglioma (8690/1, now 8690/3)	
	• Aortic body tumor/aortic body paraganglioma/aorticopulmonary	
	paraganglioma (8691/1, now 8691/3) • Extra-adrenal paraganglioma, NOS/nonchromaffin paraganglioma,	
	NOS/chemodectoma (8693/1, now 8693/3)	
D48.0	NOS/chemodectoma (8693/1, now 8693/3) Neoplasm of uncertain behavior of bone and articular cartilage	
	Note: Effective 1/1/2021: Review this code to look for the following histologies which were previously borderline tumors, but are now malignant	
	per ICD-0-3.2	
	• Clear cell odontogenic tumor (9341/1, now 9341/3)	
D48.1	Neoplasm of uncertain behavior of connective and other soft tissue of abdomen	
	Note: Effective 1/1/2021: Review this code to look for the following which	
	were previously a benign tumor of the pancreas, but is now malignant per ICD-O-3.2	
	Gastrointestinal stromal tumor, NOS/GIST, NOS/Gastrointestinal autonomic	
	nerve tumor/GANT/Gastrointestinal pacemaker cell tumor (8936/1, now 8936/3)	
D49.2	Neoplasm of unspecified behavior of digestive organs (includes unspecified	
	behavior of pancreas) Note: Review this code to look for the following which were previously	
	unknown behavior tumors of the pancreas, but are now malignant tumors per	
	ICD-O-3.2 (Histology 8150/3)	
	<ul> <li>Pancreatic endocrine tumor, NOS</li> <li>Islet cell tumor, NOS</li> </ul>	
D61.810	Antineoplastic chemotherapy induced pancytopenia	
D64.81	Anemia due to antineoplastic chemotherapy	
D70.1	Agranulocytosis secondary to cancer chemotherapy	
D72.10	Cytologic evidence of malignancy on smear of anus	
D75.81	Myelofibrosis (note: this is not primary myelofibrosis [9961/3]	
E31.2-	Multiple endocrine neoplasia [MEN] syndromes	
E34.0	Carcinoid syndrome	
E88.3	Tumor lysis syndrome (following antineoplastic chemotherapy)	
G89.3	Neoplasm related pain (acute)(chronic)	
H47.42	Disorders of optic chiasm in (due to) neoplasm	
H47.52-	Disorders of visual pathways in (due to) neoplasm	
H47.63-	Disorders of visual cortex in (due to) neoplasm	
I31.31	Malignant pericardial effusion in diseases classified elsewhere	



2024 SUPPLEME	ENTAL LIST (PART I) ICD-10-CM
ICD-10 Code	Explanation of Code
J70.0	Acute pulmonary manifestations due to radiation
J70.1	Chronic and other pulmonary manifestations due to radiation
J91.0	Malignant pleural effusion
K12.31	Oral mucositis (ulcerative) due to antineoplastic therapy
K12.33	Oral mucositis (ulcerative) due to radiation
K52.0	Gastroenteritis and colitis due to radiation
K62.7	Radiation proctitis
K62.82	Dysplasia of anus (AIN I and AIN II)
K92.81	Gastrointestinal mucositis (ulcerated) (due to antineoplastic therapy)
L58	Radiodermatitis
L59.8	Other disorders of skin and subcutaneous tissue related to radiation
L59.9	Disorder of the skin and subcutaneous tissue related to radiation, unspecified
M31.11	Hematopoietic stem cell transplantation-associated thrombotic
	microangioplasty
M96.2	Postradiation kyphosis
M96.5	Postradiation scoliosis
N30.4-	Irradiation cystitis
N46.024	Azoospermia due to radiation
N46.124	Oligospermia due to radiation
N52.31-N52.32, N52.34-N52.36	Post procedural erectile dysfunction (due to prostatectomy, cystectomy, radiation)
O35.6-	Maternal care for (suspected) damage to fetus by radiation
O9A.1-	Malignant neoplasm complicating pregnancy, childbirth and the puerperium
P04.11	Newborn affected by maternal antineoplastic chemotherapy
P04.12	Newborn affected by maternal cytotoxic drugs
Q85.0-	Neurofibromatosis (nonmalignant) (9540/1) Note: Neurofibromatosis is not cancer. These tumors can be precursors to acoustic neuromas, which are reportable
R18.0	Malignant ascites
R53.0	Neoplastic (malignant) related fatigue
R97.21	Rising PSA following treatment for malignant neoplasm of prostate
Т38.6-	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
T38.8-, T38.9-	Poisoning by hormones and their synthetic substitutes
T45.1-	Poisoning by, adverse effect of and under dosing of antineoplastic and
T45.8-, T45.9-	immunosuppressive drugs Poisoning by primary systemic and hematological agent, unspecified
T66	Unspecified effects of radiation



2024 SUPPLEMENTAL LIST (PART I) ICD-10-CM		
ICD-10 Code	Explanation of Code	
T80.81-	Extravasation of vesicant agent	
T80.82-	Complication of immune effector cellular therapy - Complication of chimeric antigen receptor (CAR-T) cell therapy	
T86.0-	Complications of bone marrow transplant	
Y63.2	Overdose of radiation given during therapy	
Y84.2	Radiological procedure and radiotherapy as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	
Z08	Encounter for follow-up examination after completed treatment for malignant neoplasm (medical surveillance following completed treatment)	
Z40.0-	Encounter for prophylactic surgery for risk factors related to malignant neoplasms	
Z42.1	Encounter for breast reconstruction following mastectomy	
Z48.290	Encounter for aftercare following bone marrow transplant	
Z48.3	Aftercare following surgery for neoplasm	
Z51.0	Encounter for antineoplastic radiation therapy	
Z51.1-	Encounter for antineoplastic chemotherapy and immunotherapy	
Z51.5, Z51.89	Encounter for palliative care and other specified aftercare	
Z79.63-	Long term (current) use of chemotherapeutic agent	
Z79.64	Long term (current) use of myelosuppressive agent (hydroxyurea)	
Z79.81-	Long term (current) use of agents affecting estrogen receptors and estrogen levels	
Z85	Personal history of malignant neoplasm	
Z86.010	Personal history of colonic polyps	
Z86.011	Personal history of benign neoplasm of the brain	
Z86.012	Personal history of benign carcinoid tumor	
Z92.21, Z92.23, Z92.25, Z92.3	Personal history of antineoplastic chemotherapy, estrogen therapy, immunosuppression therapy or irradiation (radiation)	
Z92.850	Personal history of Chimeric Antigen Receptor T-cell therapy	
Z94.81, Z94.84	- Personal history of CAR-T-cell therapy Bone marrow and stem cell transplant status	

Note 1: Beginning with cases diagnosed 1/1/2023, pilocytic astrocytoma are coded 9421/1. Cases diagnosed prior to 1/1/2023 are coded 9421/3.

Note 2: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases



Note 3: VIN 3, VAIN 3, AIN 2-3, AIN 3 (squamous intraepithelial neoplasia Grade 3) and juvenile astrocytoma, pilocytic astrocytoma, and piloid astrocytoma **ARE** reportable to the Oregon State Cancer Registry.

**Exclusions**: Basal/squamous cell carcinoma of skin. **However, if skin of genitalia then it is reportable to OSCaR.** 

\* in situ carcinoma of cervix uteri and PIN III are not reportable.

\*\* Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List.

Reference: Surveillance Epidemiology and End Results (SEER) Program. Comprehensive ICD-10-CM Casefinding list for reportable tumor.

**2024 ICD-10-CM Casefinding List: Supplemental** Effective for cases diagnosed 10/1/2023-9/30/2024

2024- seer casefinding list: <a href="https://seer.cancer.gov/tools/casefinding/icd-10-cm-casefinding-list.20231005.pdf">https://seer.cancer.gov/tools/casefinding/icd-10-cm-casefinding-list.20231005.pdf</a>

Page | 7