

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
All cancer sites						
2011	171.1	7,767	200.5	4,045	150.0	3,722
2012	166.7	7,761	197.7	4,103	143.5	3,658
2013	163.7	7,798	193.3	4,115	141.9	3,683
2014	156.6	7,653	181.8	3,991	138.5	3,662
2015	157.0	7,908	180.3	4,082	139.6	3,826
Five year totals	162.7	38,887	190.3	20,336	142.5	18,551
Acute Myeloid Leukemia (Associated with risk factor 1)						
2011	3.1	138	4.3	84	2.2	54
2012	2.8	124	3.9	78	1.9	46
2013	3.4	155	4.9	103	2.1	52
2014	2.6	118	3.4	73	1.9	45
2015	2.6	123	3.3	69	2.1	54
Five year totals	2.9	658	3.9	407	2.0	251
Brain and central nervous system (Includes meningioma, which is associated with risk factor 3)						
2011	4.8	219	6.2	131	3.7	88
2012	4.9	226	5.9	129	4.0	97
2013	5.5	251	6.1	133	4.9	118
2014	5.3	247	6.9	150	3.8	97
2015	4.9	237	5.6	133	4.2	104
Five year totals	5.1	1,180	6.1	676	4.1	504
Breast* (Associated with risk factor 2, 3, 4)						
2011	10.9	500	--	--	20.1	497
2012	10.8	510	--	--	19.9	505
2013	10.8	522	--	--	19.8	518
2014	10.9	535	--	--	20.1	529
2015	10.9	556	--	--	19.8	546
Five year totals	10.9	2,623	0.3	28	20.0	2,595
Cervical* (Associated with risk factor 1)						
2011	2.3	53	NA		2.3	53
2012	1.1	25	NA		1.1	25
2013	1.9	41	NA		1.9	41
2014	2.2	50	NA		2.2	50
2015	2.2	52	NA		2.2	52
Five year totals	2.0	221	NA		2.0	221

-- This number is suppressed for statistical reliability and confidentiality purposes.

* Screening tests for this cancer are Grade A and B recommendations from the [U.S. Preventive Services Task Force](#).

NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Colorectal* (Associated with risk factor 1, 2, 3)						
2011	15.7	707	17.9	357	13.8	350
2012	13.7	626	16.2	330	11.6	296
2013	14.1	669	15.9	337	12.7	332
2014	12.6	600	15.3	325	10.5	275
2015	12.6	635	14.1	322	11.2	313
Five year totals	13.7	3,237	15.8	1,671	11.9	1,566
Colon only (Associated with risk factor 4; this is included in colorectal)						
2011	12.1	551	13.8	273	10.8	278
2012	10.8	492	12.3	250	9.6	242
2013	11.2	527	12.2	255	10.4	272
2014	10.0	474	12.2	256	8.3	218
2015	9.9	497	10.7	242	9.1	255
Five year totals	10.8	2,541	12.2	1,276	9.6	1,265
Corpus and Uterus, NOS (Associated with risk factor 3, 4)						
2011	4.5	111	NA		4.5	111
2012	4.2	109	NA		4.2	109
2013	4.9	130	NA		4.9	130
2014	4.7	123	NA		4.7	123
2015	4.8	133	NA		4.8	133
Five year totals	4.6	606	NA		4.6	606
Esophagus (Associated with risk factor 1, 2, 3)						
2011	4.2	190	7.1	147	1.7	43
2012	4.6	221	7.9	175	1.8	46
2013	4.5	213	8.3	177	1.3	36
2014	4.7	231	7.7	175	2.1	56
2015	4.2	217	7.4	178	1.4	39
Five year totals	4.4	1,072	7.7	852	1.7	220
Gallbladder (Associated with risk factor 3)						
2011	0.6	26	0.2	5	0.8	21
2012	0.6	27	0.4	8	0.7	19
2013	0.6	29	0.6	13	0.5	16
2014	0.5	27	0.2	5	0.8	22
2015	0.6	33	0.3	7	0.9	26
Five year totals	0.6	142	0.4	38	0.7	104

* Screening tests for this cancer are Grade A and B recommendations from the [U.S. Preventive Services Task Force](#).
NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Kidney and renal pelvis (Associated with risk factor 1, 3)						
2011	4.0	191	5.8	124	2.5	67
2012	3.6	167	5.1	108	2.2	59
2013	3.8	182	5.7	123	2.2	59
2014	3.6	178	5.3	119	2.2	59
2015	3.7	191	5.4	125	2.4	66
Five year totals	3.7	909	5.5	599	2.3	310
Larynx (Associated with risk factor 1, 2)						
2011	0.7	33	1.3	27	--	--
2012	0.5	26	1.0	21	--	--
2013	0.8	38	1.4	31	--	--
2014	0.7	35	1.1	27	--	--
2015	0.5	23	0.8	18	--	--
Five year totals	0.6	155	1.1	124	0.2	31
Leukemia						
2011	7.0	308	10.1	194	4.6	114
2012	6.7	306	9.4	187	4.6	119
2013	7.1	326	9.8	202	4.9	124
2014	5.4	256	7.3	153	3.9	103
2015	5.5	261	7.4	155	4.0	106
Five year totals	6.3	1,457	8.7	891	4.4	566
Liver and intrahepatic bile duct (Associated with risk factor 1, 2, 3)						
2011	6.0	291	8.7	199	3.6	92
2012	6.8	334	10.2	234	3.8	100
2013	6.8	343	9.4	225	4.4	118
2014	5.8	315	8.5	223	3.3	92
2015	6.8	367	10.1	256	3.9	111
Five year totals	6.4	1,650	9.4	1,137	3.8	513
Lung* and bronchus (Associated with risk factor 1)						
2011	45.5	2,045	51.5	1,047	41.0	998
2012	45.0	2,083	52.3	1,087	39.5	996
2013	42.2	2,001	48.4	1,037	37.2	964
2014	39.2	1,920	44.0	977	35.7	943
2015	37.7	1,909	42.2	969	34.1	940
Five year totals	41.7	9,958	47.4	5,117	37.4	4,841

-- This number is suppressed for statistical reliability and confidentiality purposes.

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Melanoma of the skin						
2011	3.3	153	4.7	100	2.2	53
2012	3.4	156	4.8	102	2.3	54
2013	3.1	143	4.7	100	1.7	43
2014	2.4	114	3.3	71	1.8	43
2015	2.7	132	3.4	75	2.2	57
Five year totals	3.0	698	4.2	448	2.0	250
Mesothelioma						
2011	0.9	41	1.5	28	0.5	13
2012	1.1	49	1.9	37	0.5	12
2013	0.8	36	1.1	23	0.5	13
2014	1.0	47	1.7	35	0.4	12
2015	0.9	46	1.6	34	0.4	12
Five year totals	0.9	219	1.6	157	0.5	62
Myeloma (Associated with risk factor 3)						
2011	3.5	159	4.8	97	2.5	62
2012	3.4	157	4.2	86	2.7	71
2013	3.7	179	5.0	106	2.7	73
2014	3.4	167	4.2	91	2.9	76
2015	3.4	166	4.3	91	2.7	75
Five year totals	3.5	828	4.5	471	2.7	357
Non-Hodgkin lymphoma						
2011	5.8	257	7.6	147	4.4	110
2012	6.5	303	8.5	170	4.8	133
2013	6.2	297	8.4	175	4.5	122
2014	6.5	309	7.5	155	5.7	154
2015	5.1	251	6.2	138	4.2	113
Five year totals	6.0	1,417	7.6	785	4.7	632
Oral cavity and pharynx (Associated with risk factor 1, 2)						
2011	2.4	107	3.4	70	1.5	37
2012	2.4	119	3.7	83	1.3	36
2013	2.4	118	3.5	80	1.4	38
2014	2.7	133	4.0	89	1.6	44
2015	3.0	162	3.8	98	2.3	64
Five year totals	2.6	639	3.7	420	1.6	219

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Ovary (Associated with risk factor 3)						
2011	9.1	225	NA		9.1	225
2012	8.7	222	NA		8.7	222
2013	8.6	219	NA		8.6	219
2014	8.8	234	NA		8.8	234
2015	8.6	228	NA		8.6	228
Five year totals	8.7	1,128	NA		8.7	1,128
Pancreas (Associated with risk factor 1, 3)						
2011	10.9	503	12.3	255	9.8	248
2012	11.0	514	12.7	275	9.6	239
2013	9.7	462	10.9	241	8.6	221
2014	11.4	556	13.2	293	9.9	263
2015	12.3	625	14.8	341	10.1	284
Five year totals	11.1	2,660	12.8	1,405	9.6	1,255
Prostate						
2011	23.1	433	23.1	433	NA	
2012	21.1	410	21.1	410	NA	
2013	19.6	391	19.6	391	NA	
2014	19.8	408	19.8	408	NA	
2015	20.6	436	20.6	436	NA	
Five year totals	20.8	2,078	20.8	2,078	NA	
Stomach (Associated with risk factor 1, 3)						
2011	2.5	113	3.4	69	1.7	44
2012	2.7	124	3.3	68	2.3	56
2013	2.4	109	3.5	73	1.4	36
2014	2.8	135	3.9	87	1.9	48
2015	2.2	103	3.0	64	1.6	39
Five year totals	2.5	584	3.4	361	1.8	223
Thyroid (Associated with risk factor 3)						
2011	0.6	26	0.7	14	0.5	12
2012	0.5	21	0.6	12	--	--
2013	0.6	28	0.9	19	--	--
2014	0.5	28	0.6	14	0.4	14
2015	0.6	30	0.7	14	0.5	16
Five year totals	0.6	133	0.7	73	0.5	60

NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Cancer death rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Urinary bladder (Associated with risk factor 1)						
2011	5.1	232	9.3	176	2.2	56
2012	4.7	219	7.8	154	2.5	65
2013	4.3	206	7.5	151	2.0	55
2014	3.5	172	6.7	136	1.3	36
2015	5.2	255	8.4	177	2.8	78
Five year totals	4.6	1,084	7.9	794	2.1	290

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Source: Oregon Center for Health Statistics, Death Certificate Database.

Note: Cancer sites represented in these tables include most common cancers, screenable cancers, cancers of community concern, and selected rare cancers with environmental concerns.

Suggested citation: Oregon Health Authority, Public Health Division, Health Promotion and Chronic Disease Prevention section. Cancer death rates and counts, Oregon 2011-2015.

<http://www.oregon.gov/oha/PH/DISEASES/CONDITIONS/CHRONIC/DISEASE/CANCER/OSCAR/Pages/pubs.aspx>.

Created April 13, 2018. Accessed [DOWNLOAD DATE].