

New cancer diagnosis rates~ and counts, Oregon 2011-2015



Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
All cancer sites						
2011	460.5	20,788	502.0	10,628	431.2	10,160
2012	439.1	20,341	457.8	9,969	429.0	10,372
2013	444.1	21,029	477.5	10,644	421.9	10,385
2014	428.6	20,781	448.4	10,268	417.6	10,513
2015	401.9	20,020	423.2	10,010	388.7	10,010
Five year totals	434.0	102,959	460.6	51,519	417.0	51,440
Acute Myeloid Leukemia (Associated with risk factor 1)						
2011	4.5	193	5.5	107	3.7	86
2012	4.0	179	5.6	114	2.8	65
2013	4.6	209	6.4	138	3.0	71
2014	4.0	183	4.6	103	3.4	80
2015	3.7	175	4.4	95	3.1	80
Five year totals	4.1	939	5.3	557	3.2	382
Brain and central nervous system (Includes meningioma, which is associated with risk factor 3)						
2011	7.8	331	8.9	187	6.8	144
2012	7.6	331	8.2	172	7.1	159
2013	7.9	349	9.3	198	6.8	151
2014	7.2	330	8.6	189	6.0	141
2015	6.8	302	8.2	179	5.5	123
Five year totals	7.5	1,643	8.6	925	6.4	718
Breast* (Associated with risk factor 2, 3, 4)						
2011	68.8	3,071	0.6	11	130.7	3,060
2012	68.1	3,139	1.2	25	128.8	3,114
2013	67.8	3,190	1.5	31	127.9	3,159
2014	64.0	3,082	0.9	19	121.8	3,063
2015	61.1	3,002	0.7	17	116.7	2,985
Five year totals	65.9	15,484	0.9	103	125.0	15,381
Cervical* (Associated with risk factor 1)						
2011	6.6	131	NA		6.6	131
2012	6.6	129	NA		6.6	129
2013	6.9	142	NA		6.9	142
2014	7.2	145	NA		7.2	145
2015	6.9	142	NA		6.9	142
Five year totals	6.8	689	NA		6.8	689

* Screening tests for this cancer are Grade A and B recommendations from the [U.S. Preventive Services Task Force](#).
NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

New cancer diagnosis rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Colorectal* (Associated with risk factor 1, 2, 3)						
2011	36.9	1,650	43.3	892	31.0	758
2012	36.1	1,649	42.3	894	30.7	755
2013	35.6	1,663	40.5	877	31.2	786
2014	34.3	1,649	38.3	855	30.8	794
2015	32.1	1,575	35.5	822	29.1	753
Five year totals	34.9	8,186	39.8	4,340	30.4	3,846
Colon only (Associated with risk factor 4; this is included in colorectal)						
2011	26.2	1,167	29.1	588	23.6	579
2012	25.0	1,142	27.4	579	22.8	563
2013	25.8	1,208	28.2	606	23.5	602
2014	23.4	1,123	24.5	542	22.3	581
2015	23.0	1,124	23.8	548	22.3	576
Five year totals	24.6	5,764	26.5	2,863	22.8	2,901
Corpus and Uterus, NOS (Associated with risk factor 3, 4)						
2011	25.8	647	NA		25.8	647
2012	28.3	719	NA		28.3	719
2013	25.4	654	NA		25.4	654
2014	27.0	712	NA		27.0	712
2015	26.1	713	NA		26.1	713
Five year totals	26.5	3,445	NA		26.5	3,445
Esophagus (Associated with risk factor 1, 2, 3)						
2011	4.4	211	7.5	166	1.8	45
2012	5.3	254	9.0	200	2.2	54
2013	5.3	251	8.6	187	2.3	64
2014	4.7	245	8.0	192	1.9	53
2015	4.4	227	7.7	182	1.6	45
Five year totals	4.8	1,188	8.1	927	2.0	261
Gallbladder (Associated with risk factor 3)						
2011	1.0	47	0.5	10	1.5	37
2012	1.1	52	0.7	14	1.4	38
2013	1.1	52	0.9	17	1.3	35
2014	1.2	59	1.0	22	1.3	37
2015	1.0	52	0.8	16	1.3	36
Five year totals	1.1	262	0.8	79	1.4	183

* Screening tests for this cancer are Grade A and B recommendations from the [U.S. Preventive Services Task Force](#).

NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

New cancer diagnosis rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Kidney and renal pelvis (Associated with risk factor 1, 3)						
2011	14.8	667	19.3	408	10.7	259
2012	15.1	700	19.9	439	10.8	261
2013	15.6	744	21.6	491	10.3	253
2014	16.4	787	22.9	522	10.5	265
2015	14.7	728	19.7	460	10.3	268
Five year totals	15.3	3,626	20.7	2,320	10.5	1,306
Larynx (Associated with risk factor 1, 2)						
2011	2.3	102	4.4	90	0.5	12
2012	2.5	119	4.2	95	1.0	24
2013	2.5	126	4.4	105	0.8	21
2014	2.3	117	4.0	99	0.6	18
2015	2.2	118	3.8	94	0.8	24
Five year totals	2.3	582	4.1	483	0.7	99
Leukemia						
2011	12.7	552	16.6	330	9.4	222
2012	12.6	564	15.9	327	9.9	237
2013	13.6	621	18.7	399	9.4	222
2014	12.7	584	15.3	330	10.4	254
2015	11.8	540	15.4	329	8.6	211
Five year totals	12.7	2,861	16.4	1,715	9.5	1,146
Liver and intrahepatic bile duct (Associated with risk factor 1, 2, 3)						
2011	8.1	392	11.8	276	4.7	116
2012	9.0	457	13.8	337	4.5	120
2013	8.4	442	13.0	331	4.0	111
2014	9.0	487	13.0	343	5.4	144
2015	8.8	475	13.9	355	4.2	120
Five year totals	8.7	2,253	13.1	1,642	4.6	611
Lung* and bronchus (Associated with risk factor 1)						
2011	62.0	2,787	67.0	1,370	58.4	1,417
2012	58.0	2,699	62.9	1,330	54.4	1,369
2013	57.9	2,758	64.6	1,410	52.7	1,348
2014	55.5	2,734	60.2	1,364	52.1	1,370
2015	49.1	2,504	52.9	1,251	46.3	1,253
Five year totals	56.3	13,482	61.3	6,725	52.6	6,757

* Screening tests for this cancer are Grade A and B recommendations from the [U.S. Preventive Services Task Force](#).

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

New cancer diagnosis rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Melanoma of the skin						
2011	27.4	1,197	30.1	631	26.0	566
2012	27.2	1,217	30.6	657	25.1	560
2013	28.8	1,324	35.2	762	24.2	562
2014	28.2	1,322	32.8	730	24.9	592
2015	25.9	1,264	28.9	679	23.7	585
Five year totals	27.5	6,324	31.5	3,459	24.8	2,865
Mesothelioma						
2011	1.2	56	2.2	41	0.6	15
2012	1.0	49	1.5	32	0.6	17
2013	1.1	51	2.2	45	--	--
2014	0.9	44	1.5	32	0.4	12
2015	0.9	45	1.4	30	0.6	15
Five year totals	1.0	245	1.7	180	0.5	65
Myeloma (Associated with risk factor 3)						
2011	5.6	261	7.4	155	4.2	106
2012	5.3	248	6.7	142	4.2	106
2013	5.8	272	8.2	173	3.9	99
2014	5.5	270	6.1	138	4.9	132
2015	4.5	230	5.7	133	3.6	97
Five year totals	5.3	1,281	6.8	741	4.2	540
Non-Hodgkin lymphoma						
2011	19.2	861	23.0	474	16.0	387
2012	18.5	849	21.3	446	16.2	403
2013	19.5	922	23.6	512	16.1	410
2014	19.5	924	22.2	489	17.2	435
2015	16.1	795	19.8	448	12.8	347
Five year totals	18.5	4,351	21.9	2,369	15.6	1,982
Oral cavity and pharynx (Associated with risk factor 1, 2)						
2011	11.6	546	17.6	396	6.2	150
2012	12.2	575	18.4	422	6.5	153
2013	12.8	624	19.4	452	6.8	172
2014	10.7	541	14.6	356	7.0	185
2015	11.9	597	17.2	416	7.1	181
Five year totals	11.8	2,883	17.4	2,042	6.7	841

-- This number is suppressed for statistical reliability and confidentiality purposes.

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

New cancer diagnosis rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Ovary (Associated with risk factor 3)						
2011	12.3	289	NA		12.3	289
2012	12.2	299	NA		12.2	299
2013	12.5	303	NA		12.5	303
2014	11.9	295	NA		11.9	295
2015	11.3	297	NA		11.3	297
Five year totals	12.1	1,483	NA		12.1	1,483
Pancreas (Associated with risk factor 1, 3)						
2011	12.2	555	13.6	283	11.0	272
2012	11.9	560	13.6	302	10.5	258
2013	12.7	619	14.0	319	11.6	300
2014	13.6	663	15.5	348	11.9	315
2015	12.8	644	14.8	346	11.0	298
Five year totals	12.6	3,041	14.3	1,598	11.2	1,443
Prostate						
2011	124.4	2,821	124.4	2,821	NA	
2012	91.2	2,140	91.2	2,140	NA	
2013	92.2	2,225	92.2	2,225	NA	
2014	84.3	2,091	84.3	2,091	NA	
2015	86.9	2,239	86.9	2,239	NA	
Five year totals	95.3	11,516	95.3	11,516	NA	
Stomach (Associated with risk factor 1, 3)						
2011	5.7	249	8.3	164	3.5	85
2012	5.3	246	7.3	156	3.6	90
2013	6.4	292	8.9	193	4.2	99
2014	5.2	255	7.0	163	3.7	92
2015	5.3	267	7.8	183	3.3	84
Five year totals	5.6	1,309	7.8	859	3.6	450
Thyroid (Associated with risk factor 3)						
2011	13.9	556	8.0	160	19.8	396
2012	12.9	533	6.4	136	19.3	397
2013	14.5	610	7.1	152	21.9	458
2014	13.2	554	7.3	158	19.1	396
2015	13.5	579	6.9	150	20.1	429
Five year totals	13.6	2,832	7.1	756	20.0	2,076

NA = Not Applicable

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

New cancer diagnosis rates~ and counts, Oregon 2011-2015

Year	Total		Male		Female	
	Rate	Count	Rate	Count	Rate	Count
Urinary bladder (Associated with risk factor 1)						
2011	22.4	1,019	39.4	795	8.9	224
2012	22.6	1,049	37.8	778	10.6	271
2013	21.6	1,030	37.3	797	8.8	233
2014	21.2	1,042	37.8	836	7.7	206
2015	20.1	1,016	34.1	771	8.9	245
Five year totals	21.5	5,156	37.2	3,977	8.9	1,179

~ Rates are per 100,000 population and are age-adjusted to the 2000 standard population.

Source: Oregon State Cancer Registry (OSCaR)

Note: Risk factor 1= Tobacco; risk factor 2= Alcohol; risk factor 3= Obesity; risk factor 4= Physical inactivity

Note: Cancer sites represented in these tables include most common cancers, screenable cancers, cancers of community concern, and selected rare cancers with environmental concerns.

Suggested citation: Oregon Health Authority, Public Health Division, Health Promotion and Chronic Disease Prevention section. New cancer diagnosis rates and counts, Oregon 2011-2015.

<http://www.oregon.gov/oha/PH/DISEASES/CONDITIONS/CHRONIC/DISEASE/CANCER/OSCAR/Pages/pubs.aspx>.

Created April 13, 2018. Accessed [DOWNLOAD DATE].