

Health screenings among Oregon adults by race and ethnicity, 2015-2017

Screening type		White, NL	African American, NL	American Indian or Alaska Native, NL	Asian, NL	Pacific Islander, NL	Asian or Pacific Islander, NL	Latino/a
Cholesterol check within past five years	Unadjusted (%)	81.0	72.4	75.8	67.1	61.1	66.0	71.5
	Number of adults	2,138,500	51,800	55,200	114,600	12,200	126,800	373,600
Current on colorectal cancer screening (50-75 years old) ¹	Unadjusted (%)	71.5	63.8	55.6	67.2	--	65.0	60.9
	Number of adults	769,900	12,200	14,400	30,900	--	32,800	41,900
Fecal occult blood test (FOBT) test within past year (50-74 years old)	Unadjusted (%)	13.1	20.9	15.5	15.3 [^]	--	15.4 [^]	10.9
	Number of adults	141,100	4,000	4,000	7,000	--	7,800	7,500
Mammogram within past two years (women 50-74 years old)	Unadjusted (%)	76.4	69.8	61.9	85.8	--	82.8	74.7
	Number of adults	426,300	6,100	8,600	22,100	--	23,300	24,600
Pap test within past three years (women 21-65 years old with a cervix)	Unadjusted (%)	81.0	86.1	85.6	78.9	61.1	76.0	77.5
	Number of adults	789,600	23,400	25,700	61,200	5,300	66,500	106,200

NL = non-Latino

[^] This number may be statistically unreliable and should be interpreted with caution.

-- This number is suppressed because it is statistically unreliable.

¹ Current on colorectal cancer screening includes: having a fecal occult blood test (FOBT) in the past year; a colonoscopy within the past 10 years; or, a sigmoidoscopy within the past 5 years as well as an FOBT in past three years.

Source: Oregon Behavioral Risk Factors Surveillance System Race Oversample 2015-2017.

Suggested citation: Oregon Health Authority, Public Health Division, Health Promotion and Chronic Disease Prevention section. Health screenings among Oregon adults by race and ethnicity, 2015-2017. <https://www.oregon.gov/oha/PH/DISEASES/CONDITIONS/CHRONICDISEASE/DATAREPORTS/Pages/index.aspx>

Created March 5, 2020. Accessed [DOWNLOAD DATE].