

RSV Surveillance Report

4/27/2025- 5/3/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	1.8%	2
Current Week	1.0%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	619	2 (0.3%)	619	2 (0.3%)
2	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
3	56	0 (0.0%)	135	2 (1.5%)	191	2 (1.0%)
5	0	0 (0.0%)	245	5 (2.0%)	245	5 (2.0%)
6	0	0 (0.0%)	44	0 (0.0%)	44	0 (0.0%)
7	36	0 (0.0%)	481	5 (1.0%)	517	5 (1.0%)
9	8	1 (12.5%)	174	3 (1.7%)	182	4 (2.2%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 466 hospitalizations have occurred during the 2024-2025 season. There was 1 hospitalization reported during 4/27/2025 – 5/3/2027. The cumulative hospitalization rate for the 2024-2025 season is 25.7 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	158	184.4
5-17 yrs	43	16.3
18-49 yrs	48	5.7
50-64 yrs	55	16.8
65 yrs+	162	54.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season offset on April 26, 2025. RSV season offset is the last of 2 consecutive weeks during which the mean percentage of positive specimens by antigen is <10%, or the mean percentage of positive specimens by PCR is <3%, whichever occurs last. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1 % of antigen tests and 1 % of PCR tests were positive during 4/27/2025 - 5/3/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

4/20/2025 – 4/26/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	1.4%	1
Current Week	1.7%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	727	8 (1.1%)	727	8 (1.1%)
2	0	0 (0.0%)	313	0 (0.0%)	313	0 (0.0%)
3	106	1 (0.9%)	178	5 (2.8%)	284	6 (2.1%)
5	0	0 (0.0%)	291	11 (3.8%)	291	11 (3.8%)
6	0	0 (0.0%)	48	3 (6.2%)	48	3 (6.2%)
7	30	0 (0.0%)	522	10 (1.9%)	552	10 (1.8%)
9	0	0 (0.0%)	20	0 (0.0%)	20	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 465 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 4/20/2025 – 4/26/2025. The cumulative hospitalization rate for the 2024-2025 season is 25.7 per 100,000 people.



2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	157	183.2
5-17 yrs	43	16.3
18-49 yrs	48	5.7
50-64 yrs	55	16.8
65 yrs+	162	54.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season offset on April 26, 2025. RSV season offset is the last of 2 consecutive weeks during which the mean percentage of positive specimens by antigen is <10%, or the mean percentage of positive specimens by PCR is <3%, whichever occurs last. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive. 0.7 % of antigen tests and 1.8 % of PCR tests were positive during 4/20/2025-4/26/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

04/13/2025-04/19/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	3.0%	5
Current Week	1.6%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	698	9 (1.3%)	698	9 (1.3%)
2	0	0 (0.0%)	338	0 (0.0%)	338	0 (0.0%)
3	103	2 (1.9%)	174	2 (1.1%)	277	4 (1.4%)
5	0	0 (0.0%)	247	8 (3.2%)	247	8 (3.2%)
6	0	0 (0.0%)	32	0 (0.0%)	32	0 (0.0%)
7	40	1 (2.5%)	477	12 (2.5%)	517	13 (2.5%)
9	3	0 (0.0%)	47	0 (0.0%)	50	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 463 hospitalizations have occurred during the 2024-2025 season. There was 1 hospitalization reported during 04/13/2025 -4/19/2025. The cumulative hospitalization rate for the 2024-2025 season is 25.6 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	157	183.2
5-17 yrs	43	16.3
18-49 yrs	48	5.7
50-64 yrs	55	16.8
65 yrs+	160	53.6



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.1 % of antigen tests and 1.5 % of PCR tests were positive during 04/13/2025 – 04/19/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

4/6/2025-4/12/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	3.3%	10
Current Week	3.5%	3

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	690	13 (1.9%)	690	13 (1.9%)
2	0	0 (0.0%)	323	3 (0.9%)	323	3 (0.9%)
3	133	12 (9.0%)	191	17 (8.9%)	324	29 (9.0%)
5	0	0 (0.0%)	262	16 (6.1%)	262	16 (6.1%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	45	3 (6.7%)	483	10 (2.1%)	528	13 (2.5%)
9	6	0 (0.0%)	177	7 (4.0%)	183	7 (3.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 460 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 4/6/2025-4/12/2025. The cumulative hospitalization rate for the 2024-2025 season is 25.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	157	183.2
5-17 yrs	43	16.3
18-49 yrs	48	5.7
50-64 yrs	54	16.5
65 yrs+	158	52.9



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

8.2 % of antigen tests and 3.1 % of PCR tests were positive during 4/6/2025 – 4/12/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

3/30/2025- 4/5/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	4.0%	11
Current Week	3.9%	9

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	328	9 (2.7%)	328	9 (2.7%)
2	0	0 (0.0%)	317	1 (0.3%)	317	1 (0.3%)
3	0	0 (0.0%)	82	5 (6.1%)	82	5 (6.1%)
5	0	0 (0.0%)	344	19 (5.5%)	344	19 (5.5%)
6	0	0 (0.0%)	44	2 (4.5%)	44	2 (4.5%)
7	0	0 (0.0%)	12	0 (0.0%)	12	0 (0.0%)
9	7	1 (14.3%)	214	15 (7.0%)	221	16 (7.2%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 456 hospitalizations have occurred during the 2024-2025 season. There were 9 hospitalizations reported during 3/30/2025 – 4/5/2025. The cumulative hospitalization rate for the 2024-2025 season is 25.2 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	154	179.7
5-17 yrs	43	16.3
18-49 yrs	48	5.7
50-64 yrs	54	16.5
65 yrs+	157	52.6



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

14.3 % of antigen tests and 3.8 % of PCR tests were positive during 3/30/2025 - 4/5/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

03/23/2025 – 03/29/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	6.9%	18
Current Week	4.4%	8

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	775	25 (3.2%)	775	25 (3.2%)
2	0	0 (0.0%)	399	1 (0.3%)	399	1 (0.3%)
3	0	0 (0.0%)	99	7 (7.1%)	99	7 (7.1%)
5	0	0 (0.0%)	384	33 (8.6%)	384	33 (8.6%)
6	0	0 (0.0%)	49	4 (8.2%)	49	4 (8.2%)
7	40	3 (7.5%)	596	26 (4.4%)	636	29 (4.6%)
9	9	0 (0.0%)	186	13 (7.0%)	195	13 (6.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 444 hospitalizations have occurred during the 2024-2025 season. There were 8 hospitalizations reported during 03/23/2025 – 03/29/2025. The cumulative hospitalization rate for the 2024-2025 season is 24.5 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	150	175.0
5-17 yrs	43	16.3
18-49 yrs	45	5.4
50-64 yrs	54	16.5
65 yrs+	152	50.9



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

6.1 % of antigen tests and 4.4 % of PCR tests were positive during 03/23/2025 – 03/29/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

03/16/2025- 03/22/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	6.1%	14
Current Week	7.3%	16

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	480	27 (5.6%)	480	27 (5.6%)
2	0	0 (0.0%)	424	1 (0.2%)	424	1 (0.2%)
3	0	0 (0.0%)	110	6 (5.5%)	110	6 (5.5%)
5	0	0 (0.0%)	430	57 (13.3%)	430	57 (13.3%)
6	0	0 (0.0%)	49	3 (6.1%)	49	3 (6.1%)
7	71	7 (9.9%)	669	36 (5.4%)	740	43 (5.8%)
9	14	1 (7.1%)	297	48 (16.2%)	311	49 (15.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 434 hospitalizations have occurred during the 2024-2025 season. There were 16 hospitalizations reported during 03/16/2025 - 03/22/2025. The cumulative hospitalization rate for the 2024-2025 season is 24 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	148	172.7
5-17 yrs	43	16.3
18-49 yrs	44	5.3
50-64 yrs	54	16.5
65 yrs+	145	48.6



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

9.4 % of antigen tests and 7.2 % of PCR tests were positive during 03/16/2025 - 03/22/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

03/09/2025- 03/15/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	7.2%	18
Current Week	6.8%	10

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	551	42 (7.6%)	551	42 (7.6%)
2	0	0 (0.0%)	502	0 (0.0%)	502	0 (0.0%)
3	0	0 (0.0%)	143	17 (11.9%)	143	17 (11.9%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	79	6 (7.6%)	79	6 (7.6%)
7	90	20 (22.2%)	692	43 (6.2%)	782	63 (8.1%)
9	0	0 (0.0%)	218	27 (12.4%)	218	27 (12.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 414 hospitalizations have occurred during the 2024-2025 season. There were 10 hospitalizations reported during 03/09/2025 - 03/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 22.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	142	165.7
5-17 yrs	42	15.9
18-49 yrs	42	5.0
50-64 yrs	50	15.3
65 yrs+	138	46.2



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 6.2 % of PCR tests were positive during 03/09/2025 - 03/15/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

03/02/2025- 03/08/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	8.2%	20
Current Week	7.4%	11

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	821	42 (5.1%)	821	42 (5.1%)
2	0	0 (0.0%)	475	8 (1.7%)	475	8 (1.7%)
3	0	0 (0.0%)	144	14 (9.7%)	144	14 (9.7%)
5	0	0 (0.0%)	485	49 (10.1%)	485	49 (10.1%)
6	0	0 (0.0%)	78	11 (14.1%)	78	11 (14.1%)
7	75	11 (14.7%)	734	52 (7.1%)	809	63 (7.8%)
9	8	0 (0.0%)	292	43 (14.7%)	300	43 (14.3%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 397 hospitalizations have occurred during the 2024-2025 season. There were 11 hospitalizations reported during 03/02/2025 - 03/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 21.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	139	162.2
5-17 yrs	42	15.9
18-49 yrs	41	4.9
50-64 yrs	49	15.0
65 yrs+	126	42.2



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

13.3 % of antigen tests and 7.2 % of PCR tests were positive during 03/02/2025 - 03/08/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

02/23/2025- 03/01/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.5%	34
Current Week	8.4%	15

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	505	28 (5.5%)	505	28 (5.5%)
2	0	0 (0.0%)	555	5 (0.9%)	555	5 (0.9%)
3	0	0 (0.0%)	151	16 (10.6%)	151	16 (10.6%)
5	0	0 (0.0%)	473	49 (10.4%)	473	49 (10.4%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	85	16 (18.8%)	807	92 (11.4%)	892	108 (12.1%)
9	0	0 (0.0%)	244	31 (12.7%)	244	31 (12.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 381 hospitalizations have occurred during the 2024-2025 season. There were 15 hospitalizations reported during 02/23/2025 - 03/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 21 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	137	159.8
5-17 yrs	40	15.1
18-49 yrs	37	4.4
50-64 yrs	47	14.4
65 yrs+	120	40.2



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

18.8 % of antigen tests and 8.1 % of PCR tests were positive during 02/23/2025 - 03/01/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

02/16/2025- 02/22/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.5%	43
Current Week	9.7%	31

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	2,366	217 (9.2%)	2,366	217 (9.2%)
2	0	0 (0.0%)	642	3 (0.5%)	642	3 (0.5%)
3	0	0 (0.0%)	137	17 (12.4%)	137	17 (12.4%)
5	0	0 (0.0%)	631	72 (11.4%)	631	72 (11.4%)
6	2	0 (0.0%)	116	18 (15.5%)	118	18 (15.3%)
7	126	30 (23.8%)	727	91 (12.5%)	853	121 (14.2%)
9	0	0 (0.0%)	248	39 (15.7%)	248	39 (15.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 363 hospitalizations have occurred during the 2024-2025 season. There were 31 hospitalizations reported during 02/16/2025 - 02/22/2025. The cumulative hospitalization rate for the 2024-2025 season is 20 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	130	151.7
5-17 yrs	39	14.8
18-49 yrs	34	4.1
50-64 yrs	46	14.1
65 yrs+	114	38.2



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

23.4 % of antigen tests and 9.4 % of PCR tests were positive during 02/16/2025 - 02/22/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

02/09/2025- 02/15/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.4%	37
Current Week	8.3%	35

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	2,263	209 (9.2%)	2,263	209 (9.2%)
2	0	0 (0.0%)	563	3 (0.5%)	563	3 (0.5%)
3	0	0 (0.0%)	146	20 (13.7%)	146	20 (13.7%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	115	30 (26.1%)	794	85 (10.7%)	909	115 (12.7%)
9	20	0 (0.0%)	658	32 (4.9%)	678	32 (4.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 324 hospitalizations have occurred during the 2024-2025 season. There were 35 hospitalizations reported during 02/09/2025 - 02/15/2025. The cumulative hospitalization rate for the 2024-2025 season is 17.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	120	140.0
5-17 yrs	35	13.2
18-49 yrs	26	3.1
50-64 yrs	39	11.9
65 yrs+	104	34.8



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

22.2 % of antigen tests and 7.9 % of PCR tests were positive during 02/09/2025 - 02/15/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

02/02/2025- 02/08/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	9.1%	36
Current Week	9.6%	25

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,281	111 (8.7%)	1,281	111 (8.7%)
2	0	0 (0.0%)	552	3 (0.5%)	552	3 (0.5%)
3	0	0 (0.0%)	139	20 (14.4%)	139	20 (14.4%)
5	0	0 (0.0%)	536	74 (13.8%)	536	74 (13.8%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	144	31 (21.5%)	827	100 (12.1%)	971	131 (13.5%)
9	0	0 (0.0%)	226	16 (7.1%)	226	16 (7.1%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 277 hospitalizations have occurred during the 2024-2025 season. There were 25 hospitalizations reported during 02/02/2025 - 02/08/2025. The cumulative hospitalization rate for the 2024-2025 season is 15.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	108	126.0
5-17 yrs	31	11.7
18-49 yrs	25	3.0
50-64 yrs	33	10.1
65 yrs+	80	26.8



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

21.5 % of antigen tests and 9.1 % of PCR tests were positive during 02/02/2025 - 02/08/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

01/26/2025- 02/01/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	8.3%	25
Current Week	8.9%	26

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,272	97 (7.6%)	1,272	97 (7.6%)
2	0	0 (0.0%)	609	7 (1.1%)	609	7 (1.1%)
3	0	0 (0.0%)	35	8 (22.9%)	35	8 (22.9%)
5	0	0 (0.0%)	507	71 (14.0%)	507	71 (14.0%)
6	0	0 (0.0%)	87	12 (13.8%)	87	12 (13.8%)
7	125	33 (26.4%)	721	70 (9.7%)	846	103 (12.2%)
9	0	0 (0.0%)	207	18 (8.7%)	207	18 (8.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 242 hospitalizations have occurred during the 2024-2025 season. There were 26 hospitalizations reported during 01/26/2025 - 02/01/2025. The cumulative hospitalization rate for the 2024-2025 season is 13.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	101	117.8
5-17 yrs	29	11.0
18-49 yrs	17	2.0
50-64 yrs	26	8.0
65 yrs+	69	23.1



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.4 % of antigen tests and 8.2 % of PCR tests were positive during 01/26/2025 - 02/01/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

01/19/2025- 01/25/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	6.6%	27
Current Week	7.7%	18

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,300	87 (6.7%)	1,300	87 (6.7%)
2	0	0 (0.0%)	525	8 (1.5%)	525	8 (1.5%)
3	0	0 (0.0%)	69	2 (2.9%)	69	2 (2.9%)
5	0	0 (0.0%)	421	52 (12.4%)	421	52 (12.4%)
6	0	0 (0.0%)	1	0 (0.0%)	1	0 (0.0%)
7	0	0 (0.0%)	621	66 (10.6%)	621	66 (10.6%)
9	17	1 (5.9%)	288	34 (11.8%)	305	35 (11.5%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 208 hospitalizations have occurred during the 2024-2025 season. There were 18 hospitalizations reported during 01/19/2025 - 01/25/2025. The cumulative hospitalization rate for the 2024-2025 season is 11.5 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	92	107.3
5-17 yrs	22	8.3
18-49 yrs	13	1.6
50-64 yrs	21	6.4
65 yrs+	60	20.1



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.9 % of antigen tests and 7.7 % of PCR tests were positive during 01/19/2025 - 01/25/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

01/12/2025- 01/18/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	6.7%	24
Current Week	7.3%	20

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,703	164 (9.6%)	1,703	164 (9.6%)
2	0	0 (0.0%)	604	1 (0.2%)	604	1 (0.2%)
3	0	0 (0.0%)	116	1 (0.9%)	116	1 (0.9%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	102	32 (31.4%)	625	34 (5.4%)	727	66 (9.1%)
9	18	0 (0.0%)	252	16 (6.3%)	270	16 (5.9%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 183 hospitalizations have occurred during the 2024-2025 season. There were 20 hospitalizations reported during 01/12/2025 - 01/18/2025. The cumulative hospitalization rate for the 2024-2025 season is 10.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	80	93.3
5-17 yrs	20	7.6
18-49 yrs	12	1.4
50-64 yrs	18	5.5
65 yrs+	53	17.8



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

26.7 % of antigen tests and 6.5 % of PCR tests were positive during 01/12/2025 - 01/18/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

01/05/2025- 01/11/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	6.6%	51
Current Week	6.7%	22

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	2,593	218 (8.4%)	2,593	218 (8.4%)
2	0	0 (0.0%)	641	5 (0.8%)	641	5 (0.8%)
3	0	0 (0.0%)	216	0 (0.0%)	216	0 (0.0%)
5	0	0 (0.0%)	284	11 (3.9%)	284	11 (3.9%)
6	0	0 (0.0%)	81	8 (9.9%)	81	8 (9.9%)
7	88	26 (29.5%)	733	52 (7.1%)	821	78 (9.5%)
9	0	0 (0.0%)	215	4 (1.9%)	215	4 (1.9%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 161 hospitalizations have occurred during the 2024-2025 season. There were 22 hospitalizations reported during 01/05/2025 - 01/11/2025. The cumulative hospitalization rate for the 2024-2025 season is 8.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	78	91.0
5-17 yrs	16	6.1
18-49 yrs	12	1.4
50-64 yrs	14	4.3
65 yrs+	41	13.7



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

29.5 % of antigen tests and 6.3 % of PCR tests were positive during 01/05/2025 - 01/11/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

12/29/2024- 01/04/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	3.6%	40
Current Week	6.3%	39

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	2,947	245 (8.3%)	2,947	245 (8.3%)
2	0	0 (0.0%)	658	4 (0.6%)	658	4 (0.6%)
3	0	0 (0.0%)	238	9 (3.8%)	238	9 (3.8%)
5	0	0 (0.0%)	358	17 (4.7%)	358	17 (4.7%)
6	0	0 (0.0%)	109	5 (4.6%)	109	5 (4.6%)
7	0	0 (0.0%)	916	58 (6.3%)	916	58 (6.3%)
9	0	0 (0.0%)	227	4 (1.8%)	227	4 (1.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 129 hospitalizations have occurred during the 2024-2025 season. There were 39 hospitalizations reported during 12/29/2024 - 01/04/2025. The cumulative hospitalization rate for the 2024-2025 season is 7.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	66	77.0
5-17 yrs	13	4.9
18-49 yrs	9	1.1
50-64 yrs	10	3.1
65 yrs+	31	10.4



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 6.3 % of PCR tests were positive during 12/29/2024 - 01/04/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

12/22/2024- 12/28/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	3.1%	15	0
Current Week	4.0%	24	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,412	92 (6.5%)	1,412	92 (6.5%)
2	0	0 (0.0%)	760	7 (0.9%)	760	7 (0.9%)
3	0	0 (0.0%)	187	0 (0.0%)	187	0 (0.0%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	117	3 (2.6%)	117	3 (2.6%)
7	49	7 (14.3%)	852	38 (4.5%)	901	45 (5.0%)
9	12	0 (0.0%)	294	1 (0.3%)	306	1 (0.3%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 74 hospitalizations have occurred during the 2024-2025 season. There were 24 hospitalizations reported during 12/22/2024 - 12/28/2024. The cumulative hospitalization rate for the 2024-2025 season is 4.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	41	47.8
5-17 yrs	9	3.4
18-49 yrs	4	0.5
50-64 yrs	5	1.5
65 yrs+	15	5.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon met criteria for RSV season onset on December 21, 2024. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

11.5 % of antigen tests and 3.9 % of PCR tests were positive during 12/22/2024 - 12/28/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

12/15/2024- 12/21/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	3.3%	18	0
Current Week	2.7%	9	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,172	64 (5.5%)	1,172	64 (5.5%)
2	0	0 (0.0%)	765	4 (0.5%)	765	4 (0.5%)
3	0	0 (0.0%)	281	4 (1.4%)	281	4 (1.4%)
5	0	0 (0.0%)	229	7 (3.1%)	229	7 (3.1%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	680	13 (1.9%)	680	13 (1.9%)
9	0	0 (0.0%)	363	2 (0.6%)	363	2 (0.6%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 44 hospitalizations have occurred during the 2024-2025 season. There were 9 hospitalizations reported during 12/15/2024 - 12/21/2024. The cumulative hospitalization rate for the 2024-2025 season is 2.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	23	26.8
5-17 yrs	7	2.6
18-49 yrs	1	0.1
50-64 yrs	4	1.2
65 yrs+	9	3.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 2.7 % of PCR tests were positive during 12/15/2024 - 12/21/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

12/08/2024- 12/14/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	2.6%	3	0
Current Week	3.2%	17	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,667	94 (5.6%)	1,667	94 (5.6%)
2	0	0 (0.0%)	568	1 (0.2%)	568	1 (0.2%)
3	0	0 (0.0%)	229	2 (0.9%)	229	2 (0.9%)
5	0	0 (0.0%)	236	4 (1.7%)	236	4 (1.7%)
6	0	0 (0.0%)	47	2 (4.3%)	47	2 (4.3%)
7	0	0 (0.0%)	547	6 (1.1%)	547	6 (1.1%)
9	14	0 (0.0%)	278	7 (2.5%)	292	7 (2.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 34 hospitalizations have occurred during the 2024-2025 season. There were 17 hospitalizations reported during 12/08/2024 - 12/14/2024. The cumulative hospitalization rate for the 2024-2025 season is 1.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	17	19.8
5-17 yrs	4	1.5
18-49 yrs	1	0.1
50-64 yrs	4	1.2
65 yrs+	8	2.7



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 3.2 % of PCR tests were positive during 12/08/2024 - 12/14/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

12/01/2024- 12/07/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	1.3%	2	0
Current Week	2.4%	3	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	714	24 (3.4%)	714	24 (3.4%)
2	0	0 (0.0%)	446	1 (0.2%)	446	1 (0.2%)
3	0	0 (0.0%)	194	5 (2.6%)	194	5 (2.6%)
5	0	0 (0.0%)	163	4 (2.5%)	163	4 (2.5%)
6	0	0 (0.0%)	51	2 (3.9%)	51	2 (3.9%)
7	57	10 (17.5%)	520	9 (1.7%)	577	19 (3.3%)
9	0	0 (0.0%)	162	1 (0.6%)	162	1 (0.6%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 17 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 12/01/2024 - 12/07/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.9 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	5	5.8
5-17 yrs	2	0.8
18-49 yrs	0	0.0
50-64 yrs	3	0.9
65 yrs+	7	2.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

17.5 % of antigen tests and 2.0 % of PCR tests were positive during 12/01/2024 - 12/07/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

11/24/2024-11/30/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0.7%	2	0
Current Week	1.3%	1	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,226	28 (2.3%)	1,226	28 (2.3%)
2	0	0 (0.0%)	390	4 (1.0%)	390	4 (1.0%)
3	0	0 (0.0%)	189	0 (0.0%)	189	0 (0.0%)
5	0	0 (0.0%)	170	0 (0.0%)	170	0 (0.0%)
6	0	0 (0.0%)	13	0 (0.0%)	13	0 (0.0%)
7	29	0 (0.0%)	437	1 (0.2%)	466	1 (0.2%)
9	11	0 (0.0%)	119	0 (0.0%)	130	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2024-2025 season. There were 1 hospitalization reported during 11/24/2024- 11/30/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	4	4.7
5-17 yrs	1	0.4
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 1.3 % of PCR tests were positive during 11/24/2024-11/30/2024.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

11/17/2024 – 11/23/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0.8%	3	0
Current Week	0.7%	2	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	335	6 (1.8%)	335	6 (1.8%)
2	0	0 (0.0%)	12	1 (8.3%)	12	1 (8.3%)
3	0	0 (0.0%)	215	1 (0.5%)	215	1 (0.5%)
5	0	0 (0.0%)	153	1 (0.7%)	153	1 (0.7%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	62	0 (0.0%)	448	0 (0.0%)	510	0 (0.0%)
9	0	0 (0.0%)	16	0 (0.0%)	16	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 12 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/17/2024 – 11/23/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.7 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	3	3.5
5-17 yrs	1	0.4
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.8 % of PCR tests were positive during 11/17/2024 – 11/23/2024.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

11/10/2024- 11/16/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	1%	2	0
Current Week	0.9%	3	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	955	14 (1.5%)	955	14 (1.5%)
2	0	0 (0.0%)	383	1 (0.3%)	383	1 (0.3%)
3	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
5	0	0 (0.0%)	124	0 (0.0%)	124	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	39	2 (5.1%)	409	1 (0.2%)	448	3 (0.7%)
9	0	0 (0.0%)	116	0 (0.0%)	116	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 10 hospitalizations have occurred during the 2024-2025 season. There were 3 hospitalizations reported during 11/10/2024 - 11/16/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.6 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	2	2.3
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	2	0.6
65 yrs+	6	2.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

5.1 % of antigen tests and 0.8 % of PCR tests were positive during 11/10/2024 - 11/16/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

11/03/2024- 11/09/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Current Week	0.6%	2	0
Previous Week	0.3%	0	0

^aData from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^bHospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,074	12 (1.1%)	1,074	12 (1.1%)
2	0	0 (0.0%)	338	0 (0.0%)	338	0 (0.0%)
3	0	0 (0.0%)	205	1 (0.5%)	205	1 (0.5%)
5	0	0 (0.0%)	116	0 (0.0%)	116	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	40	0 (0.0%)	405	1 (0.2%)	445	1 (0.2%)
9	0	0 (0.0%)	94	0 (0.0%)	94	0 (0.0%)

Oregon RSV Percent Positivity by Region



Regions with insufficient data are displayed as grey

RSV Hospitalizations



The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 11/03/2024 - 11/09/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.4 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	5	1.7

Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.6 % of PCR tests were positive during 11/03/2024 - 11/09/2024.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/27/2024- 11/02/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0.2%	0	0
Current Week	0.4%	0	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,017	3 (0.3%)	1,017	3 (0.3%)
2	0	0 (0.0%)	373	0 (0.0%)	373	0 (0.0%)
3	0	0 (0.0%)	86	0 (0.0%)	86	0 (0.0%)
5	0	0 (0.0%)	132	1 (0.8%)	132	1 (0.8%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	27	0 (0.0%)	416	3 (0.7%)	443	3 (0.7%)
9	7	1 (14.3%)	125	0 (0.0%)	132	1 (0.8%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/27/2024 - 11/02/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	3	1.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.3 % of PCR tests were positive during 10/27/2024 - 11/02/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/20/2024- 10/26/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0.2%	2	0
Current Week	0.2%	0	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,095	2 (0.2%)	1,095	2 (0.2%)
2	0	0 (0.0%)	394	0 (0.0%)	394	0 (0.0%)
3	0	0 (0.0%)	190	0 (0.0%)	190	0 (0.0%)
5	0	0 (0.0%)	145	0 (0.0%)	145	0 (0.0%)
6	0	0 (0.0%)	39	0 (0.0%)	39	0 (0.0%)
7	34	0 (0.0%)	402	3 (0.7%)	436	3 (0.7%)
9	0	0 (0.0%)	12	0 (0.0%)	12	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 5 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/20/2024 - 10/26/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.3 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	1	0.3
65 yrs+	3	1.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/20/2024 - 10/26/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/13/2024- 10/19/2024


RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0.2%	1	0
Current Week	0.2%	1	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,157	4 (0.3%)	1,157	4 (0.3%)
2	0	0 (0.0%)	393	0 (0.0%)	393	0 (0.0%)
3	0	0 (0.0%)	190	0 (0.0%)	190	0 (0.0%)
5	0	0 (0.0%)	105	0 (0.0%)	105	0 (0.0%)
6	0	0 (0.0%)	44	0 (0.0%)	44	0 (0.0%)
7	30	1 (3.3%)	435	0 (0.0%)	465	1 (0.2%)
9	0	0 (0.0%)	94	0 (0.0%)	94	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2024-2025 season. There was 1 hospitalization reported during 10/13/2024 - 10/19/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.2 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	3	1.0



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

3.3 % of antigen tests and 0.2 % of PCR tests were positive during 10/13/2024 - 10/19/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report


10/06/2024- 10/12/2024

RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Previous Week	0%	2	0
Current Week	0%	0	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	211	0 (0.0%)	211	0 (0.0%)
2	0	0 (0.0%)	346	0 (0.0%)	346	0 (0.0%)
3	0	0 (0.0%)	99	0 (0.0%)	99	0 (0.0%)
5	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	28	0 (0.0%)	420	0 (0.0%)	448	0 (0.0%)
9	7	1 (14.3%)	140	0 (0.0%)	147	1 (0.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 0 hospitalizations reported during 10/06/2024 - 10/12/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

2.9 % of antigen tests and 0.0 % of PCR tests were positive during 10/06/2024 - 10/12/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report


09/29/2024- 10/05/2024

RSV surveillance data at a glance			
	Percent Positivity	Hospitalizations	Pediatric Mortality
Current Week	0%	2	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,024	2 (0.2%)	1024	2 (0.2%)
2	0	0 (0.0%)	355	0 (0.0%)	355	0 (0%)
3	0	0 (0.0%)	181	0 (0.0%)	181	0 (0%)
5	0	0 (0.0%)	69	0 (0.0%)	69	0 (0%)
6	0	0 (0.0%)	44	0 (0.0%)	44	0 (0%)
7	46	0 (0.0%)	449	0 (0.0%)	495	0 (0%)
9	2	0 (0.0%)	117	0 (0.0%)	119	0 (0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date 2 hospitalizations have occurred during the 2024-2025 season. There were 2 hospitalizations reported during 09/29/2024 - 10/05/2024. The cumulative hospitalization rate for the 2024-2025 season is 0.1 per 100,000 people.

2024-2025 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3


Rates of RSV-associated Hospitalization by Week and Age Group, season 2024-2025



Laboratory Data

Oregon has not yet met criteria for RSV season onset. As defined by CDC, the RSV season onset is the first of 2 consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/29/2024 - 10/05/2024 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season