

RSV Surveillance Report

12/07/2025- 12/13/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	0.8%	3
Current Week	2.1%	4

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	779	17 (2.2%)	779	17 (2.2%)
2	9	1 (11.1%)	322	0 (0.0%)	331	1 (0.3%)
3	101	1 (1.0%)	165	2 (1.2%)	266	3 (1.1%)
5	0	0 (0.0%)	222	3 (1.4%)	222	3 (1.4%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	438	21 (4.8%)	438	21 (4.8%)
9	0	0 (0.0%)	178	2 (1.1%)	178	2 (1.1%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 18 hospitalizations have occurred during the 2025-2026 season. There were 4 hospitalizations reported during 12/07/2025 - 12/13/2025. The cumulative hospitalization rate for the 2025-2026 season is 1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	3	0.9
65 yrs+	6	2.0

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

1.8 % of antigen tests and 2.1 % of PCR tests were positive during 12/07/2025 - 12/13/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/30/2025- 12/06/2025


RSV surveillance data at a glance		
	Percent Positivity ^a	Hospitalizations ^b
Previous Week	1.2%	2
Current Week	0.9%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	1,178	12 (1.0%)	1,178	12 (1.0%)
2	0	0 (0.0%)	316	0 (0.0%)	316	0 (0.0%)
3	0	0 (0.0%)	76	0 (0.0%)	76	0 (0.0%)
5	0	0 (0.0%)	178	0 (0.0%)	178	0 (0.0%)
6	0	0 (0.0%)	46	0 (0.0%)	46	0 (0.0%)
7	0	0 (0.0%)	359	8 (2.2%)	359	8 (2.2%)
9	6	0 (0.0%)	247	1 (0.4%)	253	1 (0.4%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 13 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/30/2025 - 12/06/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.7 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	2	0.6
65 yrs+	2	0.7

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0 % of antigen tests and 0.9 % of PCR tests were positive during 11/30/2025 - 12/06/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/23/2025- 11/29/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.8%	1
Current Week	1.5%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	512	10 (2.0%)	512	10 (2.0%)
2	0	0 (0.0%)	327	0 (0.0%)	327	0 (0.0%)
3	0	0 (0.0%)	79	0 (0.0%)	79	0 (0.0%)
5	0	0 (0.0%)	197	0 (0.0%)	197	0 (0.0%)
6	0	0 (0.0%)	27	0 (0.0%)	27	0 (0.0%)
7	0	0 (0.0%)	401	15 (3.7%)	401	15 (3.7%)
9	0	0 (0.0%)	168	0 (0.0%)	168	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 11 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/23/2025 - 11/29/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.6 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	8	9.3
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	1	0.3
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 1.5 % of PCR tests were positive during 11/23/2025 - 11/29/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/16/2025- 11/22/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.7%	2
Current Week	0.8%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	858	10 (1.2%)	858	10 (1.2%)
2	0	0 (0.0%)	361	0 (0.0%)	361	0 (0.0%)
3	0	0 (0.0%)	79	0 (0.0%)	79	0 (0.0%)
5	0	0 (0.0%)	175	1 (0.6%)	175	1 (0.6%)
6	0	0 (0.0%)	40	0 (0.0%)	40	0 (0.0%)
7	0	0 (0.0%)	376	5 (1.3%)	376	5 (1.3%)
9	0	0 (0.0%)	159	0 (0.0%)	159	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 8 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 11/16/2025 - 11/22/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	6	7.0
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0% of antigen tests and 0.8 % of PCR tests were positive during 11/16/2025 - 11/22/2025.

RSV Surveillance Report

11/09/2025- 11/15/2025

RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.4%	2
Current Week	0.8%	1


^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	690	10 (1.4%)	690	10 (1.4%)
2	0	0 (0.0%)	313	0 (0.0%)	313	0 (0.0%)
3	0	0 (0.0%)	87	0 (0.0%)	87	0 (0.0%)
5	0	0 (0.0%)	187	0 (0.0%)	187	0 (0.0%)
6	0	0 (0.0%)	52	1 (1.9%)	52	1 (1.9%)
7	0	0 (0.0%)	376	3 (0.8%)	376	3 (0.8%)
9	0	0 (0.0%)	130	0 (0.0%)	130	0 (0.0%)


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season




Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 7 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 11/09/2025 - 11/15/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.4 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	5	5.8
5-17 yrs	0	0.0
18-49 yrs	1	0.1
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.8 % of PCR tests were positive during 11/09/2025 - 11/15/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

11/02/2025- 11/08/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	1
Current Week	0.4%	2

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	546	6 (1.1%)	546	6 (1.1%)
2	6	0 (0.0%)	338	0 (0.0%)	344	0 (0.0%)
3	97	0 (0.0%)	167	0 (0.0%)	264	0 (0.0%)
5	0	0 (0.0%)	190	0 (0.0%)	190	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	325	1 (0.3%)	325	1 (0.3%)
9	0	0 (0.0%)	135	1 (0.7%)	135	1 (0.7%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 6 hospitalizations have occurred during the 2025-2026 season. There were 2 hospitalizations reported during 11/02/2025 - 11/08/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.3 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	5	5.8
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3

Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026




Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.5 % of PCR tests were positive during 11/02/2025 - 11/08/2025 .


Oregon RSV Laboratory Surveillance

Antigen Percent Positivity by Season



Oregon RSV Laboratory Surveillance

PCR Percent Positivity by Season



RSV Surveillance Report

10/26/2025- 11/01/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.2%	1
Current Week	0.1%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	360	1 (0.3%)	360	1 (0.3%)
2	3	0 (0.0%)	301	0 (0.0%)	304	0 (0.0%)
3	82	0 (0.0%)	82	0 (0.0%)	164	0 (0.0%)
5	0	0 (0.0%)	156	0 (0.0%)	156	0 (0.0%)
6	0	0 (0.0%)	31	0 (0.0%)	31	0 (0.0%)
7	0	0 (0.0%)	315	0 (0.0%)	315	0 (0.0%)
9	1	0 (0.0%)	118	0 (0.0%)	119	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 4 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/26/2025 - 11/01/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.2 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	3	3.5
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/26/2025 - 11/01/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/19/2025- 10/25/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.3%	1
Current Week	0.2%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	549	2 (0.4%)	549	2 (0.4%)
2	0	0 (0.0%)	347	0 (0.0%)	347	0 (0.0%)
3	81	0 (0.0%)	146	0 (0.0%)	227	0 (0.0%)
5	0	0 (0.0%)	145	0 (0.0%)	145	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	365	1 (0.3%)	365	1 (0.3%)
9	10	0 (0.0%)	144	1 (0.7%)	154	1 (0.6%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 10/19/2025 - 10/25/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 10/19/2025 - 10/25/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/12/2025- 10/18/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	1
Current Week	0.4%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	93	1 (1.1%)	531	3 (0.6%)	624	4 (0.6%)
2	0	0 (0.0%)	368	1 (0.3%)	368	1 (0.3%)
3	85	0 (0.0%)	143	0 (0.0%)	228	0 (0.0%)
5	0	0 (0.0%)	183	0 (0.0%)	183	0 (0.0%)
6	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)
7	0	0 (0.0%)	390	2 (0.5%)	390	2 (0.5%)
9	2	0 (0.0%)	132	0 (0.0%)	134	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 2 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/12/2025 - 10/18/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.



2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	1	1.2
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.6 % of antigen tests and 0.3 % of PCR tests were positive during 10/12/2025 - 10/18/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

10/05/2025- 10/11/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.2%	0
Current Week	0.1%	1

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	499	1 (0.2%)	499	1 (0.2%)
2	0	0 (0.0%)	351	0 (0.0%)	351	0 (0.0%)
3	91	0 (0.0%)	162	0 (0.0%)	253	0 (0.0%)
5	0	0 (0.0%)	147	0 (0.0%)	147	0 (0.0%)
6	0	0 (0.0%)	37	0 (0.0%)	37	0 (0.0%)
7	0	0 (0.0%)	378	0 (0.0%)	378	0 (0.0%)
9	0	0 (0.0%)	112	0 (0.0%)	112	0 (0.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 1 hospitalizations have occurred during the 2025-2026 season. There was 1 hospitalization reported during 10/05/2025 - 10/11/2025. The cumulative hospitalization rate for the 2025-2026 season is 0.1 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	0	0.0
5-17 yrs	0	0.0
18-49 yrs	0	0.0
50-64 yrs	0	0.0
65 yrs+	1	0.3



Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.1 % of PCR tests were positive during 10/05/2025 - 10/11/2025.

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season

RSV Surveillance Report

09/28/2025- 10/04/2025


RSV surveillance data at a glance		
	Percent Positivity	Hospitalizations
Previous Week	0.1%	0
Current Week	0.2%	0

^a Data from National Respiratory and Enteric Virus Surveillance System (NREVSS)

^b Hospitalization surveillance in Clackamas, Multnomah, and Washington counties only

RSV Test Results in Oregon, NREVSS, Current Week						
Region	AG Tests	AG Positive	PCR Tests	PCR Positive	Total Tests	Total Positive
1	0	0 (0.0%)	468	2 (0.4%)	468	2 (0.4%)
2	0	0 (0.0%)	364	0 (0.0%)	364	0 (0.0%)
3	89	0 (0.0%)	182	0 (0.0%)	271	0 (0.0%)
5	0	0 (0.0%)	111	0 (0.0%)	111	0 (0.0%)
6	0	0 (0.0%)	40	0 (0.0%)	40	0 (0.0%)
7	0	0 (0.0%)	387	0 (0.0%)	387	0 (0.0%)
9	0	0 (0.0%)	100	2 (2.0%)	100	2 (2.0%)

Oregon RSV Percent Positivity by Region




Regions with insufficient data are displayed as grey

RSV Hospitalizations

The Oregon Health Authority conducts year round population-based surveillance for laboratory-confirmed hospitalizations associated with RSV in Clackamas, Multnomah, and Washington counties. To date, 0 hospitalizations have occurred during the 2025-2026 season. There were 0 hospitalizations reported during 09/28/2025 - 10/04/2025. The cumulative hospitalization rate for the 2025-2026 season is 0 per 100,000 people.

2025-2026 RSV-Associated Hospitalizations		
Age Group (years)	n	Rates per 100,000 people
< 5 yrs	0	0
5-17 yrs	0	0
18-49 yrs	0	0
50-64 yrs	0	0
65 yrs+	0	0


Rates of RSV-associated Hospitalization by Week and Age Group, season 2025-2026



Laboratory Data

As defined by CDC, the RSV season onset is the first of two consecutive weeks during which the mean percentage of specimens testing positive for RSV antigen is $\geq 10\%$ or the mean percentage of specimens testing positive for RSV by PCR is $\geq 3\%$, whichever occurs first. 24 laboratories in Oregon and southwest Washington participate in sentinel laboratory surveillance by reporting the numbers of RSV tests conducted and the number positive.

0.0 % of antigen tests and 0.2 % of PCR tests were positive during 09/28/2025 - 10/04/2025 .

Oregon RSV Laboratory Surveillance
Antigen Percent Positivity by SeasonOregon RSV Laboratory Surveillance
PCR Percent Positivity by Season