


### Chlamydia Cases by Year, Clackamas, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	3	.1	2.5	27	.4	23.2
15 – 19 yr.	414	14.7	341.2	1960	29.3	1746.7
20 – 24 yr.	1004	35.6	1014.1	2732	40.9	2898.7
25 – 34 yr.	939	33.3	470.3	1523	22.8	762.7
35 – 44 yr.	291	10.3	129.7	342	5.1	148.7
45 – 54 yr.	125	4.4	48.6	85	1.3	31.8
55 – 64 yr.	37	1.3	15.2	16	.2	6.2
≥ 65 yr.	6	.2	2.6	2	0	.7
All ages	2819	100	165.5	6687	100	379.9

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	5194	54.8	175.5
Black	256	2.7	642.4
Native American, Alaska Native	89	.9	55.3
Asian, Pacific Islander	203	2.1	753
Hispanic	905	9.5	328.2
Other	78	.8	n/a
Multiple	65	.7	n/a
Refused, unknown	2688	28.4	n/a

<b>Risk</b>		%	Inc.*
Male, sex with males	39	1.4**	n/a


  

<b>Other Infections</b>		%	Inc.*
HIV	66	.7	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Gonorrhea Cases by Year, Clackamas, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	1	.2	.9
15 – 19 yr.	30	4.2	24.7	93	20.2	82.9
20 – 24 yr.	135	18.9	136.4	137	29.7	145.4
25 – 34 yr.	293	41.1	146.7	147	31.9	73.6
35 – 44 yr.	151	21.2	67.3	59	12.8	25.7
45 – 54 yr.	81	11.4	31.5	16	3.5	6
55 – 64 yr.	18	2.5	7.4	5	1.1	1.9
≥ 65 yr.	5	.7	2.2	2	.4	.7
All ages	713	100	41.9	461	100	26.2

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	799	68.1	27
Black	72	6.1	180.7
Native American, Alaska Native	12	1	7.5
Asian, Pacific Islander	22	1.9	81.6
Hispanic	110	9.4	39.9
Other	10	.9	n/a
Multiple	14	1.2	n/a
Refused, unknown	135	11.5	n/a

<b>Risk</b>			
Male, sex with males	194	27.2**	n/a


  

<b>Other Infections</b>			
HIV	81	6.9	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Clackamas, 2007–2016



**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	0	0	0	0	0	0
20 – 24 yr.	12	7.1	12.1	2	10.5	2.1
25 – 34 yr.	38	22.5	19	6	31.6	3
35 – 44 yr.	48	28.4	21.4	6	31.6	2.6
45 – 54 yr.	44	26	17.1	4	21.1	1.5
55 – 64 yr.	23	13.6	9.4	1	5.3	.4
≥ 65 yr.	4	2.4	1.7	0	0	0
All ages	169	100	9.9	19	100	1.1
<b>Race, ethnicity</b>				(Both sexes) N	%	Inc.*
White				136	72.3	4.6
Black				6	3.2	15.1
Native American, Alaska Native				1	.5	.6
Asian, Pacific Islander				4	2.1	14.8
Hispanic				24	12.8	8.7
Other				1	.5	n/a
Multiple				2	1.1	n/a
Refused, unknown				14	7.4	n/a
<b>Risk</b>						
Male, sex with males				102	60.4**	n/a
<b>Other Infections</b>						
HIV				66	35.1	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .