


Chlamydia Cases by Year, Clatsop, 2007–2016




**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	2	.3	22
15 – 19 yr.	68	18.1	633.7	245	34.3	2516.7
20 – 24 yr.	164	43.7	1497.6	296	41.5	3048.1
25 – 34 yr.	118	31.5	584.4	148	20.7	765.7
35 – 44 yr.	17	4.5	89.8	18	2.5	97.6
45 – 54 yr.	4	1.1	17.5	4	.6	16.9
55 – 64 yr.	4	1.1	14.8	1	.1	3.5
≥ 65 yr.	0	0	0	0	0	0
All ages	375	100	225.8	714	100	421.4
<b>Race, ethnicity</b>				(Both sexes) N	%	Inc.*
White				783	71.8	264.3
Black				53	4.9	1752.6
Native American, Alaska Native				13	1.2	217
Asian, Pacific Islander				19	1.7	477.1
Hispanic				127	11.6	483.6
Other				6	.5	n/a
Multiple				14	1.3	n/a
Refused, unknown				76	7	n/a
<b>Risk</b>						
Male, sex with males				4	1.1**	n/a
<b>Other Infections</b>						
HIV				3	.3	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Gonorrhoea Cases by Year, Clatsop, 2007–2016




### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	4	10.3	37.3	14	37.8	143.8
20 – 24 yr.	13	33.3	118.7	9	24.3	92.7
25 – 34 yr.	11	28.2	54.5	11	29.7	56.9
35 – 44 yr.	7	17.9	37	3	8.1	16.3
45 – 54 yr.	3	7.7	13.1	0	0	0
55 – 64 yr.	1	2.6	3.7	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	39	100	23.5	37	100	21.8
<b>Race, ethnicity</b>	(Both sexes) N			% Inc.*		
White	47			63.5 15.9		
Black	13			17.6 429.9		
Native American, Alaska Native	1			1.4 16.7		
Asian, Pacific Islander	1			1.4 25.1		
Hispanic	4			5.4 15.2		
Other	1			1.4 n/a		
Multiple	1			1.4 n/a		
Refused, unknown	6			8.1 n/a		
<b>Risk</b>						
Male, sex with males	6			15.4** n/a		
<b>Other Infections</b>						
HIV	5			6.6 n/a		

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Early Syphilis Cases by Year, Clatsop, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	1	7.1	9.3	0	0	0
20 – 24 yr.	1	7.1	9.1	0	0	0
25 – 34 yr.	5	35.7	24.8	0	0	0
35 – 44 yr.	5	35.7	26.4	0	0	0
45 – 54 yr.	2	14.3	8.8	0	0	0
55 – 64 yr.	0	0	0	1	100	3.5
≥ 65 yr.	0	0	0	0	0	0
All ages	14	100	8.4	1	100	.6
<b>Race, ethnicity</b>	(Both sexes) N			% Inc.*		
White	10			66.7 3.4		
Black	2			13.3 66.1		
Native American, Alaska Native	0			0 0		
Asian, Pacific Islander	1			6.7 25.1		
Hispanic	1			6.7 3.8		
Other	0			0 n/a		
Multiple	0			0 n/a		
Refused, unknown	1			6.7 n/a		
<b>Risk</b>	(Both sexes) N			% Inc.*		
Male, sex with males	13			92.9** n/a		
<b>Other Infections</b>	(Both sexes) N			% Inc.*		
HIV	6			40 n/a		

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .