


Chlamydia Cases by Year, Hood River, 2007–2016




Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	24	13.5	328.5	117	31	1701.1
20 – 24 yr.	73	41	1251.1	133	35.3	2468.9
25 – 34 yr.	50	28.1	396	100	26.5	826.9
35 – 44 yr.	26	14.6	189.9	22	5.8	161.1
45 – 54 yr.	4	2.2	27	4	1.1	27.2
55 – 64 yr.	1	.6	7.6	1	.3	8
≥ 65 yr.	0	0	0	0	0	0
All ages	178	100	176	377	100	373.1
Race, ethnicity	(Both sexes) N			(Both sexes) N		
White				328	59	242.9
Black				5	.9	404.2
Native American, Alaska Native				4	.7	115.6
Asian, Pacific Islander				3	.5	170.6
Hispanic				190	34.2	313.1
Other				1	.2	n/a
Multiple				7	1.3	n/a
Refused, unknown				18	3.2	n/a
Risk						
Male, sex with males				4	2.2**	n/a
Other Infections						
HIV				1	.2	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Hood River, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	0	0	0	1	8.3	14.5
20 – 24 yr.	3	21.4	51.4	7	58.3	129.9
25 – 34 yr.	7	50	55.4	1	8.3	8.3
35 – 44 yr.	2	14.3	14.6	1	8.3	7.3
45 – 54 yr.	2	14.3	13.5	0	0	0
55 – 64 yr.	0	0	0	1	8.3	8
≥ 65 yr.	0	0	0	1	8.3	6.7
All ages	14	100	13.8	12	100	11.9

Race, ethnicity	(Both sexes) N	%	Inc.*
White	20	76.9	14.8
Black	1	3.8	80.8
Native American, Alaska Native	0	0	0
Asian, Pacific Islander	0	0	0
Hispanic	5	19.2	8.2
Other	0	0	n/a
Multiple	0	0	n/a
Refused, unknown	0	0	n/a

Risk			
Male, sex with males	2	14.3**	n/a

Other Infections			
HIV	0	0	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Hood River, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program