


Chlamydia Cases by Year, Jackson, 2007–2016



**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	11	.2	20.1
15 – 19 yr.	243	15.7	417.5	1327	29.6	2303.3
20 – 24 yr.	628	40.5	1142.2	1882	42	3372.8
25 – 34 yr.	507	32.7	463.4	1037	23.2	945.9
35 – 44 yr.	121	7.8	114.9	183	4.1	171.6
45 – 54 yr.	33	2.1	27.3	31	.7	24.3
55 – 64 yr.	15	1	11.4	6	.1	4.2
≥ 65 yr.	4	.3	2.5	0	0	0
All ages	1551	100	171.3	4478	100	469.9

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	4111	68.2	261.1
Black	118	2	636.9
Native American, Alaska Native	69	1.1	209.6
Asian, Pacific Islander	57	.9	260.4
Hispanic	743	12.3	353.5
Other	35	.6	n/a
Multiple	45	.7	n/a
Refused, unknown	846	14	n/a

<b>Risk</b>		%	Inc.*
Male, sex with males	10	.6**	n/a


  

<b>Other Infections</b>		%	Inc.*
HIV	5	.1	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Gonorrhea Cases by Year, Jackson, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	25	6.9	43	67	15.4	116.3
20 – 24 yr.	95	26.3	172.8	142	32.6	254.5
25 – 34 yr.	134	37.1	122.5	153	35.1	139.6
35 – 44 yr.	62	17.2	58.9	46	10.6	43.1
45 – 54 yr.	31	8.6	25.6	23	5.3	18
55 – 64 yr.	14	3.9	10.7	3	.7	2.1
≥ 65 yr.	0	0	0	2	.5	1
All ages	361	100	39.9	436	100	45.8

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	542	68.2	34.4
Black	23	2.9	124.1
Native American, Alaska Native	5	.6	15.2
Asian, Pacific Islander	2	.3	9.1
Hispanic	62	7.8	29.5
Other	7	.9	n/a
Multiple	11	1.4	n/a
Refused, unknown	143	18	n/a

<b>Risk</b>		%	Inc.*
Male, sex with males	26	7.2**	n/a


  

<b>Other Infections</b>		%	Inc.*
HIV	5	.6	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Early Syphilis Cases by Year, Jackson, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	0	0	0	0	0	0
20 – 24 yr.	4	9.3	7.3	4	40	7.2
25 – 34 yr.	15	34.9	13.7	3	30	2.7
35 – 44 yr.	13	30.2	12.3	2	20	1.9
45 – 54 yr.	7	16.3	5.8	1	10	.8
55 – 64 yr.	3	7	2.3	0	0	0
≥ 65 yr.	1	2.3	.6	0	0	0
All ages	43	100	4.8	10	100	1

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	37	69.8	2.3
Black	1	1.9	5.4
Native American, Alaska Native	1	1.9	3
Asian, Pacific Islander	1	1.9	4.6
Hispanic	6	11.3	2.9
Other	0	0	n/a
Multiple	1	1.9	n/a
Refused, unknown	6	11.3	n/a

<b>Risk</b>	N	%	Inc.*
Male, sex with males	23	53.5**	n/a

<b>Other Infections</b>	N	%	Inc.*
HIV	9	17	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .