


Chlamydia Cases by Year, Jefferson, 2007–2016




Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	8	.9	121.3
15 – 19 yr.	66	22.1	949.6	253	28.5	3988
20 – 24 yr.	102	34.1	1620.8	318	35.8	5992.1
25 – 34 yr.	105	35.1	863.5	253	28.5	2419.2
35 – 44 yr.	25	8.4	198.1	42	4.7	378.7
45 – 54 yr.	0	0	0	9	1	69.6
55 – 64 yr.	1	.3	7.2	5	.6	36.8
≥ 65 yr.	0	0	0	0	0	0
All ages	299	100	290.9	888	100	928.6
Race, ethnicity	(Both sexes) N			% Inc.*		
White	267			23.9 216.8		
Black	4			.4 221.7		
Native American, Alaska Native	584			52.4 34991		
Asian, Pacific Islander	2			.2 6.1		
Hispanic	155			13.9 397.4		
Other	16			1.4 n/a		
Multiple	5			.4 n/a		
Refused, unknown	82			7.4 n/a		
Risk	Male, sex with males			3 1** n/a		
Other Infections	HIV			0 0 n/a		

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Jefferson, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	1	3.6	14.4	11	17.2	173.4
20 – 24 yr.	6	21.4	95.3	21	32.8	395.7
25 – 34 yr.	10	35.7	82.2	30	46.9	286.9
35 – 44 yr.	9	32.1	71.3	0	0	0
45 – 54 yr.	2	7.1	14.5	2	3.1	15.5
55 – 64 yr.	0	0	0	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	28	100	27.2	64	100	66.9
Race, ethnicity	(Both sexes) N			%	Inc.*	
White				19	21.1	15.4
Black				0	0	0
Native American, Alaska Native				64	71.1	3834.6
Asian, Pacific Islander				0	0	0
Hispanic				3	3.3	7.7
Other				0	0	n/a
Multiple				0	0	n/a
Refused, unknown				4	4.4	n/a
Risk				1	3.6**	n/a
Other Infections				0	0	n/a
HIV				0	0	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Jefferson, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program