


Chlamydia Cases by Year, Klamath, 2007–2016




Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	11	.7	61.9
15 – 19 yr.	76	17.4	371.3	521	32.1	2792.2
20 – 24 yr.	161	36.9	807.8	717	44.2	3858.8
25 – 34 yr.	145	33.3	428.8	315	19.4	952
35 – 44 yr.	40	9.2	119.7	51	3.1	152.5
45 – 54 yr.	13	3	33.3	7	.4	17.2
55 – 64 yr.	1	.2	2.3	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	436	100	146.8	1624	100	543.6
Race, ethnicity				(Both sexes) N	%	Inc.*
White				1510	73.2	308.5
Black				23	1.1	355.3
Native American, Alaska Native				121	5.9	1667.4
Asian, Pacific Islander				17	.8	65.2
Hispanic				252	12.2	379
Other				4	.2	n/a
Multiple				40	1.9	n/a
Refused, unknown				97	4.7	n/a
Risk						
Male, sex with males				5	1.1**	n/a
Other Infections						
HIV				2	.1	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Klamath, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	8	5.8	39.1	36	24	192.9
20 – 24 yr.	33	24.1	165.6	48	32	258.3
25 – 34 yr.	63	46	186.3	45	30	136
35 – 44 yr.	23	16.8	68.8	17	11.3	50.8
45 – 54 yr.	8	5.8	20.5	3	2	7.4
55 – 64 yr.	2	1.5	4.6	1	.7	2.2
≥ 65 yr.	0	0	0	0	0	0
All ages	137	100	46.1	150	100	50.2
Race, ethnicity	(Both sexes) N			% Inc.*		
White	192			66.9 39.2		
Black	10			3.5 154.5		
Native American, Alaska Native	27			9.4 372.1		
Asian, Pacific Islander	3			1 11.5		
Hispanic	40			13.9 60.2		
Other	2			.7 n/a		
Multiple	5			1.7 n/a		
Refused, unknown	8			2.8 n/a		
Risk	Male, sex with males			3 2.2** n/a		
Other Infections	HIV			0 0 n/a		

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Klamath, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program