


Chlamydia Cases by Year, Lane, 2007–2016




**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	6	.1	6.6	47	.5	53.9
15 – 19 yr.	516	12.4	456.8	2501	26.7	2255.2
20 – 24 yr.	1842	44.2	1179.8	4359	46.6	2870.9
25 – 34 yr.	1342	32.2	653.1	1943	20.8	988.7
35 – 44 yr.	347	8.3	185.8	409	4.4	221.7
45 – 54 yr.	85	2	42.3	82	.9	38.4
55 – 64 yr.	22	.5	10.3	16	.2	6.8
≥ 65 yr.	3	.1	1.3	2	0	.7
All ages	4164	100	265.3	9363	100	576.7
<b>Race, ethnicity</b>				(Both sexes) N	%	Inc.*
White				9738	72	353.8
Black				559	4.1	1221.8
Native American, Alaska Native				174	1.3	165.8
Asian, Pacific Islander				293	2.2	706.3
Hispanic				1202	8.9	483.8
Other				137	1	n/a
Multiple				177	1.3	n/a
Refused, unknown				1248	9.2	n/a
<b>Risk</b>						
Male, sex with males				69	1.7**	n/a
<b>Other Infections</b>						
HIV				26	.2	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Lane, 2007–2016




**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	2	.3	2.3
15 – 19 yr.	50	5.7	44.3	89	14	80.3
20 – 24 yr.	250	28.4	160.1	204	32.1	134.4
25 – 34 yr.	346	39.3	168.4	233	36.7	118.6
35 – 44 yr.	161	18.3	86.2	77	12.1	41.7
45 – 54 yr.	53	6	26.4	22	3.5	10.3
55 – 64 yr.	20	2.3	9.3	8	1.3	3.4
≥ 65 yr.	1	.1	.4	0	0	0
All ages	881	100	56.1	635	100	39.1
<b>Race, ethnicity</b>	(Both sexes) N			%	Inc.*	
White	1091			71.8	39.6	
Black	110			7.2	240.4	
Native American, Alaska Native	21			1.4	20	
Asian, Pacific Islander	30			2	72.3	
Hispanic	124			8.2	49.9	
Other	20			1.3	n/a	
Multiple	33			2.2	n/a	
Refused, unknown	91			6	n/a	
<b>Risk</b>	Male, sex with males	157		17.8**	n/a	
<b>Other Infections</b>	HIV	32		2.1	n/a	

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Lane, 2007–2016



**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	1	1.1	.9	3	13.6	2.7
20 – 24 yr.	19	20.4	12.2	3	13.6	2
25 – 34 yr.	40	43	19.5	9	40.9	4.6
35 – 44 yr.	14	15.1	7.5	2	9.1	1.1
45 – 54 yr.	15	16.1	7.5	2	9.1	.9
55 – 64 yr.	3	3.2	1.4	3	13.6	1.3
≥ 65 yr.	1	1.1	.4	0	0	0
All ages	93	100	5.9	22	100	1.4
<b>Race, ethnicity</b>				(Both sexes) N	%	Inc.*
White				86	74.1	3.1
Black				3	2.6	6.6
Native American, Alaska Native				3	2.6	2.9
Asian, Pacific Islander				4	3.4	9.6
Hispanic				12	10.3	4.8
Other				0	0	n/a
Multiple				4	3.4	n/a
Refused, unknown				4	3.4	n/a
<b>Risk</b>						
Male, sex with males				52	55.9**	n/a
<b>Other Infections</b>						
HIV				20	17.5	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .