


Chlamydia Cases by Year, Tillamook, 2007–2016




**Cumulative Counts, Proportions and Rates for 2007–2016**

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	3	2.3	48	1	.3	17.7
15 – 19 yr.	19	14.8	265.4	99	30.6	1753.5
20 – 24 yr.	63	49.2	1121	155	47.8	3073.6
25 – 34 yr.	30	23.4	250.8	58	17.9	525.7
35 – 44 yr.	11	8.6	88.4	8	2.5	69.1
45 – 54 yr.	0	0	0	3	.9	19.2
55 – 64 yr.	2	1.6	10.4	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	128	100	111.3	324	100	285.7
<b>Race, ethnicity</b>				(Both sexes) N	%	Inc.*
White				349	77.2	174.9
Black				3	.7	219.1
Native American, Alaska Native				3	.7	102.6
Asian, Pacific Islander				6	1.3	209.2
Hispanic				69	15.3	316.9
Other				2	.4	n/a
Multiple				0	0	n/a
Refused, unknown				20	4.4	n/a
<b>Risk</b>						
Male, sex with males				2	1.6**	n/a
<b>Other Infections</b>						
HIV				2	.4	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Gonorrhea Cases by Year, Tillamook, 2007–2016



### Cumulative Counts, Proportions and Rates for 2007–2016

<b>Age by sex</b>	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	3	17.6	41.9	2	11.8	35.4
20 – 24 yr.	4	23.5	71.2	5	29.4	99.1
25 – 34 yr.	6	35.3	50.2	8	47.1	72.5
35 – 44 yr.	3	17.6	24.1	2	11.8	17.3
45 – 54 yr.	0	0	0	0	0	0
55 – 64 yr.	1	5.9	5.2	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	17	100	14.8	17	100	15

<b>Race, ethnicity</b>	(Both sexes) N	%	Inc.*
White	31	91.2	15.5
Black	2	5.9	146.1
Native American, Alaska Native	0	0	0
Asian, Pacific Islander	0	0	0
Hispanic	0	0	0
Other	0	0	n/a
Multiple	0	0	n/a
Refused, unknown	1	2.9	n/a

<b>Risk</b>		%	Inc.*
Male, sex with males	1	5.9**	n/a


  

<b>Other Infections</b>		%	Inc.*
HIV	2	5.9	n/a

\*Cases per 100,000 population

\*\*Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

## Early Syphilis Cases by Year, Tillamook, 2007–2016



*The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program*