


Chlamydia Cases by Year, Union, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	25	12.3	290.5	160	27.9	1925.9
20 – 24 yr.	92	45.1	972	282	49.1	2809
25 – 34 yr.	69	33.8	513.3	112	19.5	876.9
35 – 44 yr.	15	7.4	129	17	3	143
45 – 54 yr.	3	1.5	21.8	3	.5	20
55 – 64 yr.	0	0	0	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	204	100	179.6	574	100	488.9

Race, ethnicity	(Both sexes) N	%	Inc.*
White	634	82.7	299.9
Black	26	3.4	1300
Native American, Alaska Native	4	.5	79.7
Asian, Pacific Islander	24	3.1	868
Hispanic	38	5	387.9
Other	3	.4	n/a
Multiple	6	.8	n/a
Refused, unknown	32	4.2	n/a


Risk		%	Inc.*
Male, sex with males	1	.5**	n/a

Other Infections		%	Inc.*
HIV	0	0	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Union, 2007–2016




Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	3	21.4	34.9	4	22.2	48.1
20 – 24 yr.	3	21.4	31.7	4	22.2	39.8
25 – 34 yr.	5	35.7	37.2	8	44.4	62.6
35 – 44 yr.	1	7.1	8.6	2	11.1	16.8
45 – 54 yr.	2	14.3	14.5	0	0	0
55 – 64 yr.	0	0	0	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	14	100	12.3	18	100	15.3
Race, ethnicity	(Both sexes) N			% Inc.*		
White	25			78.1 11.8		
Black	0			0 0		
Native American, Alaska Native	0			0 0		
Asian, Pacific Islander	2			6.3 72.3		
Hispanic	5			15.6 51		
Other	0			0 n/a		
Multiple	0			0 n/a		
Refused, unknown	0			0 n/a		
Risk	Male, sex with males			2 14.3** n/a		
Other Infections	HIV			0 0 n/a		

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Union, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program