


Chlamydia Cases by Year, Wasco, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	1	.4	13.8	6	1	84.2
15 – 19 yr.	37	15.4	491.1	192	33.4	2880.3
20 – 24 yr.	91	37.9	1336.3	236	41	3661.2
25 – 34 yr.	88	36.7	662.1	116	20.2	878.9
35 – 44 yr.	14	5.8	111.7	21	3.7	166
45 – 54 yr.	4	1.7	27.8	2	.3	13.2
55 – 64 yr.	5	2.1	29.6	2	.3	12
≥ 65 yr.	0	0	0	0	0	0
All ages	240	100	212.7	575	100	501.2

Race, ethnicity	(Both sexes) N	%	Inc.*
White	492	60.7	277.7
Black	10	1.2	635.7
Native American, Alaska Native	24	3	649
Asian, Pacific Islander	7	.9	78.5
Hispanic	199	24.6	549.8
Other	5	.6	n/a
Multiple	6	.7	n/a
Refused, unknown	67	8.3	n/a


Risk		%	Inc.*
Male, sex with males	7	2.9**	n/a

Other Infections		%	Inc.*
HIV	2	.2	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Wasco, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	2	6.5	26.5	5	14.7	75
20 – 24 yr.	7	22.6	102.8	13	38.2	201.7
25 – 34 yr.	9	29	67.7	11	32.4	83.3
35 – 44 yr.	7	22.6	55.9	5	14.7	39.5
45 – 54 yr.	2	6.5	13.9	0	0	0
55 – 64 yr.	4	12.9	23.7	0	0	0
≥ 65 yr.	0	0	0	0	0	0
All ages	31	100	27.5	34	100	29.6
Race, ethnicity	(Both sexes) N			% Inc.*		
White	46			73 26		
Black	0			0 0		
Native American, Alaska Native	1			1.6 27		
Asian, Pacific Islander	0			0 0		
Hispanic	8			12.7 22.1		
Other	0			0 n/a		
Multiple	0			0 n/a		
Refused, unknown	8			12.7 n/a		
Risk	Male, sex with males			15	48.4**	n/a
Other Infections	HIV			2	3.1	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Wasco, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program