


Chlamydia Cases by Year, Washington, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	3	.1	1.7	32	.3	19.3
15 – 19 yr.	603	11.7	377.4	2873	25.8	1898.8
20 – 24 yr.	1781	34.7	1215.3	4665	41.9	3118
25 – 34 yr.	1937	37.7	507.7	2770	24.9	729.7
35 – 44 yr.	567	11	150.5	630	5.7	169.8
45 – 54 yr.	195	3.8	57.8	136	1.2	39.5
55 – 64 yr.	40	.8	15.1	19	.2	6.6
≥ 65 yr.	8	.2	3.5	4	0	1.3
All ages	5137	100	212.5	11130	100	446.3

Race, ethnicity	(Both sexes) N	%	Inc.*
White	8034	50.2	231.1
Black	522	3.3	469.8
Native American, Alaska Native	87	.5	16.9
Asian, Pacific Islander	504	3.1	1655.3
Hispanic	3461	21.6	444.2
Other	135	.8	n/a
Multiple	76	.5	n/a
Refused, unknown	3187	19.9	n/a


Risk		%	Inc.*
Male, sex with males	53	1**	n/a

Other Infections		%	Inc.*
HIV	143	.9	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhoea Cases by Year, Washington, 2007–2016




Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	2	.2	1.1	4	.7	2.4
15 – 19 yr.	70	5.3	43.8	72	13.4	47.6
20 – 24 yr.	278	21.2	189.7	173	32.2	115.6
25 – 34 yr.	533	40.7	139.7	175	32.6	46.1
35 – 44 yr.	239	18.3	63.4	76	14.2	20.5
45 – 54 yr.	144	11	42.7	30	5.6	8.7
55 – 64 yr.	34	2.6	12.9	4	.7	1.4
≥ 65 yr.	9	.7	3.9	0	0	0
All ages	1309	100	54.1	537	100	21.5
Race, ethnicity	(Both sexes) N			%	Inc.*	
White	1068			58	30.7	
Black	108			5.9	97.2	
Native American, Alaska Native	12			.7	2.3	
Asian, Pacific Islander	41			2.2	134.7	
Hispanic	348			18.9	44.7	
Other	14			.8	n/a	
Multiple	20			1.1	n/a	
Refused, unknown	229			12.4	n/a	
Risk	Male, sex with males	375		28.6**	n/a	
Other Infections	HIV	192		10.4	n/a	

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Washington, 2007–2016



Cumulative Counts, Proportions and Rates for 2007–2016

Age by sex	(Men) N	%	Inc.*	(Women) N	%	Inc.*
10 – 14 yr.	0	0	0	0	0	0
15 – 19 yr.	14	3.7	8.8	0	0	0
20 – 24 yr.	52	13.7	35.5	5	20	3.3
25 – 34 yr.	120	31.7	31.5	9	36	2.4
35 – 44 yr.	103	27.2	27.3	10	40	2.7
45 – 54 yr.	66	17.4	19.6	0	0	0
55 – 64 yr.	14	3.7	5.3	0	0	0
≥ 65 yr.	10	2.6	4.4	1	4	.3
All ages	379	100	15.7	25	100	1

Race, ethnicity	(Both sexes) N	%	Inc.*
White	229	56.8	6.6
Black	19	4.7	17.1
Native American, Alaska Native	1	.2	.2
Asian, Pacific Islander	16	4	52.5
Hispanic	112	27.8	14.4
Other	2	.5	n/a
Multiple	3	.7	n/a
Refused, unknown	21	5.2	n/a

Risk			
Male, sex with males	229	60.4**	n/a

Other Infections			
HIV	142	35.1	n/a

*Cases per 100,000 population

**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .