



Rocky Mountain wood tick  
(*Dermacentor andersoni*)  
Photo: CDC



Rocky Mountain wood tick  
distribution.  
Image: CDC




Embedded and engorged Rocky Mountain wood tick, Harney County.

89% of patients with Colorado tick fever are found to have an embedded Rocky Mountain wood tick at time of presentation.

Photo: Kurt Atkin


## Colorado Tick Fever, 2009-2025

**Reported Colorado tick fever (CTF) cases of Oregon residents who had acquired CTF in Oregon, 2009-2025, by Year of Disease Onset and Oregon County of Exposure, (n=21), Median 1 case per year (Range 0-5) Annual Incidence Rate 0.3/million population/year.**




Year of Disease Onset

Colorado Tick Fever Cases, 2009-2025, Oregon, by \*Exposure and County of Residence (shaded) (1 unknown area of exposure n=20)




County of Exposure

**Reported Colorado tick fever (CTF) cases of Oregon residents who had acquired CTF in Oregon, 2009-2025, by Month of Disease Onset and Age Group (years), (n=21), Median 1 case per year (Range 0-5) Annual Incidence Rate 0.3/million population/year.**



Month of Disease Onset



Age Group (years)

Median Age 54 (3-80)



# Thank you

---

You can get this document in other languages, large print, braille or a format you prefer free of charge. Contact Stephen Ladd-Wilson at [Stephen.G.Ladd-Wilson@oha.oregon.gov](mailto:Stephen.G.Ladd-Wilson@oha.oregon.gov) or 971-673-1111. We accept all relay calls.

Public Health Division  
Acute and Communicable Disease Prevention  
800 NE Oregon St, Suite 370  
Portland, OR 97232  
main office 971.673.1111  
Fax 971.673.1100  
[www.oregon.gov/ticks](http://www.oregon.gov/ticks)

