Oregon Tuberculosis Control Program Indicators, 2008-2020

1. Reporting and Treatment for TB cases

Indicator	Year												
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Completion of therapy within one year [†]	97%	97%	99%	89%	96%	87%	95%	89%	80%	90%	96%	97%	TBD*
HIV status reported	93%	97%	96%	95%	98%	88%	99%	99%	97%	100%	96%	100%	96%
Totally directly observed therapy	84%	83%	87%	89%	80%	89%	88%	89%	87%	97%	93%	95%	TBD*

2. Follow-up and Treatment for Contacts to Sputum-smear Positive Cases

Indicator	Year												
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Cases with no contacts	0%	6%	4%	0%	0%	4%	3%	0%	0%	0%	0%	0%	0%
Contacts evaluated for TB	72%	76%	82%	74%	69%	91%	82%	74%	84%	86%	93%	84%	TBD*
Active TB identified	<1%	<1%	1%	0%	0%	1%	1%	0%	1%	<1%	2%	1%	TBD*
NEW Latent TB identified [‡]	22%	18%	17%	12%	13%	17%	18%	8%	11%	14%	14%	21%	TBD*
LTBI treatment started [‡]	77%	84%	88%	90%	72%	84%	85%	91%	85%	83%	85%	85%	TBD*
LTBI treatment completed [∓]	61%	71%	80%	92%	67%	70%	83%	93%	53%	84%	78%	79%	TBD*

Updated 03/2021

†Excludes patients with resistance to rifampin, patients who died during treatment, patients with meningeal TB, children under age of 15 (at report) with disseminated TB (defined as miliary and/or positive blood culture).

[‡] Excludes contacts with prior positive TST/QFT test and/or prior history of treatment for TB infection or disease.

^{*}TBD; TB is reported on a 2-year cycle. 2020 data will be completed in 2022.