



Oregon
Tuberculosis Control Program
TB Case Data
2005

TB Cases and Incidence Oregon, 1985-2005




TB Cases by County of Residence — Oregon, 2005



Tuberculosis Disease in the Most Affected Counties — Oregon, 2005


County	Cases	Incidence	% of State
Multnomah	40	5.8	39%
Marion	18	6.0	17%
Washington	17	3.5	17%
Total of 3 Counties	79	---	73%

Tuberculosis Case Counts by County by 5-Year Totals – Oregon, 1991–2005*




*Counties not shown had <10 cases during each interval shown


TB Cases by Gender & Age Oregon, 2005




TB Cases by Race & Ethnicity Oregon, 2005



TB Incidence by Race & Ethnicity — Oregon, 2005




TB Cases by Origin — Oregon, 1995-2005




— Foreign Born — US Born


Foreign-born TB Cases by Country of Birth — Oregon, 2005




Foreign-born Tuberculosis Cases by Region of Birth — Oregon, 1995 – 2006




Pediatric TB Cases — Oregon, 1995-2005



HIV Co-infection Among Persons with TB Disease — Oregon, 1995-2005




Homelessness Among Persons with TB Disease — Oregon, 1995-2005




■ Homeless in year before TB diagnosis

TB Cases in Correctional Facilities Oregon 2000-2005




■ Federal ■ State ■ Local

TB Cases in Long Term Care Facilities — Oregon 2000-2005



■ Nursing Home ■ Residential ■ Mental Health
■ EtOH/Drug ■ Other

TB and Substance Use Oregon 2000-2005



■ Excess EtOH ■ Injected Drugs ■ Non-injected Drugs

Categories are not mutually exclusive

TB Drug Resistance Patterns Oregon 2005

- Zero (0%) Multi-drug resistant (MDR) cases

MDR = isoniazid (INH) and rifampin (RM) resistant

- 11 (13%) of 86 isolates resistant to ≥ 1 drug

	INH*	RIF	SM	PZA	EMB
INH	2				
RIF		1			
SM	2		3		
PZA				2	
EMB					
*One isolate resistant to INH, PZA and SM					