

2025 Rule Amendment Tracker

Rule	Description of Changes	Reason for the Changes	Page Where Changes Can be Found
OAR 333-061-0032	Added requirements to replace survey deficiencies.	To ensure effective implementation of the survey requirements.	11
OAR 333-061-0036	Added requirement for IDSE plan approval, revised monthly monitoring requirements for non-community water systems and added requirements to replace survey deficiencies.	To align with federal requirements and relieve some water suppliers of unnecessary coliform monitoring at non-community water systems.	47, 66-68, 86
OAR 333-061-0040	Added reporting and record maintenance requirements for CCRs (moved here from OAR 333-061-0043)	To adopt changes made to the federal CCR rule.	128, 131
OAR 333-061-0043	Added revised CCR rule provisions	To adopt changes made to the federal consumer confidence rule.	131-148
OAR 333-061-0061	Removed requirement for capacity assessments at new transient non-community water systems	To align with federal requirements, which do not require capacity assessments at transient non-community water systems.	148, 151
OAR 333-061-0076	Revised list of significant deficiencies	To ensure effective implementation of the survey requirements and focus surveys on direct pathways for contamination to enter drinking water.	152-154
OAR 333-061-0220	Housekeeping change to correct value for scoring WTP classification for "dual or mixed media filtration. Value should be five points, not three.	To correct an error.	Table 51 attachment

CCR means consumer confidence report

IDSE means initial distribution system evaluation