

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

This table summarizes indoor radon test results that test kit manufacturers have provided to the Oregon Radon Awareness Program. A general level of having elevated indoor radon is assigned for the zip code based on the maximum and average result values as well as the percent of locations within the zip code where a test result ≥ 4 pCi/L was measured.

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result ≥ 4 pCi/L
97001	Antelope	0	Not Assigned	0	0.0	0.0
97002	Aurora	41	Moderate	11.1	1.8	14.6
97003	Beaverton	86	Low	4.6	1.4	2.3
97004	Beavercreek	43	Moderate	6.4	2.5	25.6
97005	Beaverton	117	Low	6.4	1.3	5.1
97006	Beaverton	165	Low	13.5	1.4	5.5
97007	Beaverton	419	Moderate	30.5	2.0	14.1
97008	Beaverton	201	Low	45.8	1.6	8.5
97009	Boring	90	High	41.3	5.0	44.4
97010	Bridal Veil	0	Not Assigned	0	0.0	0.0
97011	Brightwood	3	Not Assigned	1	0.6	0.0
97013	Canby	144	Moderate	20	2.3	18.8
97014	Cascade Locks	3	Not Assigned	6.8	4.0	66.7
97015	Clackamas	119	Low	30.3	1.6	8.4
97016	Clatskanie	21	High	33.7	4.7	52.4
97017	Colton	20	Moderate	11.7	3.6	35.0
97018	Columbia City	33	High	58.9	6.6	45.5
97019	Corbett	36	High	29.7	4.1	33.3
97020	Donald	0	Not Assigned	0	0.0	0.0
97021	Dufur	4	Not Assigned	8.2	2.0	25.0
97022	Eagle Creek	26	Low	5.9	1.7	7.7
97023	Estacada	44	Moderate	13	2.4	20.5
97024	Fairview	31	Low	9.1	1.5	3.2
97026	Gervais	8	*Moderate*	7.2	3.5	50.0
97027	Gladstone	145	Moderate	27.9	3.2	24.1
97028	Government Camp	3	Not Assigned	1.2	1.0	0.0
97029	Grass Valley	0	Not Assigned	0	0.0	0.0
97030	Gresham	169	Moderate	28.8	3.1	26.0
97031	Hood River	183	Moderate	41.1	3.6	29.5
97032	Hubbard	11	*Moderate*	7	2.3	27.3
97033	Kent	0	Not Assigned	0	0.0	0.0
97034	Lake Oswego	763	Moderate	127.8	2.9	21.2
97035	Lake Oswego	752	Moderate	116.3	3.4	28.6
97037	Maupin	1	Not Assigned	2.1	1.6	0.0
97038	Molalla	46	Low	4.3	1.2	2.2
97039	Moro	0	Not Assigned	0	0.0	0.0
97040	Mosier	4	Not Assigned	6.4	3.5	25.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97041	Mount Hood Parkdale	35	High	29.5	4.6	40.0
97042	Mulino	16	*Moderate*	11	2.2	12.5
97044	Odell	0	Not Assigned	0	0.0	0.0
97045	Oregon City	502	Moderate	24.8	2.4	18.5
97048	Rainier	18	*Moderate*	9	1.8	16.7
97049	Rhododendron	11	*Low*	2.3	0.7	0.0
97050	Rufus	0	Not Assigned	0	0.0	0.0
97051	Saint Helens	56	Moderate	20.4	2.1	19.6
97053	Warren	25	Moderate	34.3	3.5	36.0
97054	Deer Island	4	Not Assigned	3	1.6	0.0
97055	Sandy	122	Moderate	23.4	3.3	36.9
97056	Scappoose	125	Moderate	36.5	3.8	29.6
97057	Shaniko	0	Not Assigned	0	0.0	0.0
97058	The Dalles	57	Moderate	9.8	1.7	10.5
97060	Troutdale	68	Moderate	15.5	1.9	11.8
97062	Tualatin	218	Moderate	69.7	2.2	13.8
97063	Tygh Valley	0	Not Assigned	0	0.0	0.0
97064	Vernonia	10	*Low*	4.8	1.7	10.0
97065	Wasco	1	Not Assigned	0.5	0.5	0.0
97067	Welches	11	*Low*	4.1	1.0	9.1
97068	West Linn	693	Moderate	49	2.8	21.4
97070	Wilsonville	259	Moderate	18.3	2.0	13.9
97071	Woodburn	55	Moderate	18.7	1.7	10.9
97078	Beaverton	96	Moderate	17.9	2.0	10.4
97080	Gresham	227	Moderate	45.4	2.0	11.0
97086	Happy Valley	237	Low	50.4	1.8	8.0
97089	Damascus	131	Moderate	92	2.8	21.4
97101	Amity	23	High	39.7	7.3	52.2
97102	Arch Cape	1	Not Assigned	1.8	1.8	0.0
97103	Astoria	79	Moderate	17.7	3.2	34.2
97106	Banks	74	High	49.8	7.1	63.5
97107	Bay City	2	Not Assigned	6.1	3.7	50.0
97108	Beaver	1	Not Assigned	2.2	2.2	0.0
97109	Buxton	3	Not Assigned	8.6	3.1	33.3
97110	Cannon Beach	0	Not Assigned	0	0.0	0.0
97111	Carlton	15	*Moderate*	9.3	1.7	13.3
97112	Cloverdale	3	Not Assigned	5.9	2.5	33.3
97113	Cornelius	35	Moderate	38.6	2.8	20.0
97114	Dayton	15	*Moderate*	9.6	3.3	33.3
97115	Dundee	121	High	67	4.8	38.8
97116	Forest Grove	110	Moderate	105.9	4.0	25.5

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97117	Gales Creek	7	*High*	13.5	4.3	42.9
97118	Garibaldi	1	Not Assigned	3.8	3.5	0.0
97119	Gaston	39	Moderate	17.7	3.0	33.3
97121	Hammond	0	Not Assigned	0	0.0	0.0
97122	Hebo	2	Not Assigned	12.4	6.5	100.0
97123	Hillsboro	241	Moderate	34.4	2.9	22.8
97124	Hillsboro	240	Low	14	1.7	8.8
97125	Manning	5	*High*	17.3	6.3	60.0
97127	Lafayette	13	*Low*	5	1.3	7.7
97128	McMinnville	83	Moderate	15	2.2	13.3
97130	Manzanita	0	Not Assigned	0	0.0	0.0
97131	Nehalem	5	*High*	44.6	10.8	40.0
97132	Newberg	240	Moderate	27.9	3.0	27.5
97133	North Plains	57	High	29.1	4.2	40.4
97135	Pacific City	3	Not Assigned	9.7	1.1	33.3
97136	Rockaway Beach	5	*Moderate*	11.6	3.7	20.0
97137	Saint Paul	8	*High*	11.9	4.9	50.0
97138	Seaside	11	*Low*	5.6	1.4	18.2
97140	Sherwood	414	Moderate	71.6	3.3	24.9
97141	Tillamook	13	*Moderate*	49.8	4.9	23.1
97144	Timber	1	Not Assigned	2.4	2.4	0.0
97145	Tolovana Park	0	Not Assigned	0	0.0	0.0
97146	Warrenton	8	*Low*	4.6	1.0	12.5
97147	Wheeler	0	Not Assigned	0	0.0	0.0
97148	Yamhill	22	Moderate	15.9	2.5	27.3
97149	Neskowin	3	Not Assigned	9.3	3.3	33.3
97201	Portland	125	Moderate	27.9	2.2	12.0
97202	Portland	1284	Moderate	31.5	3.3	34.5
97203	Portland	521	Moderate	41.3	3.2	31.7
97204	Portland	13	*Moderate*	8.5	2.0	30.8
97205	Portland	78	Moderate	18.3	2.1	17.9
97206	Portland	1066	High	65.1	4.3	38.9
97209	Portland	52	Moderate	8.2	1.6	13.5
97210	Portland	201	Moderate	121.8	2.5	10.4
97211	Portland	1433	High	114	5.4	50.2
97212	Portland	1778	Moderate	85.5	3.9	41.8
97213	Portland	1872	High	111.9	6.2	57.0
97214	Portland	695	Moderate	34.6	2.8	29.1
97215	Portland	615	Moderate	34.8	2.8	23.9
97216	Portland	221	High	41.3	5.5	49.3
97217	Portland	940	High	39.3	4.2	42.7

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97218	Portland	423	High	71.3	5.7	48.0
97219	Portland	798	Moderate	110.4	2.0	12.8
97220	Portland	532	High	68.4	5.5	47.0
97221	Portland	267	Moderate	40.9	1.9	10.5
97222	Portland	323	Moderate	29.6	2.6	20.7
97223	Portland	379	Moderate	25.6	1.8	12.1
97224	Portland	319	Moderate	11.1	1.6	10.3
97225	Portland	452	Moderate	32.5	2.4	21.7
97227	Portland	77	Moderate	11.8	3.4	40.3
97229	Portland	756	Low	90	1.5	6.7
97230	Portland	405	High	96.3	6.2	45.2
97231	Portland	98	Moderate	23.9	2.3	14.3
97232	Portland	357	Moderate	22.5	3.0	30.0
97233	Portland	196	High	189.7	6.5	49.0
97236	Portland	219	High	88.6	5.9	42.5
97239	Portland	273	Moderate	12.3	1.8	10.6
97266	Portland	254	High	106.1	7.2	48.0
97267	Portland	342	Moderate	55.5	2.5	18.1
97301	Salem	156	Low	15.8	1.9	5.8
97302	Salem	522	Moderate	65.6	3.8	33.1
97303	Salem	87	Low	39.8	1.6	5.7
97304	Salem	651	Moderate	114.3	3.6	25.2
97305	Salem	79	Low	9.9	1.8	8.9
97306	Salem	331	Moderate	22.7	2.9	23.3
97310	Salem	0	Not Assigned	0	0.0	0.0
97317	Salem	110	Moderate	36.1	2.9	24.5
97321	Albany	75	Low	10.7	1.5	9.3
97322	Albany	36	Low	3.8	1.2	0.0
97324	Alsea	3	Not Assigned	9.7	4.2	33.3
97325	Aumsville	23	Low	5.2	1.6	13.0
97326	Blodgett	1	Not Assigned	0.8	0.8	0.0
97327	Brownsville	4	Not Assigned	5.5	2.1	25.0
97329	Cascadia	0	Not Assigned	0	0.0	0.0
97330	Corvallis	330	Moderate	28.6	2.2	17.0
97331	Corvallis	0	Not Assigned	0	0.0	0.0
97333	Corvallis	101	Moderate	9.6	2.0	15.8
97335	Crabtree	0	Not Assigned	0	0.0	0.0
97338	Dallas	112	Low	36.1	2.0	9.8
97341	Depoe Bay	10	*Low*	1.8	0.8	0.0
97342	Detroit	1	Not Assigned	2.4	2.0	0.0
97343	Eddyville	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97344	Falls City	3	Not Assigned	16.4	7.9	33.3
97345	Foster	0	Not Assigned	0	0.0	0.0
97346	Gates	2	Not Assigned	0.7	0.6	0.0
97347	Grand Ronde	1	Not Assigned	1.7	1.7	0.0
97348	Halsey	0	Not Assigned	0	0.0	0.0
97350	Idanha	0	Not Assigned	0	0.0	0.0
97351	Independence	23	Low	6.8	1.2	8.7
97352	Jefferson	10	*Moderate*	11.6	3.0	30.0
97355	Lebanon	35	Moderate	16.5	2.3	8.6
97357	Logsdan	0	Not Assigned	0	0.0	0.0
97358	Lyons	7	*Low*	2	0.8	0.0
97360	Mill City	2	Not Assigned	1.2	1.1	0.0
97361	Monmouth	39	Moderate	9.5	2.0	12.8
97362	Mount Angel	14	*Moderate*	9.8	2.2	21.4
97364	Neotsu	0	Not Assigned	0	0.0	0.0
97365	Newport	14	*Low*	5	1.9	14.3
97366	South Beach	4	Not Assigned	1.4	0.9	0.0
97367	Lincoln City	16	*Moderate*	8.7	1.6	18.8
97368	Otis	3	Not Assigned	13.9	5.7	33.3
97369	Otter Rock	0	Not Assigned	0	0.0	0.0
97370	Philomath	33	Moderate	21.2	2.8	27.3
97371	Rickreall	2	Not Assigned	4.5	2.1	50.0
97374	Scio	19	*Moderate*	11.9	2.9	36.8
97375	Scotts Mills	9	*High*	19.2	4.2	44.4
97376	Seal Rock	2	Not Assigned	2.8	1.5	0.0
97377	Shedd	2	Not Assigned	1.1	1.0	0.0
97378	Sheridan	11	*Low*	5	1.8	18.2
97380	Siletz	2	Not Assigned	16.3	8.9	50.0
97381	Silverton	348	Moderate	40.1	3.5	29.6
97383	Stayton	21	Moderate	17.3	2.2	4.8
97385	Sublimity	20	Moderate	10.2	3.5	35.0
97386	Sweet Home	13	*Moderate*	10.5	1.6	15.4
97389	Tangent	4	Not Assigned	7.1	2.5	25.0
97390	Tidewater	1	Not Assigned	1.8	1.8	0.0
97391	Toledo	9	*Moderate*	8	2.8	22.2
97392	Turner	55	Moderate	23.1	3.3	29.1
97394	Waldport	2	Not Assigned	1	0.6	0.0
97396	Willamina	7	*Moderate*	6	2.1	28.6
97401	Eugene	43	Moderate	10.1	1.6	11.6
97402	Eugene	32	Low	7	1.5	9.4
97403	Eugene	28	Moderate	15.1	1.8	14.3

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97404	Eugene	28	Moderate	14.7	2.2	17.9
97405	Eugene	146	Low	8.5	1.6	8.9
97406	Agness	1	Not Assigned	0.2	0.2	0.0
97408	Eugene	20	Low	7.5	1.0	5.0
97410	Azalea	0	Not Assigned	0	0.0	0.0
97411	Bandon	8	*Low*	4.1	1.0	12.5
97412	Blachly	0	Not Assigned	0	0.0	0.0
97413	Blue River	1	Not Assigned	1	1.0	0.0
97414	Broadbent	0	Not Assigned	0	0.0	0.0
97415	Brookings	11	*High*	35	4.8	27.3
97416	Camas Valley	1	Not Assigned	0.3	0.3	0.0
97417	Canyonville	1	Not Assigned	2	2.0	0.0
97419	Cheshire	0	Not Assigned	0	0.0	0.0
97420	Coos Bay	25	Moderate	18.4	2.3	12.0
97423	Coquille	11	*Low*	7.3	1.8	9.1
97424	Cottage Grove	7	*Low*	3.5	1.6	0.0
97426	Creswell	11	*Low*	4.8	1.3	9.1
97429	Days Creek	0	Not Assigned	0	0.0	0.0
97430	Deadwood	0	Not Assigned	0	0.0	0.0
97431	Dexter	1	Not Assigned	1.9	1.9	0.0
97434	Dorena	0	Not Assigned	0	0.0	0.0
97435	Drain	1	Not Assigned	1.8	1.8	0.0
97436	Elkton	1	Not Assigned	1.2	1.2	0.0
97437	Elmira	2	Not Assigned	1.1	0.9	0.0
97438	Fall Creek	0	Not Assigned	0	0.0	0.0
97439	Florence	8	*Low*	1.8	0.8	0.0
97441	Gardiner	0	Not Assigned	0	0.0	0.0
97442	Glendale	1	Not Assigned	1.2	0.8	0.0
97443	Glide	2	Not Assigned	3.6	2.4	0.0
97444	Gold Beach	5	*Low*	2	1.1	0.0
97446	Harrisburg	2	Not Assigned	1.4	0.9	0.0
97447	Idlewild Park	0	Not Assigned	0	0.0	0.0
97448	Junction City	13	*Moderate*	22.9	3.0	23.1
97449	Lakeside	1	Not Assigned	0.6	0.6	0.0
97450	Langlois	0	Not Assigned	0	0.0	0.0
97451	Lorane	1	Not Assigned	1	1.0	0.0
97452	Lowell	1	Not Assigned	0.2	0.2	0.0
97453	Mapleton	1	Not Assigned	2.2	1.9	0.0
97454	Marcola	1	Not Assigned	1.3	1.3	0.0
97455	Pleasant Hill	1	Not Assigned	0.7	0.7	0.0
97456	Monroe	5	*Moderate*	12.5	4.3	20.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97457	Myrtle Creek	7	*Moderate*	5.6	2.2	28.6
97458	Myrtle Point	3	Not Assigned	4.2	1.9	33.3
97459	North Bend	14	*Low*	7.5	1.7	14.3
97461	Noti	0	Not Assigned	0	0.0	0.0
97462	Oakland	2	Not Assigned	0.8	0.7	0.0
97463	Oakridge	2	Not Assigned	36.4	15.5	50.0
97465	Port Orford	1	Not Assigned	1.6	1.6	0.0
97466	Powers	0	Not Assigned	0	0.0	0.0
97467	Reedsport	1	Not Assigned	0.4	0.4	0.0
97469	Riddle	1	Not Assigned	1.9	1.9	0.0
97470	Roseburg	14	*Low*	7.7	1.4	14.3
97471	Roseburg	23	Low	3.7	1.0	0.0
97473	Scottsburg	0	Not Assigned	0	0.0	0.0
97476	Sixes	1	Not Assigned	0.9	0.9	0.0
97477	Springfield	20	Moderate	10	1.8	25.0
97478	Springfield	10	*Low*	4.7	1.3	20.0
97479	Sutherlin	1	Not Assigned	0.5	0.5	0.0
97480	Swisshome	0	Not Assigned	0	0.0	0.0
97481	Tenmile	1	Not Assigned	0.6	0.5	0.0
97484	Tiller	0	Not Assigned	0	0.0	0.0
97486	Umpqua	1	Not Assigned	5	4.8	100.0
97487	Veneta	1	Not Assigned	2.7	2.5	0.0
97488	Vida	1	Not Assigned	1.9	1.9	0.0
97489	Walterville	7	*Low*	3.1	1.5	0.0
97490	Walton	0	Not Assigned	0	0.0	0.0
97492	Westfir	0	Not Assigned	0	0.0	0.0
97493	Westlake	3	Not Assigned	4.5	3.0	33.3
97495	Winchester	0	Not Assigned	0	0.0	0.0
97496	Winston	1	Not Assigned	2.1	2.1	0.0
97497	Wolf Creek	0	Not Assigned	0	0.0	0.0
97498	Yachats	4	Not Assigned	1.7	1.0	0.0
97499	Yoncalla	0	Not Assigned	0	0.0	0.0
97501	Medford	18	*Low*	6.6	1.7	11.1
97502	Central Point	13	*Low*	1.2	0.6	0.0
97503	White City	0	Not Assigned	0	0.0	0.0
97504	Medford	38	Moderate	12.3	1.8	13.2
97520	Ashland	85	Moderate	15.7	1.6	11.8
97522	Butte Falls	1	Not Assigned	1.5	1.3	0.0
97523	Cave Junction	0	Not Assigned	0	0.0	0.0
97524	Eagle Point	5	*Low*	2.1	0.8	0.0
97525	Gold Hill	2	Not Assigned	1.7	1.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97526	Grants Pass	18	*Low*	22.7	1.8	5.6
97527	Grants Pass	15	*Low*	2.7	1.0	0.0
97530	Jacksonville	8	*Low*	2.1	0.8	0.0
97531	Kerby	0	Not Assigned	0	0.0	0.0
97532	Merlin	1	Not Assigned	0.7	0.7	0.0
97533	Murphy	0	Not Assigned	0	0.0	0.0
97534	O Brien	0	Not Assigned	0	0.0	0.0
97535	Phoenix	4	Not Assigned	4.7	1.5	25.0
97536	Prospect	0	Not Assigned	0	0.0	0.0
97537	Rogue River	6	*Low*	1.7	0.5	0.0
97538	Selma	0	Not Assigned	0	0.0	0.0
97539	Shady Cove	1	Not Assigned	0.2	0.2	0.0
97540	Talent	7	*Low*	2	0.6	0.0
97541	Trail	0	Not Assigned	0	0.0	0.0
97543	Wilderville	3	Not Assigned	5.6	2.5	33.3
97544	Williams	2	Not Assigned	0.5	0.4	0.0
97601	Klamath Falls	23	Low	8.5	1.7	8.7
97603	Klamath Falls	14	*Low*	13.1	1.5	7.1
97620	Adel	0	Not Assigned	0	0.0	0.0
97621	Beatty	0	Not Assigned	0	0.0	0.0
97622	Bly	0	Not Assigned	0	0.0	0.0
97623	Bonanza	0	Not Assigned	0	0.0	0.0
97624	Chiloquin	2	Not Assigned	2	1.3	0.0
97625	Dairy	0	Not Assigned	0	0.0	0.0
97627	Keno	0	Not Assigned	0	0.0	0.0
97630	Lakeview	10	*Moderate*	8.6	2.3	10.0
97632	Malin	0	Not Assigned	0	0.0	0.0
97633	Merrill	0	Not Assigned	0	0.0	0.0
97635	New Pine Creek	0	Not Assigned	0	0.0	0.0
97636	Paisley	1	Not Assigned	1.6	1.1	0.0
97637	Plush	0	Not Assigned	0	0.0	0.0
97638	Silver Lake	0	Not Assigned	0	0.0	0.0
97639	Sprague River	0	Not Assigned	0	0.0	0.0
97640	Summer Lake	0	Not Assigned	0	0.0	0.0
97641	Christmas Valley	0	Not Assigned	0	0.0	0.0
97701	Bend	36	Low	15.1	1.8	8.3
97702	Bend	41	Low	9.6	1.2	2.4
97703	Bend	90	Moderate	12.7	1.7	12.2
97707	Bend	14	*Moderate*	105.4	7.8	7.1
97710	Fields	0	Not Assigned	0	0.0	0.0
97711	Ashwood	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97712	Brothers	0	Not Assigned	0	0.0	0.0
97720	Burns	5	*Low*	2.8	1.2	0.0
97721	Princeton	0	Not Assigned	0	0.0	0.0
97722	Diamond	0	Not Assigned	0	0.0	0.0
97730	Camp Sherman	0	Not Assigned	0	0.0	0.0
97731	Chemult	0	Not Assigned	0	0.0	0.0
97733	Crescent	0	Not Assigned	0	0.0	0.0
97734	Culver	4	Not Assigned	1.1	0.7	0.0
97735	Fort Rock	0	Not Assigned	0	0.0	0.0
97737	Gilchrist	0	Not Assigned	0	0.0	0.0
97738	Hines	2	Not Assigned	1.8	1.2	0.0
97739	La Pine	7	*Low*	2.3	1.1	0.0
97741	Madras	6	*Low*	3.7	0.9	0.0
97750	Mitchell	2	Not Assigned	4.1	2.2	50.0
97751	Paulina	0	Not Assigned	0	0.0	0.0
97752	Post	0	Not Assigned	0	0.0	0.0
97753	Powell Butte	2	Not Assigned	1	0.8	0.0
97754	Prineville	22	Moderate	15.1	2.0	9.1
97756	Redmond	14	*Low*	4.6	1.4	7.1
97758	Riley	0	Not Assigned	0	0.0	0.0
97759	Sisters	7	*Moderate*	7	2.2	28.6
97760	Terrebonne	2	Not Assigned	1.8	1.3	0.0
97761	Warm Springs	0	Not Assigned	0	0.0	0.0
97801	Pendleton	36	Moderate	9.2	2.0	11.1
97810	Adams	2	Not Assigned	1.8	1.4	0.0
97812	Arlington	1	Not Assigned	0.9	0.9	0.0
97813	Athena	0	Not Assigned	0	0.0	0.0
97814	Baker City	50	Moderate	20.3	3.7	34.0
97817	Bates	0	Not Assigned	0	0.0	0.0
97818	Boardman	0	Not Assigned	0	0.0	0.0
97820	Canyon City	1	Not Assigned	8.3	8.3	100.0
97823	Condon	0	Not Assigned	0	0.0	0.0
97824	Cove	7	*High*	9.7	4.7	42.9
97825	Dayville	0	Not Assigned	0	0.0	0.0
97826	Echo	1	Not Assigned	7.3	7.1	100.0
97827	Elgin	9	*Moderate*	7.8	2.5	33.3
97828	Enterprise	10	*Low*	2.9	1.5	0.0
97830	Fossil	0	Not Assigned	0	0.0	0.0
97833	Haines	4	Not Assigned	5.8	3.3	50.0
97834	Halfway	2	Not Assigned	2.6	1.7	0.0
97835	Helix	2	Not Assigned	2	1.7	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97836	Heppner	4	Not Assigned	2.1	1.7	0.0
97837	Hereford	1	Not Assigned	1.5	1.5	0.0
97838	Hermiston	9	*Low*	7.5	1.9	11.1
97839	Lexington	0	Not Assigned	0	0.0	0.0
97840	Oxbow	0	Not Assigned	0	0.0	0.0
97841	Imbler	1	Not Assigned	2.1	1.7	0.0
97842	Imnaha	0	Not Assigned	0	0.0	0.0
97843	Ione	1	Not Assigned	6.3	5.0	100.0
97844	Irrigon	1	Not Assigned	2.3	2.2	0.0
97845	John Day	1	Not Assigned	9	5.2	100.0
97846	Joseph	4	Not Assigned	3.8	2.2	0.0
97848	Kimberly	0	Not Assigned	0	0.0	0.0
97850	La Grande	130	High	47.6	4.6	44.6
97856	Long Creek	0	Not Assigned	0	0.0	0.0
97857	Lostine	1	Not Assigned	1.6	1.4	0.0
97859	Meacham	0	Not Assigned	0	0.0	0.0
97862	Milton Freewater	18	*Moderate*	14.8	3.8	27.8
97864	Monument	0	Not Assigned	0	0.0	0.0
97865	Mount Vernon	1	Not Assigned	5.4	5.4	100.0
97867	North Powder	1	Not Assigned	2.3	2.3	0.0
97868	Pilot Rock	0	Not Assigned	0	0.0	0.0
97869	Prairie City	0	Not Assigned	0	0.0	0.0
97870	Richland	1	Not Assigned	2.6	2.6	0.0
97873	Seneca	0	Not Assigned	0	0.0	0.0
97874	Spray	0	Not Assigned	0	0.0	0.0
97875	Stanfield	1	Not Assigned	0.2	0.2	0.0
97876	Summerville	6	*High*	13.7	6.5	50.0
97877	Sumpter	3	Not Assigned	1.8	1.1	0.0
97882	Umatilla	4	Not Assigned	1.9	1.2	0.0
97883	Union	4	Not Assigned	3.8	2.1	0.0
97884	Unity	0	Not Assigned	0	0.0	0.0
97885	Wallowa	1	Not Assigned	1.8	1.7	0.0
97886	Weston	2	Not Assigned	1.7	1.3	0.0
97901	Adrian	0	Not Assigned	0	0.0	0.0
97903	Brogan	0	Not Assigned	0	0.0	0.0
97904	Drewsey	0	Not Assigned	0	0.0	0.0
97906	Harper	0	Not Assigned	0	0.0	0.0
97907	Huntington	1	Not Assigned	1.3	1.3	0.0
97908	Ironside	0	Not Assigned	0	0.0	0.0
97909	Jamieson	0	Not Assigned	0	0.0	0.0
97910	Jordan Valley	1	Not Assigned	0.3	0.3	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018

**Oregon Radon Awareness Program
Indoor Radon Test Results Summary**

ZIP Code	City	Tested Locations in Zip Code	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97911	Juntura	0	Not Assigned	0	0.0	0.0
97913	Nyssa	6	*Low*	2.1	1.7	0.0
97914	Ontario	26	Low	6.8	1.7	3.8
97917	Riverside	0	Not Assigned	0	0.0	0.0
97918	Vale	6	*Low*	2.7	1.2	0.0
97920	Westfall	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

pCi/L = picocuries per liter of air.

Last Modified

7/12/2018