



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

This table summarizes test results of indoor air for radon that test kit manufacturers have voluntarily provided to the Oregon Radon Awareness Program. The risk level for elevated indoor radon within each zip code was determined through a classification system that considers four factors: the number of single-family residential locations with a test result, the maximum test result value, the average test result value, and the percent of locations with a test result that was greater than or equal to 4 picocuries per liter (pCi/L) within the zip code. A detailed explanation of the risk level classification system can be found in our Radon Risk Level Assignment report.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97001	Antelope	4	Not Assigned	2.4	1.7	0.0
97002	Aurora	63	Moderate	11.1	1.8	15.9
97003	Beaverton	177	Low	8.7	1.5	4.5
97004	Beavercreek	60	Moderate	12.7	2.8	28.3
97005	Beaverton	165	Low	6.6	1.5	9.1
97006	Beaverton	281	Low	16.3	1.4	6.0
97007	Beaverton	680	Moderate	31.2	1.9	13.2
97008	Beaverton	295	Moderate	45.8	1.8	10.2
97009	Boring	135	High	41.3	4.6	40.7
97010	Bridal Veil	0	Not Assigned	0	0.0	0.0
97011	Brightwood	6	*Low*	6.6	1.5	16.7
97013	Canby	240	Moderate	20	2.3	19.2
97014	Cascade Locks	8	*Moderate*	6.8	2.6	25.0
97015	Clackamas	206	Low	30.3	1.4	6.8
97016	Clatskanie	64	Moderate	33.7	3.5	34.4
97017	Colton	27	Moderate	11.7	3.2	29.6
97018	Columbia City	63	High	58.9	5.6	44.4
97019	Corbett	58	High	29.7	4.5	31.0
97020	Donald	6	*Low*	1.9	1.0	0.0
97021	Dufur	8	*Moderate*	8.4	3.1	37.5
97022	Eagle Creek	34	Low	5.9	1.6	5.9
97023	Estacada	82	Moderate	13	2.3	19.5
97024	Fairview	47	Low	9.1	1.4	2.1
97026	Gervais	16	*Moderate*	9.2	2.7	37.5
97027	Gladstone	222	Moderate	29.5	2.9	21.6
97028	Government Camp	3	Not Assigned	1.2	1.0	0.0
97029	Grass Valley	0	Not Assigned	0	0.0	0.0
97030	Gresham	263	Moderate	35.1	3.2	25.9
97031	Hood River	286	Moderate	44.1	3.5	31.1
97032	Hubbard	19	*Low*	7	1.8	15.8
97033	Kent	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified

12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97034	Lake Oswego	976	Moderate	127.8	2.8	21.8
97035	Lake Oswego	933	Moderate	116.3	3.2	27.2
97037	Maupin	2	Not Assigned	2.1	1.3	0.0
97038	Molalla	87	Low	35.1	1.4	5.7
97039	Moro	1	Not Assigned	0.8	0.8	0.0
97040	Mosier	11	*Moderate*	14.5	3.4	27.3
97041	Mount Hood Parkdale	74	High	30.9	4.4	40.5
97042	Mulino	29	Moderate	50.8	3.3	17.2
97044	Odell	0	Not Assigned	0	0.0	0.0
97045	Oregon City	794	Moderate	30.5	2.4	17.5
97048	Rainier	30	Moderate	9	2.2	20.0
97049	Rhododendron	16	*Low*	5.9	1.3	12.5
97050	Rufus	0	Not Assigned	0	0.0	0.0
97051	Saint Helens	106	Moderate	20.4	2.0	19.8
97053	Warren	44	Moderate	34.3	3.0	29.5
97054	Deer Island	10	*Moderate*	11.2	2.5	10.0
97055	Sandy	187	Moderate	23.4	3.4	34.8
97056	Scappoose	209	Moderate	46.2	3.6	25.4
97057	Shaniko	0	Not Assigned	0	0.0	0.0
97058	The Dalles	94	Low	19.3	1.6	9.6
97060	Troutdale	116	Moderate	35.7	2.3	13.8
97062	Tualatin	316	Moderate	69.7	2.3	15.2
97063	Tygh Valley	3	Not Assigned	4	1.6	33.3
97064	Vernonia	15	*Moderate*	11.5	2.2	13.3
97065	Wasco	2	Not Assigned	0.6	0.5	0.0
97067	Welches	21	Low	4.1	0.9	4.8
97068	West Linn	918	Moderate	100	2.9	21.4
97070	Wilsonville	382	Moderate	21.5	1.9	12.3
97071	Woodburn	97	Moderate	18.7	1.9	10.3
97078	Beaverton	185	Moderate	17.9	2.1	12.4
97080	Gresham	371	Low	45.4	1.7	9.7
97086	Happy Valley	352	Low	50.4	1.6	8.2
97089	Damascus	208	Moderate	92	2.6	18.8
97101	Amity	39	High	144	9.7	46.2
97102	Arch Cape	2	Not Assigned	1.8	1.2	0.0
97103	Astoria	123	Moderate	42.9	3.4	33.3
97106	Banks	112	High	49.8	6.9	58.9
97107	Bay City	3	Not Assigned	6.1	3.0	33.3
97108	Beaver	2	Not Assigned	2.2	1.5	0.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified

12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97109	Buxton	6	*Moderate*	9.6	3.4	33.3
97110	Cannon Beach	4	Not Assigned	0.9	0.7	0.0
97111	Carlton	31	Moderate	9.3	2.1	19.4
97112	Cloverdale	9	*Moderate*	10.6	2.5	22.2
97113	Cornelius	74	Moderate	38.6	2.6	17.6
97114	Dayton	33	High	66.4	4.7	30.3
97115	Dundee	189	High	67	4.4	37.6
97116	Forest Grove	198	Moderate	105.9	3.5	27.3
97117	Gales Creek	12	*Moderate*	13.5	3.4	33.3
97118	Garibaldi	2	Not Assigned	3.8	3.1	0.0
97119	Gaston	59	Moderate	21.7	2.9	32.2
97121	Hammond	1	Not Assigned	0.2	0.2	0.0
97122	Hebo	2	Not Assigned	12.4	6.5	100.0
97123	Hillsboro	416	Moderate	34.4	2.7	20.9
97124	Hillsboro	381	Moderate	42.6	1.9	11.8
97125	Manning	5	*Moderate*	6.5	3.0	40.0
97127	Lafayette	24	Low	5	1.4	8.3
97128	McMinnville	188	Moderate	39.9	2.5	17.0
97130	Manzanita	5	*Low*	2.2	0.7	0.0
97131	Nehalem	18	*High*	44.6	5.1	33.3
97132	Newberg	416	Moderate	60.3	3.2	26.7
97133	North Plains	88	Moderate	29.1	3.9	37.5
97135	Pacific City	5	*Moderate*	9.7	0.7	20.0
97136	Rockaway Beach	11	*Moderate*	11.6	2.3	18.2
97137	Saint Paul	15	*High*	27.8	4.6	40.0
97138	Seaside	29	Moderate	8.9	1.3	17.2
97140	Sherwood	572	Moderate	197.5	3.6	25.0
97141	Tillamook	52	High	49.8	4.7	32.7
97144	Timber	1	Not Assigned	2.4	2.4	0.0
97145	Tolovana Park	0	Not Assigned	0	0.0	0.0
97146	Warrenton	12	*Low*	5.3	1.2	16.7
97147	Wheeler	0	Not Assigned	0	0.0	0.0
97148	Yamhill	45	Moderate	28.8	3.3	35.6
97149	Neskowin	9	*High*	61.1	10.0	44.4
97201	Portland	187	Moderate	29.1	2.1	11.2
97202	Portland	1845	Moderate	56.5	3.2	32.0
97203	Portland	785	Moderate	60.3	3.1	28.7
97204	Portland	23	Moderate	13.8	2.0	26.1
97205	Portland	96	Moderate	18.3	2.2	17.7

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97206	Portland	1592	Moderate	65.1	4.0	36.1
97209	Portland	76	Moderate	23.6	1.9	15.8
97210	Portland	297	Moderate	121.8	2.2	10.1
97211	Portland	1880	High	114	4.9	45.4
97212	Portland	2196	Moderate	85.5	3.8	40.3
97213	Portland	2337	High	111.9	5.6	52.5
97214	Portland	950	Moderate	34.6	2.9	29.9
97215	Portland	810	Moderate	74.7	3.0	25.6
97216	Portland	313	High	41.3	5.1	45.0
97217	Portland	1366	Moderate	39.3	3.9	39.5
97218	Portland	560	High	71.3	5.1	45.7
97219	Portland	1138	Moderate	110.4	2.2	14.9
97220	Portland	722	High	68.4	5.1	42.5
97221	Portland	355	Low	40.9	1.9	9.9
97222	Portland	523	Moderate	45.2	2.8	21.6
97223	Portland	568	Moderate	38.1	1.8	11.8
97224	Portland	444	Moderate	11.1	1.6	10.6
97225	Portland	614	Moderate	32.5	2.4	22.5
97227	Portland	116	Moderate	76.8	3.5	37.9
97229	Portland	1035	Low	90	1.5	7.5
97230	Portland	581	High	100	5.6	41.7
97231	Portland	123	Moderate	23.9	2.3	14.6
97232	Portland	502	Moderate	27.9	2.9	28.1
97233	Portland	323	High	189.7	5.7	43.7
97236	Portland	347	High	88.6	5.1	37.2
97239	Portland	369	Moderate	19.2	1.9	11.9
97266	Portland	428	High	106.1	6.0	44.2
97267	Portland	517	Moderate	55.5	2.4	17.8
97301	Salem	261	Low	15.8	1.9	9.6
97302	Salem	865	Moderate	65.6	3.6	32.5
97303	Salem	179	Low	39.8	1.5	4.5
97304	Salem	926	Moderate	120.1	3.6	24.7
97305	Salem	132	Moderate	16.8	2.0	12.1
97306	Salem	533	Moderate	26.8	2.8	22.3
97310	Salem	0	Not Assigned	0	0.0	0.0
97317	Salem	181	Moderate	165.7	3.8	23.8
97321	Albany	134	Low	33.7	1.7	9.7
97322	Albany	68	Low	15.9	1.4	4.4
97324	Alsea	7	*Moderate*	9.7	3.9	42.9

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97325	Aumsville	32	Low	5.2	1.3	9.4
97326	Blodgett	4	Not Assigned	3.2	1.3	0.0
97327	Brownsville	6	*Moderate*	7.2	3.0	33.3
97329	Cascadia	1	Not Assigned	0.8	0.8	0.0
97330	Corvallis	463	Moderate	28.6	2.2	17.1
97331	Corvallis	1	Not Assigned	1.1	1.1	0.0
97333	Corvallis	186	Moderate	32.7	2.1	16.7
97335	Crabtree	0	Not Assigned	0	0.0	0.0
97338	Dallas	193	Moderate	126.9	2.6	13.0
97341	Depoe Bay	21	Low	14.3	1.5	4.8
97342	Detroit	1	Not Assigned	2.4	2.0	0.0
97343	Eddyville	1	Not Assigned	1	0.9	0.0
97344	Falls City	5	*Moderate*	16.4	5.9	20.0
97345	Foster	0	Not Assigned	0	0.0	0.0
97346	Gates	2	Not Assigned	0.7	0.6	0.0
97347	Grand Ronde	4	Not Assigned	9.7	1.7	25.0
97348	Halsey	3	Not Assigned	18.6	6.8	33.3
97350	Idanha	0	Not Assigned	0	0.0	0.0
97351	Independence	44	Moderate	22	1.8	13.6
97352	Jefferson	23	Moderate	11.6	2.9	21.7
97355	Lebanon	72	Moderate	38.7	3.1	18.1
97357	Logsdan	1	Not Assigned	4.2	4.2	100.0
97358	Lyons	14	*Low*	5.3	1.2	7.1
97360	Mill City	5	*Low*	1.2	0.8	0.0
97361	Monmouth	61	Moderate	9.5	1.9	11.5
97362	Mount Angel	33	Moderate	13.4	2.3	18.2
97364	Neotsu	2	Not Assigned	7.4	3.4	50.0
97365	Newport	30	Low	6	1.9	10.0
97366	South Beach	6	*Moderate*	24	4.7	16.7
97367	Lincoln City	34	Moderate	16.3	2.6	23.5
97368	Otis	10	*Moderate*	13.9	3.6	20.0
97369	Otter Rock	0	Not Assigned	0	0.0	0.0
97370	Philomath	67	Moderate	21.2	2.1	17.9
97371	Rickreall	3	Not Assigned	9	4.1	66.7
97374	Scio	22	Moderate	11.9	3.1	36.4
97375	Scotts Mills	14	*High*	19.2	5.2	50.0
97376	Seal Rock	7	*Low*	2.8	1.0	0.0
97377	Shedd	3	Not Assigned	1.1	0.9	0.0
97378	Sheridan	25	Moderate	6.3	2.1	16.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97380	Siletz	9	*Moderate*	16.3	3.0	11.1
97381	Silverton	495	Moderate	167.1	3.8	29.5
97383	Stayton	46	Moderate	17.3	1.9	10.9
97385	Sublimity	40	Moderate	18.5	3.0	27.5
97386	Sweet Home	55	Moderate	62.9	2.2	10.9
97389	Tangent	5	*Moderate*	7.1	2.1	20.0
97390	Tidewater	2	Not Assigned	1.8	1.0	0.0
97391	Toledo	12	*Moderate*	8	2.6	25.0
97392	Turner	90	Moderate	23.1	3.2	28.9
97394	Waldport	11	*Low*	4.8	1.0	9.1
97396	Willamina	13	*Low*	6	2.0	15.4
97401	Eugene	71	Moderate	10.1	2.0	15.5
97402	Eugene	65	Moderate	8.4	1.6	12.3
97403	Eugene	46	Moderate	16.9	1.8	13.0
97404	Eugene	58	Moderate	17.1	2.5	17.2
97405	Eugene	246	Moderate	13.5	1.7	11.0
97406	Agness	1	Not Assigned	0.2	0.2	0.0
97408	Eugene	29	Low	7.5	1.1	6.9
97410	Azalea	2	Not Assigned	1.3	0.8	0.0
97411	Bandon	19	*High*	188	18.6	21.1
97412	Blachly	0	Not Assigned	0	0.0	0.0
97413	Blue River	1	Not Assigned	1	1.0	0.0
97414	Broadbent	0	Not Assigned	0	0.0	0.0
97415	Brookings	28	Moderate	39.1	3.8	14.3
97416	Camas Valley	1	Not Assigned	0.3	0.3	0.0
97417	Canyonville	3	Not Assigned	3.02	2.3	0.0
97419	Cheshire	2	Not Assigned	2.8	1.7	0.0
97420	Coos Bay	43	Moderate	18.4	2.6	23.3
97423	Coquille	15	*Low*	7.3	1.7	6.7
97424	Cottage Grove	25	Moderate	10.8	2.4	12.0
97426	Creswell	14	*Low*	7.2	1.5	14.3
97429	Days Creek	0	Not Assigned	0	0.0	0.0
97430	Deadwood	0	Not Assigned	0	0.0	0.0
97431	Dexter	1	Not Assigned	1.9	1.9	0.0
97434	Dorena	1	Not Assigned	0.8	0.8	0.0
97435	Drain	1	Not Assigned	1.8	1.8	0.0
97436	Elkton	4	Not Assigned	42.1	6.7	25.0
97437	Elmira	5	*Low*	3.4	1.4	0.0
97438	Fall Creek	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified

12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97439	Florence	21	Low	16.5	1.0	4.8
97441	Gardiner	1	Not Assigned	1.2	1.2	0.0
97442	Glendale	1	Not Assigned	1.2	0.8	0.0
97443	Glide	6	*Low*	3.6	1.3	0.0
97444	Gold Beach	12	*Low*	5.6	1.6	16.7
97446	Harrisburg	4	Not Assigned	1.4	0.6	0.0
97447	Idleld Park	0	Not Assigned	0	0.0	0.0
97448	Junction City	19	*Moderate*	22.9	3.3	26.3
97449	Lakeside	1	Not Assigned	0.6	0.6	0.0
97450	Langlois	1	Not Assigned	0.2	0.2	0.0
97451	Lorane	1	Not Assigned	1	1.0	0.0
97452	Lowell	2	Not Assigned	0.2	0.2	0.0
97453	Mapleton	1	Not Assigned	2.2	1.9	0.0
97454	Marcola	3	Not Assigned	2.4	1.8	0.0
97455	Pleasant Hill	4	Not Assigned	2.8	1.5	0.0
97456	Monroe	9	*Moderate*	41.9	7.8	22.2
97457	Myrtle Creek	15	*Moderate*	17.6	3.2	26.7
97458	Myrtle Point	5	*Low*	4.2	1.3	20.0
97459	North Bend	24	Low	7.5	1.4	8.3
97461	Noti	0	Not Assigned	0	0.0	0.0
97462	Oakland	6	*Moderate*	24.4	3.8	33.3
97463	Oakridge	2	Not Assigned	36.4	15.5	50.0
97465	Port Orford	1	Not Assigned	1.6	1.6	0.0
97466	Powers	1	Not Assigned	1.7	1.5	0.0
97467	Reedsport	9	*Moderate*	12.9	3.7	22.2
97469	Riddle	2	Not Assigned	1.9	1.1	0.0
97470	Roseburg	24	Low	15	1.6	8.3
97471	Roseburg	43	Low	5.3	1.3	2.3
97473	Scottsburg	0	Not Assigned	0	0.0	0.0
97476	Sixes	2	Not Assigned	2.2	1.2	0.0
97477	Springfield	49	Moderate	14.9	2.1	20.4
97478	Springfield	25	Moderate	12.1	2.2	28.0
97479	Sutherlin	6	*Moderate*	8.3	1.5	16.7
97480	Swishome	0	Not Assigned	0	0.0	0.0
97481	Tenmile	2	Not Assigned	1.5	1.0	0.0
97484	Tiller	0	Not Assigned	0	0.0	0.0
97486	Umpqua	1	Not Assigned	5	4.8	100.0
97487	Veneta	7	*High*	15	4.0	28.6
97488	Vida	5	*Moderate*	5.1	2.4	20.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97489	Walterville	7	*Low*	3.1	1.5	0.0
97490	Walton	1	Not Assigned	10.4	7.7	100.0
97492	Westfir	1	Not Assigned	2.27	0.9	0.0
97493	Westlake	3	Not Assigned	4.5	3.0	33.3
97495	Winchester	0	Not Assigned	0	0.0	0.0
97496	Winston	2	Not Assigned	7.3	4.7	50.0
97497	Wolf Creek	0	Not Assigned	0	0.0	0.0
97498	Yachats	7	*Low*	1.7	0.9	0.0
97499	Yoncalla	0	Not Assigned	0	0.0	0.0
97501	Medford	47	Moderate	33.6	2.3	12.8
97502	Central Point	34	Moderate	10.8	1.7	14.7
97503	White City	10	*Low*	3.5	0.7	0.0
97504	Medford	99	Moderate	12.3	2.1	17.2
97520	Ashland	171	Moderate	42.4	2.0	18.1
97522	Butte Falls	1	Not Assigned	1.5	1.3	0.0
97523	Cave Junction	4	Not Assigned	2.3	1.2	0.0
97524	Eagle Point	20	Moderate	11.6	2.6	20.0
97525	Gold Hill	7	*Low*	1.7	0.7	0.0
97526	Grants Pass	35	Low	22.7	1.5	5.7
97527	Grants Pass	28	Low	10.3	1.2	3.6
97530	Jacksonville	26	Moderate	8.9	1.6	11.5
97531	Kerby	1	Not Assigned	0.2	0.2	0.0
97532	Merlin	2	Not Assigned	2.2	1.4	0.0
97533	Murphy	0	Not Assigned	0	0.0	0.0
97534	O Brien	0	Not Assigned	0	0.0	0.0
97535	Phoenix	7	*Low*	4.7	1.1	14.3
97536	Prospect	1	Not Assigned	1.2	1.2	0.0
97537	Rogue River	10	*Low*	1.8	0.9	0.0
97538	Selma	1	Not Assigned	1.9	1.9	0.0
97539	Shady Cove	6	*Low*	1.6	0.6	0.0
97540	Talent	20	Low	9	1.2	5.0
97541	Trail	1	Not Assigned	0.7	0.7	0.0
97543	Wilderville	3	Not Assigned	5.6	2.5	33.3
97544	Williams	4	Not Assigned	0.8	0.4	0.0
97601	Klamath Falls	37	Moderate	8.5	1.9	18.9
97603	Klamath Falls	29	Low	13.1	1.1	3.4
97620	Adel	0	Not Assigned	0	0.0	0.0
97621	Beatty	0	Not Assigned	0	0.0	0.0
97622	Bly	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified

12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97623	Bonanza	2	Not Assigned	1.6	0.9	0.0
97624	Chiloquin	9	*Moderate*	7.9	2.2	22.2
97625	Dairy	0	Not Assigned	0	0.0	0.0
97627	Keno	0	Not Assigned	0	0.0	0.0
97630	Lakeview	14	*Moderate*	8.6	2.0	14.3
97632	Malin	1	Not Assigned	0.2	0.2	0.0
97633	Merrill	0	Not Assigned	0	0.0	0.0
97635	New Pine Creek	0	Not Assigned	0	0.0	0.0
97636	Paisley	2	Not Assigned	1.9	1.1	0.0
97637	Plush	0	Not Assigned	0	0.0	0.0
97638	Silver Lake	2	Not Assigned	0.2	0.2	0.0
97639	Sprague River	0	Not Assigned	0	0.0	0.0
97640	Summer Lake	0	Not Assigned	0	0.0	0.0
97641	Christmas Valley	0	Not Assigned	0	0.0	0.0
97701	Bend	98	Low	20.3	1.7	8.2
97702	Bend	111	Low	22.8	1.6	6.3
97703	Bend	202	Moderate	115.1	2.0	14.9
97707	Bend	39	Moderate	105.4	3.5	5.1
97710	Fields	0	Not Assigned	0	0.0	0.0
97711	Ashwood	0	Not Assigned	0	0.0	0.0
97712	Brothers	0	Not Assigned	0	0.0	0.0
97720	Burns	18	*Low*	6.7	1.3	5.6
97721	Princeton	0	Not Assigned	0	0.0	0.0
97722	Diamond	0	Not Assigned	0	0.0	0.0
97730	Camp Sherman	2	Not Assigned	2.3	1.4	0.0
97731	Chemult	0	Not Assigned	0	0.0	0.0
97733	Crescent	1	Not Assigned	0.8	0.8	0.0
97734	Culver	6	*Low*	1.2	0.8	0.0
97735	Fort Rock	0	Not Assigned	0	0.0	0.0
97737	Gilchrist	1	Not Assigned	0.2	0.2	0.0
97738	Hines	4	Not Assigned	1.8	1.0	0.0
97739	La Pine	21	Low	2.4	1.1	0.0
97741	Madras	20	Low	3.7	0.9	0.0
97750	Mitchell	3	Not Assigned	4.1	1.7	33.3
97751	Paulina	0	Not Assigned	0	0.0	0.0
97752	Post	0	Not Assigned	0	0.0	0.0
97753	Powell Butte	10	*Low*	1.4	0.6	0.0
97754	Prineville	36	Moderate	19.6	2.5	13.9
97756	Redmond	56	Moderate	207.9	5.2	8.9

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified

12/22/2022

Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97758	Riley	0	Not Assigned	0	0.0	0.0
97759	Sisters	29	Moderate	108.7	3.1	10.3
97760	Terrebonne	17	*Moderate*	18.9	2.3	11.8
97761	Warm Springs	4	Not Assigned	0.8	0.3	0.0
97801	Pendleton	52	Moderate	9.3	2.0	11.5
97810	Adams	3	Not Assigned	1.8	1.3	0.0
97812	Arlington	5	*Low*	3.1	1.7	0.0
97813	Athena	0	Not Assigned	0	0.0	0.0
97814	Baker City	102	High	28.7	4.2	40.2
97817	Bates	0	Not Assigned	0	0.0	0.0
97818	Boardman	1	Not Assigned	1.8	1.8	0.0
97820	Canyon City	6	*Moderate*	8.3	2.7	16.7
97823	Condon	2	Not Assigned	0.5	0.5	0.0
97824	Cove	14	*Moderate*	9.7	3.4	35.7
97825	Dayville	0	Not Assigned	0	0.0	0.0
97826	Echo	1	Not Assigned	7.3	7.1	100.0
97827	Elgin	23	High	22.7	4.1	30.4
97828	Enterprise	22	Moderate	27.5	3.8	13.6
97830	Fossil	1	Not Assigned	1	1.0	0.0
97833	Haines	7	*Moderate*	17.9	4.0	42.9
97834	Halfway	7	*Moderate*	10.1	2.7	28.6
97835	Helix	2	Not Assigned	2	1.7	0.0
97836	Heppner	4	Not Assigned	2.1	1.7	0.0
97837	Hereford	1	Not Assigned	1.5	1.5	0.0
97838	Hermiston	15	*Low*	7.5	1.9	13.3
97839	Lexington	0	Not Assigned	0	0.0	0.0
97840	Oxbow	2	Not Assigned	0.6	0.4	0.0
97841	Imbler	4	Not Assigned	2.7	1.9	0.0
97842	Imnaha	0	Not Assigned	0	0.0	0.0
97843	Ione	4	Not Assigned	6.3	2.7	25.0
97844	Irrigon	3	Not Assigned	2.3	1.4	0.0
97845	John Day	10	*Moderate*	9	3.0	30.0
97846	Joseph	16	*Moderate*	10.7	3.1	25.0
97848	Kimberly	2	Not Assigned	2.5	1.9	0.0
97850	La Grande	264	High	47.6	4.2	41.7
97856	Long Creek	0	Not Assigned	0	0.0	0.0
97857	Lostine	2	Not Assigned	1.6	0.9	0.0
97859	Meacham	1	Not Assigned	0.9	0.9	0.0
97862	Milton Freewater	49	High	104.86	8.0	36.7

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022



Oregon Radon Awareness Program Indoor Radon Test Results Summary

Free test kits are available for residents in zip codes with "Not Assigned" or asterisks.

ZIP Code	City	Total Number of Locations Tested	Risk of Elevated Radon	Maximum Result (pCi/L)	Average Result (pCi/L)	Percent of Locations with Result \geq 4 pCi/L
97864	Monument	0	Not Assigned	0	0.0	0.0
97865	Mount Vernon	2	Not Assigned	5.4	3.3	50.0
97867	North Powder	3	Not Assigned	3.3	2.7	0.0
97868	Pilot Rock	2	Not Assigned	4.4	3.2	50.0
97869	Prairie City	3	Not Assigned	8.3	3.5	33.3
97870	Richland	1	Not Assigned	2.6	2.6	0.0
97873	Seneca	0	Not Assigned	0	0.0	0.0
97874	Spray	0	Not Assigned	0	0.0	0.0
97875	Stanfield	1	Not Assigned	0.2	0.2	0.0
97876	Summerville	14	*High*	13.7	5.2	50.0
97877	Sumpter	1	Not Assigned	1.9	1.9	0.0
97882	Umatilla	6	*Low*	1.9	1.2	0.0
97883	Union	11	*Low*	3.8	1.6	0.0
97884	Unity	0	Not Assigned	0	0.0	0.0
97885	Wallowa	7	*Moderate*	11.3	3.6	28.6
97886	Weston	2	Not Assigned	1.7	1.3	0.0
97901	Adrian	2	Not Assigned	11.3	4.8	50.0
97903	Brogan	0	Not Assigned	0	0.0	0.0
97904	Drewsey	0	Not Assigned	0	0.0	0.0
97906	Harper	0	Not Assigned	0	0.0	0.0
97907	Huntington	2	Not Assigned	2	1.7	0.0
97908	Ironside	0	Not Assigned	0	0.0	0.0
97909	Jamieson	0	Not Assigned	0	0.0	0.0
97910	Jordan Valley	2	Not Assigned	0.7	0.5	0.0
97911	Juntura	0	Not Assigned	0	0.0	0.0
97913	Nyssa	11	*Moderate*	6.6	2.7	27.3
97914	Ontario	33	Low	11.2	1.9	6.1
97917	Riverside	0	Not Assigned	0	0.0	0.0
97918	Vale	10	*Low*	6.2	1.8	10.0
97920	Westfall	0	Not Assigned	0	0.0	0.0

Risk Level with asterisks (i.e *Low*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicates there were fewer than 5 locations with a test result.

pCi/L = picocuries per liter of air.

Last Modified
12/22/2022