List of Risk Numbers and Names

| 100s | Anthropometric |
|-------------|--|
| <u>101</u> | Underweight Women |
| <u>103</u> | Underweight Infants and Children |
| <u>111</u> | Overweight Women |
| <u>113</u> | Overweight Children - 2 to 5 years |
| <u>114</u> | At Risk for Overweight Children - 2 to 5 years |
| <u>115</u> | High Weight for Length Under 2 Years of Age |
| <u>121</u> | Short Stature |
| <u>131</u> | Low Prenatal Weight Gain |
| <u>133</u> | High Maternal Weight Gain |
| <u>134</u> | Failure to Thrive |
| <u>135</u> | Infant Weight Loss Birth to 6 months |
| <u>141A</u> | Low Birth Weight Birth to 11 months |
| <u>141B</u> | Low Birth Weight 12 to 23 months |
| <u>142</u> | Preterm or Early Term Delivery |
| <u>151</u> | Small for Gestational Age |
| <u>153</u> | Large for Gestational Age Infants |
| 200s | Biochemical |
| <u>201A</u> | Low Hemoglobin or Hematocrit |
| <u>201B</u> | Very Low Hemoglobin or Hematocrit |
| <u>211</u> | Elevated Blood Lead Levels |
| 300s | Clinical |
| <u>301</u> | Hyperemesis Gravidarum |
| <u>302</u> | Gestational Diabetes |
| <u>303</u> | History of Gestational Diabetes |
| <u>304</u> | History of Preeclampsia |
| <u>311</u> | History of Preterm or Early Term Delivery |
| <u>312</u> | History of Low Birth Weight |

List of Risk Numbers and Names

| <u>321</u> | History of Fetal or Neonatal Loss |
|-------------|--|
| <u>331</u> | Pregnancy at a Young Age |
| <u>332</u> | Closely Spaced Pregnancy |
| <u>334</u> | Lack of or Inadequate Prenatal Care |
| <u>335</u> | Multiple Fetus Pregnancy |
| <u>336</u> | Fetal Growth Restriction |
| <u>337</u> | History of Birth of a Large for Gestational Age Infant |
| <u>338</u> | Pregnant Woman Currently Breastfeeding |
| <u>339</u> | History of a Birth with a Congenital Birth Defect |
| <u>341</u> | Nutrient Deficiency or Disease |
| <u>342</u> | Gastrointestinal Disorders |
| <u>343</u> | Diabetes Mellitus |
| <u>344</u> | Thyroid Disorders |
| <u>345</u> | Hypertension and Prehypertension |
| <u>346</u> | Renal Disease |
| <u>347</u> | Cancer |
| <u>348</u> | Central Nervous System Disorders |
| <u>349</u> | Genetic and Congenital Disorders |
| <u>351</u> | Inborn Errors of Metabolism |
| <u>352A</u> | Infectious Diseases - Acute |
| <u>352B</u> | Infectious Diseases - Chronic |
| <u>353</u> | Food Allergies |
| <u>354</u> | Celiac Disease |
| <u>355</u> | Lactose Intolerance |
| <u>356</u> | Hypoglycemia |
| <u>357</u> | Drug Nutrient Interactions |
| <u>358</u> | Eating Disorders |
| <u>359</u> | Recent Major Surgery, Physical Trauma or Burns |

List of Risk Numbers and Names

| 260 | O(1 M - 1' 1 C 1'd' |
|---------------|--|
| <u>360</u> | Other Medical Conditions |
| <u>361</u> | Mental Illnesses |
| <u>362</u> | Developmental, Sensory or Motor Delays Interfering with Eating |
| <u>363</u> | Pre-Diabetes |
| <u>371</u> | Nicotine and Tobacco Use |
| <u>372</u> | Alcohol and Substance Use |
| <u>381</u> | Oral Health Conditions |
| <u>382</u> | Fetal Alcohol Spectrum Disorders |
| <u>383</u> | Neonatal Abstinence Syndrome |
| 400s | Dietary |
| <u>401</u> | Presumed Dietary Eligibility for Women and Children 2 to 5 years |
| <u>411.1</u> | Use of Substitutes for Breastmilk or Formula |
| <u>411.2</u> | Inappropriate Use of Bottles or Cups |
| <u>411.3</u> | Early Introduction of Beverages or Solid Foods |
| <u>411.4</u> | Inappropriate Feeding Practices |
| <u>411.5</u> | Feeding Potentially Harmful Foods |
| <u>411.6</u> | Incorrect Dilution of Formula |
| <u>411.7</u> | Infrequent Breastfeeding |
| <u>411.8</u> | Feeding a Very Low Calorie or Nutrient Diet |
| <u>411.9</u> | Improper Handling of Expressed Breastmilk or Formula |
| <u>411.10</u> | Inappropriate Use of Dietary Supplements |
| <u>411.11</u> | Inadequate Fluoride or Vitamin D Supplementation |
| <u>425.1</u> | Inappropriate Beverages as Milk Source |
| <u>425.2</u> | Feeding Sweetened Beverages |
| 425.3 | Inappropriate Use of Bottles, Cups or Pacifiers |
| 425.4 | Inappropriate Feeding Practices |
| 425.5 | Feeding Potentially Harmful Foods |
| <u>425.6</u> | Feeding a Very Low Calorie or Nutrient Diet |

List of Risk Numbers and Names

| 425.7 | Inappropriate Use of Dietary Supplements |
|----------------|--|
| 425.8 | Inadequate Fluoride or Vitamin D Supplementation |
| 425.9 | Pica - Children |
| <u>427.1</u> | Inappropriate Use of Dietary Supplements |
| <u>427.2</u> | Eating a Very Low Calorie or Nutrient Diet |
| 427.3 | Pica - Women |
| 427.4 | Inadequate Iron, Iodine or Folic Acid Supplementation |
| 427.5 | Eating Potentially Harmful Foods |
| <u>428</u> | Presumed Dietary Eligibility for Infants and Children 4 to 23 months |
| 500 to 900s | Environmental |
| <u>502</u> | Transfer of Certification |
| <u>601</u> | Breastfeeding Mother of Infant at Nutritional Risk |
| <u>602</u> | Breastfeeding Complications or Potential Complications for Women |
| <u>603</u> | Breastfeeding Complications or Potential Complications for Infants |
| <u>701</u> | Infant Up to 6 months of WIC Mom or WIC-Eligible Mom |
| <u>702</u> | Breastfeeding Infant of Woman at Nutritional Risk |
| <u>801</u> | Homelessness |
| <u>802</u> | Migrancy |
| <u>901</u> | Recipient of Abuse |
| 902 | Woman or Infant/Child of Primary Caregiver with Limited Ability to Make Feeding Decisions or Prepare Food |
| 903 | Foster Care |
| <u>904</u> | Environmental Tobacco Smoke Exposure |