

Data Submission Guide for Dispensers

Oregon Health Authority Prescription Drug Monitoring Program

February 2025 Version 4.3



i

Table of Contents

I	Docu	ıment (Overview	1		
2	Data	Collec	tion and Tracking	2		
	2.1	Data C	ollection Requirements	2		
	2.2	Report	ng Requirements	2		
	2.3	Exempt	ions	3		
	2.4	Nonco	mpliance	3		
3	Acce	essing C	learinghouse	1		
	3.1	Creatin	g Your Account4	1		
	3.2	Logging	In to PMP Clearinghouse	3		
4	Data	Submi	ssion10)		
	4 . I	Timelin	e and Requirements10)		
	4.2	Upload	Specifications	C		
5	Data	Delive	ry Methods1	1		
	5.1	Secure	FTP1	1		
	5.2	Web Po	ortal Upload12	2		
	5.3	Manual	Entry (UCF)	3		
	5.4	Zero R	eports16	5		
		5.4.1	Submit a Single-Click Zero Report	7		
		5.4.2	Create a New Zero Report	Э		
6	Data	Comp	iance22	2		
	6. I	File List	ings22	2		
	6.2	UCF Listings				
	6.3	3 Error Correction				
		6.3.1	View Records with Errors25	5		
		6.3.2	Error Correction via PMP Clearinghouse20	5		
		6.3.3	Error Correction via File Submission27	7		
7	Ema	il Repoi	rts28	3		
	7.1	File Fail	ed Report28	3		
	7.2	File Sta	tus Report28	3		
	7.3	Zero R	eport Confirmation33	1		

8	Man	aging Your Upload Account	32
	8.1	Adding Users to Your Upload Account	32
		8.1.1 Changing Another User's Password	33
	8.2	Adding PMPs to Your Upload Account	35
	8.3	Adding SFTP Access to an Upload Account	36
	8.4	Editing Your Upload Account	38
9	Mana	aging Your User Profile	40
	9.1	Editing Your Profile	40
	9.2	Changing Your Password	41
	9.3	Resetting Your Password	42
10	Assis	stance and Support	44
	10.1	Technical Assistance	44
	10.2	Administrative Assistance	44
П	Doc	ument Information	45
	11.1	Disclaimer	45
	11.2	Change Log	45
Αp	pend	lix A: ASAP 4.2A Specifications	48
Αp	pend	lix B: ASAP Zero Report Specifications	60
Αp	pend	lix C: SFTP Configuration	62
Αp	pend	lix D: Correct Use of Codes in DSP01	66
Αp	pendi	lix E: PDMP Notice to Patients	68

I Document Overview

This guide provides information about the data collection and reporting requirements, including information about exemptions and waivers, and required prescription information for the Oregon Prescription Drug Monitoring Program (PDMP).

2 Data Collection and Tracking

2.1 Data Collection Requirements

Each time a covered substance is dispensed to an individual, the reportable substance shall be reported to the OR PDMP, using a format approved by the Oregon Health Authority (OHA), no later than 72 hours after dispensing the reportable substance. All pharmacies dispensing reportable substances must meet the reporting requirements set forth by ORS 431.962 in a secure methodology and format.

Information about reportable substance dispensing activities must be reported to the OR PDMP on regular intervals through the authorized data collection vendor, Bamboo Health, Inc.

Note: Reportable drugs are considered all drugs for which the PMP requires the dispenser to submit a record, regardless of whether they are scheduled by the DEA, the local jurisdiction/state, or not scheduled at all.

2.2 Reporting Requirements

Effective October 23, 2017, the OR PDMP will begin requiring pharmacies and dispensers to report reportable substance dispensations to the OHA via PMP Clearinghouse. Dispensations must be reported no later than 72 hours after dispensing the reportable substance.

The laws and regulations for reporting to the OR PDMP are continuously subjected to amendments. It is the responsibility of dispensers to be aware of such updates as they are enacted and promulgated.

All dispensers of Schedule II - V, and other reportable substance prescriptions are required to collect and report their dispensing information. Such reporting, without individual authorization by the patient, is allowed under HIPAA, 45CFR § 164.512, paragraphs (a) and (d).

Note: OHA is the state oversight agency, and Bamboo Health will be acting as an agent of the OR PDMP in the collection of this information.

As of January 1, 2020, gabapentin will change to a covered substance for the OR PDMP. Dispensers are required to report dispensations of gabapentin to the OR PDMP no later than 72 hours after a covered substance is dispensed and for each covered substance dispensed.

Effective January 1, 2022, under HB 2648, over the counter sales of pseudoephedrine containing drugs are no longer required to be reported to the Oregon Prescription Drug Monitoring Program and should be reported to your pharmacy's pseudoephedrine tracking system. Effective January 1, 2025, any future prescriptions written for over-the-counter sales of pseudoephedrine containing drugs will not be reported to the Oregon Prescription Drug Monitoring Program.

IMPORTANT NOTES:

If a prescriber does not hold a DEA Registration, leave this field (PRE02) blank, and report the prescription (re)fill with the prescribers NPI (PRE01) and state license number (PRE04).

Do not use the pharmacy DEA in place of the prescriber DEA (PRE02) or make up a dummy DEA for this field.

• **If a veterinarian does not have an NPI**, veterinary prescriptions should include the veterinarian's state license number instead.

Certain elements are required by law to be reported. For complete details on these elements and others of ASAP 4.2A, please refer to ASAP 4.2A Specifications.

Should you have any policy-related questions, please contact the OR PDMP office at pdmp.health@odhsoha.oregon.gov. If you have questions regarding technical assistance, please contact Bamboo Health at 866-205-1222.

2.3 Exemptions

The following are exempt from reporting:

- Institutional pharmacies as designated in ORS 179.321 including, but not limited to, those within the Department of Corrections, Oregon State Hospital Campuses, and Eastern Oregon Training Center as defined in 179.10 and 421.005.
- Any reportable substances administered directly to a patient as or pursuant to ORS 127.800 (Death with Dignity Act).
- Manufacturing and wholesale drug outlets servicing retail and inpatient facilities.

2.4 Noncompliance

A pharmacy that knowingly fails to submit their reportable substance dispensing as required by this statute may be subject to disciplinary action.

3 Accessing Clearinghouse

This chapter describes how to create your PMP Clearinghouse account and how to log in to the PMP Clearinghouse web portal.

3.1 Creating Your Account


Prior to submitting data, you must create an account. If you are currently registered with the Bamboo Health PMP Clearinghouse system, you do not need to register for a new account—you will be able to add Oregon to your existing account for data submissions. If you have an existing PMP Clearinghouse account, please refer to Adding PMPs to Your Upload Account to add PMPs to your account.

Notes:

- Data from multiple pharmacies can be uploaded in the same file. For example, chain
 pharmacies may send in one file containing covered substance dispensing information for
 all their pharmacies licensed in the State of Oregon. Therefore, chains with multiple stores
 need only to set up one account to upload a file.
- PMP Clearinghouse allows users to submit data through the web portal via manual entry (UCF) or upload of ASAP files. For users who prefer an encrypted transfer method, SFTP access is also available. You may set up your SFTP account during the account creation process.
- If you need to make changes to an existing PMP Clearinghouse upload account, please refer to <u>Managing Your Upload Account</u>.

Perform the following steps to create an account:

 Open an internet browser window and navigate to the PMP Clearinghouse Account Registration page located at https://pmpclearinghouse.net/registrations/new.



2. Complete your Profile Details.

Profile Details		* Indicates Required Fiel
Email Address *		
Password *	Password confirmatic	n. <u>*</u>


a. Enter your current, valid email address in the **Email Address** field.

Note: The email address you provide here will act as your username when logging into the PMP Clearinghouse system.

b. Enter a password for your account in the **Password** field, then re-enter it in the **Password Confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 3. Complete your Personal and Employer information, noting the following:
 - Required fields are marked with a red asterisk (*).
 - You may be able to auto-populate your Personal and/or Employer information by entering your (or your employer's) **DEA**, **NPI**, and/or **NCPDP** number, then clicking the search icon (). If the number you entered is found, your information will automatically be populated.



4. If secure file transfer protocol (SFTP) is required, complete the Data Submission section of the page.


Notes:

- If SFTP access is not required, you do not need to complete the **Data Submission** section and you may continue to step 5.
- You may add SFTP access to an existing account. Please refer to <u>Adding SFTP Access to</u> an <u>Upload Account</u> for complete instructions.



a. Click to select the **Enable SFTP Access** checkbox.

The sFTP access fields are displayed.



- b. Your **SFTP Username** is automatically generated using the first five characters of your employer's name + your employer's phone number. For example, if you entered "Test" as your employer's name and "555-555-555" as your employer's phone number, your SFTP username would be test5555555555.
- c. Enter a password for your SFTP account in the **SFTP Password** field, then reenter it in the **SFTP Password Confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

This password will be input into the pharmacy software so that submissions can be automated.

Notes:

- This password can be the same as the one previously entered under Profile.
- Unlike the Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is http://submissions.healthcarecoordination.net/.
- Additional details on SFTP configuration can be found in <u>Appendix C: SFTP</u> <u>Configuration</u>.
- 5. In the **Submission Destinations** section of the page, select the PMP(s) for which you will be submitting data.
- 6. Click Submit.

The request is submitted to the PMP administrator for each of the PMPs you selected for data submission, and the Registration Information Overview page is displayed.




7. Click Continue.

The PMP Clearinghouse Login page is displayed; however, you will not be able to log in until your account has been approved. Once the PMP administrator has approved your request, you will receive a welcome email instructing you to confirm your account. Follow the instructions in the email to confirm your account and begin submitting data to PMP AWARxE.

3.2 Logging In to PMP Clearinghouse

I. Open an internet browser window and navigate to the **PMP Clearinghouse Login** page located at https://pmpclearinghouse.net/users/sign in.




- 2. Enter the email address you used to create your account in the **Email Address** field.
- 3. Enter your password in the **Password** field.

Note: If you have forgotten your password, have completed your registration but did not receive the account confirmation email, or your account has been locked and you did not receive the email with instructions for unlocking your account, please refer to the links in the Help section of the page. For detailed instructions on resetting your password, refer to Resetting Your Password.

4. Click Login.

The **PMP Clearinghouse** home page is displayed.



4 Data Submission

This chapter provides information and instructions for submitting data to the PMP Clearinghouse repository.

4.1 Timeline and Requirements

- Pharmacies and software vendors can establish submission accounts upon receipt of this guide. See <u>Creating Your Account</u> for more information.
- Beginning October 23, 2017, dispensers are required to transmit their data using PMP Clearinghouse in accordance with the guidelines outlined under Reporting Requirements.
- If a pharmacy does not dispense any covered substances for the preceding reporting period, it must file a zero report for that reporting period or it will be considered noncompliant. See <u>Zero Reports</u> for additional details.

4.2 Upload Specifications

Files should be in the ASAP 4.2A format released on October 2016. The ASAP 4.2A specifications are defined in <u>Appendix A: ASAP 4.2A Specifications</u>. Files for upload must be given a unique file name, with a prefix constructed with the date (YYYYMMDD) and a suffix of ".dat". An example file name would be "20220115.dat". All of your upload files will be kept separate from the files of others.

Reports for multiple dispensers/pharmacies can be in the same upload file in any order.

5 Data Delivery Methods

This chapter provides information about data delivery methods you can use to upload your covered substance reporting data file(s) to PMP Clearinghouse.

For quick reference, you may click the desired hyperlink in the following table to view the stepby-step instructions for your chosen data delivery method:

Delivery Method	Page
Secure FTP	П
Web Portal Upload	12
Manual Entry (UCF)	13
Zero Reports	16

5.1 Secure FTP

If you are submitting data to PMP Clearinghouse using SFTP, you must configure individual subfolders for the PMP systems to which you are submitting data. These subfolders must be created in the *homedir/directory* folder, which is where you are directed once authenticated, and **should be named using the state abbreviation** (e.g., AK, DC KS, GU, PR, OR, etc.). Data files not submitted to a PMP subfolder will be required to have a manual PMP assignment made on the <u>File Listings</u> page. Please refer to <u>PMP Subfolders</u> for additional details on this process.

I. If you do not have a PMP Clearinghouse account, perform the steps in <u>Creating Your Account</u>.

Or

- 2. If you have a PMP Clearinghouse account but have not enabled SFTP access, perform the steps in Adding SFTP Access to an Upload Account.
- 3. Prepare the data file(s) for submission, using the ASAP specifications described in Appendix A: ASAP 4.2A Specifications.

Notes:

- Files for upload must be given a unique file name, with a prefix constructed from the date of submission to PMP Clearinghouse (YYYYMMDD) and a suffix of ".dat". An example file name would be "20220119.dat".
- All of your upload files will be kept separate from the files of others.
- Reports for multiple pharmacies can be in the same upload file in any order.
- If you submit more than one file within the same day, you must uniquely name each file, so the system does not overwrite existing uploaded files. For example, if uploading three files within the same day, you could use the following file names: 20220119a.dat, 20220119b.dat, and 20220119c.dat.
- 4. SFTP the file to http://submissions.healthcarecoordination.net/.
- 5. When prompted, enter the username and password you created when setting up the SFTP account.
- 6. Place the file in the appropriate PMP-abbreviated directory.
- 7. You can view the results of the transfer/upload on the Submissions page in PMP Clearinghouse.

Note: If you place the data file in the root directory and not a PDMP sub-folder, a symbol with a mouse over hint of "**Determine PMP**" is displayed on the **File Status** page, and you will be prompted to select a destination PMP to which the data should be sent.

5.2 Web Portal Upload


- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Prepare the data file(s) for submission, using the ASAP specifications described in Appendix A: ASAP 4.2A Specifications.

Notes:

- Files for upload must be given a unique file name, with a prefix constructed from the date of submission to PMP Clearinghouse (YYYYMMDD) and a suffix of ".dat". An example file name would be "20220119.dat".
- All of your upload files will be kept separate from the files of others.
- Reports for multiple pharmacies can be in the same upload file in any order.
- If you submit more than one file within the same day, you must uniquely name each
 file, so the system does not overwrite existing uploaded files. For example, if uploading
 three files within the same day, you could use the following file names:
 20220119a.dat, 20220119b.dat, and 20220119c.dat.
- 3. Log in to PMP Clearinghouse.
- 4. From the home page, click the **File Upload** tab.




The **File Upload** page is displayed as shown on the following page.



- 5. Select the PMP to which you are submitting the file from the drop-down list in the **Select PMP** field.
- 6. Click the **Browse** button, located next to the **File Upload** field, and select the file you created in step 2.
- 7. Click Upload.

A message is displayed prompting you to confirm the submission.



8. Click **Upload** to continue with the file submission.

Your file is uploaded, and you can view the results of the upload on the **File Listings** page.

Note: When uploading a file, the file name must be unique. If the file name is not unique, a message is displayed indicating that the file name has already been taken.


5.3 Manual Entry (UCF)

If you do not have an automated record-keeping system capable of producing an electronic report using the ASAP 4.2A format, prescription information may be submitted on the Universal Claim Form (UCF).


You can manually enter your prescription information into the PMP Clearinghouse system using the UCF within the PMP Clearinghouse web portal. This form allows you to enter patient, prescriber, dispenser, and prescription information.

Please refer to <u>Appendix A: ASAP 4.2A Specifications</u> for the complete list of reporting requirements.

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click UCF Submissions.




The **UCF** Listings page is displayed.



4. Click the **New Claim Form** tab, located at the top of the page.


The Create Universal Claim Form page is displayed.




- 5. Select the PMP to which you are submitting data from the drop-down list in the **Select PMP** field.
- 6. Complete the required fields.

Notes:

- A red asterisk (*) indicates a required field.
- If you are entering a compound, click the Compound checkbox in the Drug Information section of the page, complete the required fields for the first drug ingredient, then click Add New to add additional drug ingredients.



7. Once you have completed all required fields, click **Save**.



8. Click **Submit Now** to continue with the data submission process.

A message is displayed prompting you to confirm the data submission.



9. Click OK.

Edit Universal Claim Form

You may submit this form at any time.

This claim form is not completely processed until submitted. Please review and edit the form, or click "Submit Now" to process the form.

Submit Now

Form has errors and was unable to be submitted.

• Drug Segment is invalid

• Patient last name can't be blank

• Patient first name can't be blank

• Pharmacy name can't be blank

• Pharmacy address can't be blank

• Pharmacy city can't be blank

• Pharmacy state can't be blank

• Pharmacy state can't be blank

• Pharmacy state can't be blank

Your data will be validated upon submission. If there are any errors on the UCF form, they are displayed at the top of the page.

Note: If there are no errors, you are returned to the Submitted Claim Forms page and your report is listed there.

10. Correct the indicated errors, then repeat steps 7–9.

Prescriber first name can't be blank
 Pharmacy zip code can't be blank
 Claim fill number can't be blank
 Claim fill number is not a number
 Date written can't be blank
 Date filled can't be blank
 Claim days supply can't be blank
 Claim days supply is not a number
 Claim authorized refill count can't be blank

Once your data has been successfully submitted, your report is listed on the **UCF Listings** page.



5.4 Zero Reports

If you have no dispensations to report for the preceding reporting period, you must report this information to the OR PDMP.

You may submit your zero report through the PMP Clearinghouse web portal by following the steps below or via SFTP using the ASAP Standard for Zero Reports. For additional details on submitting via SFTP, please refer to Appendix B: ASAP Zero Report Specifications.

You may submit zero reports through the PMP Clearinghouse web portal using one of the following methods:


- Submit a single-click zero report
- Create a new zero report

5.4.1 Submit a Single-Click Zero Report

Single-click zero reporting allows you to create a profile for the pharmacy that includes its identifiers (e.g., DEA, NPI, NCPDP), so you do not have to enter it each time you submit a zero report.

To create a pharmacy profile and begin submitting single-click zero reports:

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. <u>Log in to PMP Clearinghouse</u>.
- 3. Click **Zero Reports**.




The **Zero Report Listings** page is displayed.



4. Click the Create Zero Report tab.


The Create Zero Report page is displayed.

Note: Submit a Single Click Zero Report is selected by default.




- Any pharmacies you have already configured for single-click zero reporting are displayed at the bottom of the page. Continue to <u>step 10</u> to submit a zero report for those pharmacies.
- If you have not configured your pharmacy for single-click zero reporting, continue to step 5.
- 5. Click Add New Pharmacy.

The **New Pharmacy** page is displayed.



- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the pharmacy's name in the **Pharmacy** field.
- 8. Populate the **NCPDP**, **DEA Number**, and/or **NPI** fields as required by the PMP you selected in step 6. If any of these fields are required, a red asterisk (*) will be displayed next to that field once you have selected a PMP.
- 9. Click Save.

The pharmacy is saved and will be listed under the drop-down for the selected PMP, which is located at the bottom of the page.



10. Click the plus sign ("+") next to the PMP for which you wish to submit a zero report.

The list of pharmacies you have configured for single-click zero reporting for that PMP is displayed.

Note: This page allows you to submit a zero report for the current date (**Today**) or the previous day (**Yesterday**).



- Click **Today** to submit a zero report for the current date;
 Or
- 12. Click **Yesterday** to submit a zero report for the previous date.

Once the report is submitted, the submission is indicated on the screen, and the zero report is displayed on the **Zero Report Listings** tab.




Note: You may edit or delete a pharmacy from this page.

- To edit a pharmacy, click **Edit** to display the Edit Pharmacy page and make any necessary changes. Refer to steps 6–9 for guidance on entering pharmacy information.
- To delete a pharmacy, click **Delete**. You will be prompted to confirm the deletion. Once you confirm the deletion, the pharmacy configuration will be removed.

5.4.2 Create a New Zero Report

- I. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click Zero Reports.




The **Zero Report Listings** page is displayed.



4. Click the Create Zero Report tab.


The Create Zero Report page is displayed.

Note: Submit a Single Click Zero Report is selected by default.




5. Click the button to select **Create new Zero Report**.

The Create Zero Report page is displayed.



- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the start date and end date for the zero report in the **Start date** and **End date** fields using the *MM/DD/YYYY* format. You may also select the dates from the calendar that is displayed when you click in these fields.



8. Enter your NCPDP, DEA, and/or NPI numbers as required by your PMP.

Note: If any of these fields are required by your PMP, they will be marked with a red asterisk (*).

9. Click **Submit**.

Your zero report is submitted to PMP Clearinghouse and will be displayed on the **Zero Report Listings** tab.


6 Data Compliance

This chapter describes how to view the status of your submitted data files and how to correct errors.

6.1 File Listings

The **File Listings** page displays information extracted from the data files submitted to PMP Clearinghouse, including the file name, number of records identified within the data file, number of records that contain warnings, number of records that contain errors, and the date and time of submission. The **File Listings** page is displayed upon logging in to Clearinghouse; you may also click **File Submissions** from the menu at any time to access this page.

You may sort the **File Listings** page by account name, file name, PMP, number of records, warning count, error count, and date submitted. You may also click the account name to display the account details.




- The **Status** column, located at the end of each row, displays the file status via color-coded icon. Hovering over the icon will display the status message.
- The **Status Report** column, located next to the **Status** column, contains a link to the status report for that file. Please refer to <u>File Status Report</u> for more information on how to read and interpret this report.

If a file contains errors, it will have a • symbol with a mouse over hint of "Pending Dispensation Error" within the status column. You can click the error icon in the Status column to display the Error Correction page, which allows you to view the records containing errors (see View Records for more information). Please refer to Error Correction for instructions on how to correct errors.

If a file is unable to be parsed into the PMP Clearinghouse application, it will have an symbol with a mouse over hint of "ASAP Errors." Clicking the icon will display the detailed error, which indicates what element was missing or malformed. To correct these errors, a new file must be submitted to PMP Clearinghouse. It is not necessary to void a file that failed parsing since it was not successfully submitted to PMP Clearinghouse.

If you submitted a file via SFTP without using a PMP-specific sub-folder, the file will be displayed, and symbol will be displayed in the status column with a mouse over hint of "Determine PMP." Clicking the icon will prompt you to select a destination PMP to which the data file will be transferred.




If you submitted a zero report via file upload or SFTP that is malformed or missing information, the file will be displayed, and an exclamation mark icon inside a red triangle will be displayed in the status column. Hovering over the icon will display the "Invalid Zero Report" error. Clicking on the icon will display the detailed error message. To correct these errors, a new zero report must be submitted. Error example:



6.2 UCF Listings


The **UCF** Listings page displays information about the UCFs submitted to PMP Clearinghouse, including the number of warnings and errors. Click **UCF** Submissions to access this page.

You may sort the **UCF Listings** page date created, PMP, warning count, error count, and status.



The **Status** column, located at the end of each row, displays the UCF's status. Data entered into the UCF is validated upon submission; therefore, successfully submitted UCFs should not contain errors. However, if you have attempted to submit a UCF with errors and did not immediately correct those errors and submit the record, you have up to one (I) year to make updates to these records in Clearinghouse.

1. To view pending or incomplete submissions, click the **Manage Claim Forms** tab on the **UCF Listings** page.




The **Pending Claim Forms** page is displayed.



2. Click **Edit** next to the form you wish to update.

Note: If it has been longer than one (1) year, the **Edit** option will no longer be available. You must click **Delete** to delete the record and start over.

The Edit Universal Claim Form page is displayed.




3. Make the necessary corrections or changes, and then click **Submit Now**, located at the top of the page.

A message is displayed prompting you to confirm the data submission.



4. Click OK.

Your data will be validated upon submission. If there are any remaining errors on the UCF form, they are displayed at the top of the page.




Note: If there are no errors, you are returned to the UCF Listings page and your report is listed there.

- 5. Correct the indicated errors, then repeat steps 3-4.
- 6. Once your data has been successfully submitted, your report is listed on the UCF Listings page.

6.3 Error Correction

6.3.1 View Records with Errors


The **Error Correction** page displays more information about the records within a selected data file that need correcting, including **Prescription Number, Segment Type, Warning Count**, and **Error Count**. To access this page, click the "**Pending Dispensation Error**" message in the **Status** column of the <u>File Listings</u> page.



The **Correct** button, located at the end of each row, allows you to make corrections to the record.

6.3.2 Error Correction via PMP Clearinghouse

Once you click *Correct* on the **Error Correction** page, the **Errors** page is displayed. This page displays detailed information about the records within a selected data file that need correcting, including all the fields contained within the record and the originally submitted value, and allows you to correct those records.



- The Corrected Value column allows you to enter a new value to correct the error.
- The Message column displays the relevant error message explaining why
 the value entered in that field did not pass the validation rules.

For files that failed to parse, the error identified is "best effort" and any information we could not parse is listed as "unparseable" in the file. In this case, you must submit a corrected file.

For example, if a file is submitted without an IS segment, an error message indicating that the IS segment is missing will be displayed. However, you could also receive this error message if the preceding segment was not properly terminated, as at this point the IS segment cannot be parsed from the file.

To correct records:

- 1. Identify the fields that require corrections. Fields containing errors are highlighted in red, as shown in the screenshot above.
- 2. Enter the corrected value in the **Corrected Value** column.
- 3. Click Submit.

The error is processed through the validation rules.

- a. If the changes pass the validation rules, the record is valid, and a message is displayed indicating that the errors have been corrected. The File Listings and Error Correction pages are also updated.
- b. If the changes fail the validation rules, a message is displayed indicating that there was a problem correcting the errors, and the **Message** column is updated with any new error message. Repeat steps 2–3 until the errors have been corrected and the file can be successfully submitted.

6.3.3 Error Correction via File Submission

The ASAP 4.2A standard requires a pharmacy to select an indicator in the **DSP01** (Reporting Status) field. These indicators allow you to submit new records, revise and resubmit records, and void (delete) erroneous records. These actions are indicated by supplying one of the following values in the **DSP01** field:

- 00 New Record indicates a new record
- 01 Revise indicates that one or more data elements in a previouslysubmitted record have been revised

To revise a record:

- a. Create a record with the value "01" in the DSP01 field.
- b. Populate the following fields with the same information originally submitted in the record that is being revised:
 - PHA03 (DEA Number)
 - **DSP02** (Prescription Number)
 - **DSP05** (Date Filled)
- c. Fill in all other data fields with the correct information. This information will override the original data linked to the fields referenced in Step 2.
- d. Submit the record.

Important Note: When submitting revisions for the Prescription Number (DSP02), Pharmacy DEA (PHA03), Date Filled (DSP05), Quantity Filled (DSP09), and/or Refill Number (DSP06) fields, a Void submission (02) on the original record should be processed before re-submitting a New Record (00). Submitting Revise (01) for one of these five fields will process as a new prescription and both submissions will appear. All other field revisions may be processed as 01.

- 02 Void indicates that the original record should be removed
 To void a record:
 - a. Create a record with the value "02" in the **DSP01** field.
 - b. Fill in all other data identical to the original record.
 - c. Submit the record. This will void the original record.

7 Email Reports

Email status reports are automatically sent to all users associated with a specific data submitter account. These reports are used to identify errors in files that have been submitted and to confirm zero report submissions. This chapter describes the status reports you may receive via email.

7.1 File Failed Report

You will receive the File Failed Report if a submitted file was not able to be parsed and was not processed into PMP Clearinghouse. The report contains a description of the error encountered within the file. In the event of a failed file, a new file should be submitted with the necessary corrections.

Note: Failed files are not parsed into Clearinghouse and do not require a voided ASAP file to remove it from the system.

An example File Failed Report is provided below.

SUBJ: Oregon ASAP file: fake-test3.txt - Parse Failure

BODY:

Error Message

Failed to decode the value '04' for the bean id 'transactionControlType'.

Summary:

- * File Name: fake-test3.txt
- * ASAP Version: 4.2A
- * Transaction Control Number: unparseable
- * Transaction Control Type: unparseable
- * Date of Submission: September 19, 2022

NOTE: This file could not be received into the system because the system could not recognize its content as a valid ASAP format. Action is required to resolve the issues and a subsequent file should be submitted. As such the information provided in this report is "best effort" and any information we could not parse is listed as "unparseable" in the fields above.

7.2 File Status Report

The File Status Report serves as notification that a data file is currently being parsed by the PMP system.

This report identifies specific records in the submitted data file and returns identifying information about the record, including specific errors identified during the validation process. It uses fixed-width columns and contains a summary section after the error listings. Each column contains a blank two-digit pad at the end of the data.

The columns are set to the following lengths:

Column	Length
DEA	II (9 + pad)
NCPDP	9 (7 + pad)
NPI	12 (10 + pad)
Prescription	27 (25 + pad)
Filled	10 (8 + pad)
Segment	18 (16 + pad)
Field	18 (16 + pad)
Туре	9 (7 + pad)
Message	Arbitrary

The File Status Report notifies you of the following scenarios:

- Total records: The total number of records contained in the submitted data file.
- Duplicate records: The number of records that were identified as already existing
 within the PMP system. Duplicate records are not imported to prevent improper
 patient information.
- Records in process: The number of records remaining to be processed into the system (usually only displays a number if the file has not finished loading at the time the report is sent out).

Note: Records remaining to be processed will continue to be processed even after the status report is sent.

- Records with errors: The number of records that contain errors. These errors
 must be corrected for the record to be imported into the system. If a zero (0) is
 displayed, there are no errors in the data. Please refer to Error Correction for
 instructions on correcting errors.
- **Records with warnings**: The number of records that contain warnings. These warnings do not need to be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no warnings in the data.
- Records imported with warnings: The number of records with warnings that
 were imported. If a record contains both warnings and errors, the errors must be
 corrected to be submitted to the system. Please refer to Error Correction for
 instructions on correcting errors.
- Records imported without warnings: The number of records without warnings that were imported.

Note: The initial File Status Report is sent out two (2) hours after the file has been submitted to the system. Additional reports will be sent out every 24 hours if errors continue to be identified within a submitted data file.

An example File Status Report is provided on the following page.

SUBJ: Oregon ASAP file: fake-test3.txt - Status Report							
BODY: DEA	NCPDP	NPI	Prescription	Filled	Segment	Field Type	Message
			123486379596-0 357199504833-345		Dispensation Dispensation	refill_number days_supply	WARNING message example ERROR message example
Summary: * File Name	: fake-test	3.txt					
* ASAP Vers		N. 1 22.4	00504023				
* Transaction		Number: 234 Type: send	89504823				
		September 1	9. 2022				
* Total Reco		•	-,				
* Duplicate	Records: #	##					
* In Process	Count: ##	#					
* Records w	ith Error C	ount: ###					
* Imported							
* Records Ir	nported w	ith Warning C	Count: ###				

7.3 Zero Report Confirmation

You will receive a Zero Report Confirmation after successfully submitting a zero report to PMP Clearinghouse. This report displays the PMP to which the zero report was submitted, date for the zero report, date the zero report was submitted to PMP Clearinghouse, and date the report was originally created.

An example Zero Report Confirmation is provided below.

SUBJ: ASAP Zero Report: zero_reports_20220306KSMCPS.DAT

BODY:

Summary:

* File Name: zero_reports_20220306KSMCPS.DAT

* PMP Name: Oregon

* Date Range: 2022-03-06 - 2022-03-06

* Submission Date: 2022-03-07 * ASAP Creation Date: 2022-03-06

8 Managing Your Upload Account


The **Account** menu option allows you to manage the information associated with your organization's upload account, including adding users, PMPs, and SFTP access to your account as well as editing your organization's account information.

Note: This chapter contains information for managing the upload account with which your user account is associated. For information about editing and managing your individual user account, including how to change your password, please refer to <u>Managing Your User Profile</u>.


8.1 Adding Users to Your Upload Account

PMP Clearinghouse allows data submitters to add new users to the system who have the same rights and access to submitting data and viewing file status. This practice allows you to create an account to be used for a backup individual.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




Select Users from the Account drop-down menu.
 The Account Users page is displayed.



4. Click **New User**, located in the top right corner of the page.

The **New Data Submitter User** page is displayed.



5. Enter the new data submitter's email address, first name, and last name in the appropriate fields.

Note: All fields are required.


6. Click Submit.

The user is added to the list of data submitters for your organization, and you are returned to the Account Users page.

- 7. Please inform the new user of the account creation.
 - a. The user will receive an email with a link for them to confirm their account.
 - b. Once the account has been confirmed, the user will need to navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to create a password for their account and log in.
 - c. Upon logging in, the user will be able to view all files submitted for your organization's upload account.


8.1.1 Changing Another User's Password

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




3. Select **Users** from the **Account** drop-down menu.

The **Account Users** page is displayed.



4. Click the **Edit** button, located to the right of the user's information.

The Edit Data Submitter User page is displayed.



5. Enter a new password for the user in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
 - One (1) special character, such as !, @, #, \$, etc.
- 6. Click **Submit**.

The password is changed.

8.2 Adding PMPs to Your Upload Account

If your organization needs to submit data files to an additional PMP that uses PMP AWARXE, you can submit the request through PMP Clearinghouse.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.



3. Select Multi State Approval from the Account drop-down menu.

The **Multi State Approval** page is displayed. This page displays all PMPs currently using the PMP AWARxE system as well as your data sharing status with each PMP.



4. To request to submit data to another PMP, click to select the checkbox next to that PMP.

PMP Clearinghouse automatically saves your changes, and your request is submitted to the PMP administrator for review and approval. Once the request has been approved, the status for that PMP will change from "Pending" to "Approved," and you may begin submitting data to that PMP.


Notes:

- If you are submitting data via SFTP, the file must be located in the proper subfolder to ensure delivery to the desired PMP.
- To cancel data submission to a PMP, uncheck the box for that PMP. Note that if you
 need to submit data to that PMP again in the future, you will have to go through the
 approval process again.

8.3 Adding SFTP Access to an Upload Account

If a registered upload account did not request an SFTP account during the account creation process, you can request one at any time using the **Account** menu option.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.



3. Select SFTP Details.

The SFTP Account page is displayed.



Note: If an SFTP account already exists for the upload account, the username is displayed on the **SFTP Account** page.



You cannot change the SFTP account username; however, you can update the password by clicking **Edit**.

4. Click Create.

The Create a New SFTP Account page is displayed.

SFTP Accoun	t CREATE A NEW SFTP ACCOUNT
Name	Username of the SFTP account.
Password	Osername of the SFTP account.
Password confirmation	
	Create Cancel

5. Enter a username for the account in the **Name** field.

Notes:

- The username must contain a minimum of eight (8) characters.
- Once the SFTP account has been created, you cannot change the username.
- 6. Enter a password for the account in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

Once the account has been successfully created, this password will be input into the pharmacy software so that submissions can be automated.

Notes:

- This password can be the same as the one used when the upload account was created.
- Unlike your Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is http://submissions.healthcarecoordination.net/.
- Additional details on SFTP configuration can be found in <u>Appendix C: SFTP</u> <u>Configuration</u>.
- 7. Click Create.


The account is created, and the username is displayed.



8.4 Editing Your Upload Account


Note: This function only allows you to edit your organization's upload account. If you need to edit your individual profile information, please refer to <u>Editing Your Profile</u>.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




3. Select Account Details.

The **Account** page is displayed as shown on the following page.



4. Click Edit.

The Edit Account page is displayed.



5. Update the information as necessary, then click **Submit**. The account information is updated.

9 Managing Your User Profile


This chapter describes how to manage your individual user profile, including how to edit your profile and manage your password.

Note: This chapter contains information for managing your individual user profile. For information about managing your organization's upload account, including how to add users, please refer to <u>Managing Your Upload Account</u>.

9.1 Editing Your Profile


Note: This function only allows you to edit your individual profile information. If you need to edit the Organization Information, please refer to <u>Editing Your Upload Account</u>.

- I. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select Edit My Profile.

Edit Profile




4. Update your information as necessary, then click **Submit**. Your changes are saved, and your updated profile is displayed.


9.2 Changing Your Password

Note: Clearinghouse passwords expire every 90 days. You can use this function to proactively change your password before it expires. If your password has already expired, or you have forgotten your password, navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to reset it. Please refer to <u>Resetting Your Password</u> for more information.

- I. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select Change Password.



- 4. Enter your current password in the Current Password field.
- 5. Enter your new password in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click **Update**.

Your password is updated, and you will use it the next time you log in to PMP Clearinghouse.


9.3 Resetting Your Password

If you have forgotten your password or your password has expired, perform the following steps to reset it.

1. Open an internet browser window and navigate to the **PMP Clearinghouse Login** page located at https://pmpclearinghouse.net/users/sign_in.



2. Click the **Forgot your password?** link, located in the Help section of the page. The **Forgot your password** page is displayed.



- 3. Enter the email address associated with your user account, then click **Send me** reset password instructions.
- 4. Once you receive the reset password email, click the **Change my password** link within the email.

The Change your password page is displayed.

Change your password					
* New password* Confirm your new password					
	Change my password				

 Enter your new password in the New password field, then re-enter it in the Confirm your new password field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click Change my password.

Your password is changed, and you can now use it to log in to PMP Clearinghouse.

10 Assistance and Support

10.1 Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

Contact Bamboo Health at 866-205-1222;

OR

 Create a support request at the following URL: https://pmpclearinghouse.zendesk.com/hc/en-us/

Technical assistance is available 24 hours per day, 365 days per year.

10.2 Administrative Assistance

If you have non-technical questions regarding the OR PMP, please contact:

Prescription Drug Monitoring Program 800 NE Oregon St., Suite 772 Portland, OR 97232

Phone: 971-673-0741 **Fax:** 971-673-0990

E-mail: pdmp.health@odhsoha.oregon.gov

II Document Information

11.1 Disclaimer

Bamboo Health has made every effort to ensure the accuracy of the information in this document at the time of printing. However, information is subject to change.

11.2 Change Log

Version	Date	Chapter/Section	Change Made
1.0	08/10/2017	N/A	N/A; initial publication
1.1	08/29/2017	Global	Converted from ASAP 4.1 to ASAP 4.2A
		Appendix A	Added the following elements as part of the ASAP 4.2A conversion: PHA13, DSP22, DSP23, DSP24, DSP25, AIR11, and PRE09
		Appendix A	Added additional language to support ASAP 4.2A around the following existing elements: DSP01 (a limited data set is being offered as an option when "02" is used), DSP05 (description language updated to "prepared" rather than "dispensed"), and DSP12 (additional code has been added – "06")
		Appendix D	Added new appendix
		Appendix A	Changed PATII to "S" for Situational
1.2	12/20/2017	Appendix A	PAT17 now required for submissions
2.0	12/10/2018	Global	Updated to current Appriss document template
		2.2/Reporting Requirements	Added statement regarding the required reporting of naloxone
		2.3/Exemptions	Added pharmacies not in possession of licensure to dispense controlled substances through the Oregon Board of Pharmacy as exempt
2.1	08/22/2019	Appendix A	Change the reporting requirement for DSP24 from "S" to "N"
2.2	12/02/2019	2.2/Reporting Requirements	Added statement regarding the required reporting of gabapentin beginning Jan. 1, 2020

Version	Date	Chapter/Section	Change Made
2.3	03/31/2020	Global	Updated screenshots to reflect updated user interface (note that this is only a cosmetic change; no functionality changes are included)
		5.4/Zero Reports	Separated into two sections (Submit a Single-Click Zero Report and Create a New Zero Report) to reflect the addition of the single-click zero report submission functionality
		5.4.1/Submit a Single-Click Zero Report	Added new section with instructions for submitting a single-click zero report
		6.2/UCF Listings	Added clarification on correcting UCF errors
2.4	04/14/2020	Appendix A/ASAP 4.2A Specifications	Changed requirement for PRE03 from "N" to "S"
2.5	01/12/2021	Appendix E/PDMP Notice to Patients	Added new appendix
2.6	03/10/2022	Global	Updated guide to reflect Bamboo Health branding
3.0	01/11/2023	2.2/Reporting Requirements	Updated section to include instructions on the ability to submit by DEA or NPI per state's request
3.1	07/26/2023	Global	Updated guide to reflect the state's new reporting requirements for Schedule II-V drugs; previously only II-IV were required.
3.2	4/2/2024	2.2/Reporting Requirements	Updated section to include additional disclaimer around vet Gabapentin submissions
		Global	Updated guide to reflect new sFTP host information
		6.2/UCF Listings	Updated timeframe to be able to revise a UCF record from 30 days to 1 year

Version	Date	Chapter/Section	Change Made
4.0	12/03/2024	General	Update guide to reflect new branding guidelines
		6.3.3/Error Corrections via File Submissions	Added additional guidance on correcting and voiding records.
		General	Remove references to veterinary exclusions per state's request since they will begin collecting veterinary Rx on 01/02/25.
		Appendix A/ASAP 4.2A Specifications	Updated the following reporting requirements per state's request: DSP17 from N to R PHA10 from N to S PAT23 from N to S PRE01 from N to S
4.1	12/12/2024	2.2/Reporting Requirements	 Removed reference to naloxone reporting requirement. Added information on pseudoephedrine reporting.
4.2	01/28/2025	10.2/Administrative Assistance	Updated state's email address per state's request
4.3	02/21/2025	2.2/Reporting Requirements	Added clarification on pseudoephedrine reporting requirements

Appendix A: ASAP 4.2A Specifications

The information on the following pages contains the definitions for the specific contents required of uploaded records in the American Society for Automation in Pharmacy (ASAP) format to comply with the OR PDMP requirements.

The following elements are used in each upload file:

- **Segment Identifier** indicates the beginning of a new segment, for example, *PHA*.
- **Data Delimiter** character used to separate segments and the data elements within a segment, for example, an asterisk (*).
 - Each completed field should be followed by an asterisk, and each blank field should contain a single asterisk.
 - If the last field in the segment is blank, it should contain an asterisk and a tilde (~).
- **Segment Terminator** character used to mark the end of a segment, for example, the tilde (~).

Note: Field TH09 in the Transaction Header segment contains a built-in segment terminator. Since TH09 also signifies the end of the segment, it should contain two tildes (~~).

- Requirement
 - R = Required by ASAP
 - N = Not used
 - RR Required by OR PDMP
 - S = Situational (not required; however, supply if available)

Note: For more information, contact the American Society for Automation in Pharmacy for the full Implementation Guide for the ASAP Standard for Prescription-Monitoring Programs. That guide includes field lengths, acceptable attributes, and examples.

Segment	Element	Element Name	Requiremen
T T		/ · · · ·	
	cate the start	e r (required) of a transaction. It also assigns the data element separator, segment ter	minator, and
	TH01	Version/Release Number	R
		Code uniquely identifying the transaction.	
		Format = x.xx	
	TH02	Transaction Control Number	R
		Sender assigned code uniquely identifying a transaction.	
	TH03	Transaction Type	N
		Identifies the purpose of initiating the transaction.	
		01 Send/Request Transaction	
		 02 Acknowledgement (used in Response only) 	
		 03 Error Receiving (used in Response only) 	
		 04 Void (used to void a specific Rx in a real-time transmission or an entire batch that has been transmitted) 	
	TH04	Response ID	N
		Contains the Transaction Control Number of a transaction that initiated the transaction. Required in response transaction only.	
	TH05	Creation Date	R
		Date the transaction was created.	
		Format: CCYYMMDD.	
	TH06	Creation Time	R
		Time the transaction was created.	
		Format: HHMMSS or HHMM.	
	TH07	File Type	R
		P = Production	
		• T = Test	
	TH08	Routing Number	N
		Reserved for real-time transmissions that go through a network	
		switch to indicate, if necessary, the specific PMP the transaction	
		should be routed to.	_
	TH09	Segment Terminator Character	R
		This terminates the TH segment and sets the actual value of the data segment terminator for the entire transaction.	
5: Informa	│ tion Source		
Jsed to co	nvey the na	me and identification numbers of the entity supplying the info	mation.
	IS01	Unique Information Source ID	R
		Reference number or identification number.	
		(Example: phone number)	
	IS02	Information Source Entity Name	R
		Entity name of the Information Source.	
	IS03	Message	N
		Free-form text message.	

Segment	Element	Element Name	Requiremen
	ID		
	-	r (required)	
	entify the ph	•	In DLIANI
PHA02, or		at information be provided in at least one of the following field	is: PHAUI,
	PHA01	National Provider Identifier (NPI)	S
		Identifier assigned to the pharmacy by CMS.	
	PHA02	NCPDP/NABP Provider ID	S
		Identifier assigned to pharmacy by the National Council for Prescription Drug Programs.	
	PHA03	DEA Number	RR
		Identifier assigned to the pharmacy by the Drug Enforcement Administration.	
	PHA04	Pharmacy Name	N
		Free-form name of the pharmacy or dispensing practitioner's name.	
	PHA05	Address Information – I	N
		Free-form text for address information.	
	PHA06	Address Information – 2	N
		Free-form text for address information.	
	PHA07	City Address	N
		Free-form text for city name.	
	PHA08	State Address	N
		U.S. Postal Service code.	
	PHA09	ZIP Code Address	N
		U.S. Postal Service ZIP Code.	
	PHA10	Phone Number	S
		Complete phone number including area code. Do not include hyphens.	
	PHAII	Contact Name	N
		Free-form name.	
	PHA12	Chain Site ID	N
		Store number assigned by the chain to the pharmacy location. Used when the PMP needs to identify the specific pharmacy from which information is required.	
	PHA13	Pharmacy Permit/License Number	S
		This field helps identify the sending pharmacy.	
		on (required) ient's name and basic information as contained in the pharma	ıcy record.
	PAT01	ID Qualifier of Patient Identifier	N
		Code identifying the jurisdiction that issues the ID in PAT03.	

Segment	Element	Element Name	Requirement
	ID DATES	ID O US	
	PAT02	ID Qualifier	N
		Code to identify the type of ID in PAT03. If PAT02 is used, PAT03 is required.	
		01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		04 Permanent Resident Card (Green Card)	
		05 Passport ID	
		06 Driver's License ID	
		08 Tribal ID	
		99 Other (agreed upon ID)	
	PAT03	ID of Patient	N
	1.7.03	Identification number for the patient as indicated in PAT02.	.,
		An example would be the driver's license number.	
	PAT04	ID Qualifier of Additional Patient Identifier	N
	I A I VI	Code identifying the jurisdiction that issues the ID in PAT06.	14
		Used if the PMP requires such identification.	
	PAT05	Additional Patient ID Qualifier	N
	1 7 103	Code to identify the type of ID in PAT06 if the PMP requires a	14
		second identifier. If PAT05 is used, PAT06 is required.	
		01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		04 Permanent Resident Card	
		05 Passport ID	
		06 Driver's License ID	
		08 Tribal ID	
		99 Other (agreed upon ID)	
	PAT06	Additional ID	N
		Identification that might be required by the PMP to further identify	
		the individual. An example might be that in PAT03 driver's license is	
		required and in PAT06 Social Security number is also required.	
	PAT07	Last Name	RR
		Patient's last name.	
	PAT08	First Name	RR
		Patient's first name.	
	PAT09	Middle Name	S
		Patient's middle name or initial if available.	
	PATI0	Name Prefix	N
		Patient's name prefix such as Mr. or Dr.	
	PATII	Name Suffix	S
		Patient's name suffix such as Jr. or the III.	

Segment	Element ID	Element Name	Requirement
	PAT12	Address Information – I	RR
		Free-form text for street address information.	
	PAT13	Address Information – 2	N
		Free-form text for additional address information.	
	PATI4	City Address	RR
		Free-form text for city name.	
	PAT15	State Address	RR
		U.S. Postal Service code or other regional jurisdiction code.	
	PATI6	ZIP Code Address	RR
		U.S. Postal Service ZIP code.	
		Populate with zeros if patient address is outside the U.S.	
	PATI7	Phone Number	RR
		Complete phone number including area code.	
		Note: Do not include hyphens in the number. If the patient does not have a phone number, enter 9999999999.	
	PAT18	Date of Birth	RR
		Date patient was born.	
		Format: CCYYMMDD	
	PAT19	Gender Code	RR
		Code indicating the sex of the patient.	
		F Female	
		M Male	
		U Unknown	
	PAT20	Species Code	RR
		Used if required by the PMP to differentiate a prescription for an individual from one prescribed for an animal.	
		01 Human	
		02 Veterinary Patient	

	Element	Element Name	Requirement
Segment	ID	Liener vane	rtequii emene
	PAT21	Patient Location Code	N
		Code indicating where patient is located when receiving pharmacy	
		services.	
		01 Home	
		02 Intermediary Care	
		03 Nursing Home	
		 04 Long-Term/Extended Care 	
		05 Rest Home	
		 06 Boarding Home 	
		07 Skilled-Care Facility	
		08 Sub-Acute Care Facility	
		09 Acute Care Facility	
		10 Outpatient	
		II Hospice	
		98 Unknown	
		• 99 Other	
	PAT22	Country of Non-U.S. Resident	N
		Used when the patient's address is a foreign country.	
	PAT23	Name of Animal	S
		Used if required by the PMP for prescriptions written by a	
		veterinarian and the pharmacist has access to this information at the time of dispensing the prescription.	
			l.
DSP: Dispe	ensing Recor	ra (requirea)	
-	ensing Recor	rd (required) isic components of a dispensing of a given prescription order in	ncluding the
-	entify the ba		ncluding the
Used to ide	entify the ba		ncluding the
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction:	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored).	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored). Note: For prescriptions voided with a code 02, a limited data set is being	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored). Note: For prescriptions voided with a code 02, a limited data set is being offered as an option PDMPs can elect to use rather than requiring the entire prescription to be voided. This option is offered in order to	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: ONEW Record (indicates a new prescription dispensing transaction) If Revise (indicates that one or more data element values in a previously submitted transaction are being revised) Of Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored). Note: For prescriptions voided with a code 02, a limited data set is being offered as an option PDMPs can elect to use rather than requiring the entire prescription to be voided. This option is offered in order to streamline the process in the pharmacy when voiding a prescription. See	
Used to ide	entify the bau	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored). Note: For prescriptions voided with a code 02, a limited data set is being offered as an option PDMPs can elect to use rather than requiring the entire prescription to be voided. This option is offered in order to	

Segment	Element	Element Name	Requirement
	ID		
	DSP03	Date Written	RR
		Date the prescription was written (authorized).	
		Format: CCYYMMDD	
	DSP04	Refills Authorized	RR
		The number of refills authorized by the prescriber.	
	DSP05	Date Filled	RR
		Date prescription was filled.	
		Format: CCYYMMDD	
	DSP06	Refill Number	RR
		Number of the fill of the prescription.	
		0 indicates New Rx; 01-99 is the fill number.	
	DSP07	Product ID Qualifier	R
		Used to identify the type of product ID contained in DSP08.	
		• 01 NDC	
		 06 Compound (indicates a compound; if used, the CDI segment becomes a required segment) 	
	DSP08	Product ID	RR
		Full product identification as indicated in DSP07, including leading zeros without punctuation.	
	DSP09	Quantity Dispensed	RR
		Number of metric units dispensed in metric decimal format.	
		Example: 2.5	
		Note: For compounds show the first quantity in CDI04.	
	DSP10	Days' Supply	RR
		Estimated number of days the medication will last.	
	DSPII	Drug Dosage Units Code	N
		Identifies the unit of measure for the quantity dispensed in DSP09.	
		01 Each	
		02 Milliliters (ml)	
		03 Grams (gm)	
	DSP12	Transmission Form of Rx Origin Code	N
		Code indicating how the pharmacy received the prescription.	
		01 Written Prescription	
		02 Telephone Prescription	
		03 Telephone Emergency Prescription	
		04 Fax Prescription	
		05 Electronic Prescription	
		O6 Transferred/Forwarded	
		• 99 Other	

Segment	Element	Element Name	Requirement
	ID		
	DSP13	Partial Fill Indicator Used when the quantity in DSP 09 is less than the metric quantity per dispensing authorized by the prescriber. This dispensing activity is often referred to as a split filling. ONOTA Partial Fill	N
		01 First Partial Fill	
		Note: For additional fills per prescription, increment by 1. So, the second partial fill would be reported as 02, up to a maximum of 99.	
	DSP14	Pharmacist National Provider Identifier (NPI) Identifier assigned to the pharmacist by CMS. This number can be used to identify the pharmacist dispensing the medication.	N
	DSP15	Pharmacist State License Number This data element can be used to identify the pharmacist dispensing the medication. Assigned to the pharmacist by the Licensing Board.	N
	DSP16	Classification Code for Payment Type Code identifying the type of payment (i.e., how it was paid for). 01 Private Pay (cash, charge, credit card) 02 Medicaid 03 Medicare 04 Commercial Insurance 05 Military Installations and VA 06 Workers' Compensation 07 Indian Nations 99 Other	N
	DSP17	Date Sold This field is used to determine the date the prescription was dispensed (left the pharmacy), not the date it was prepared. Format: YYYYMMDD	R
	DSP18	Rx Norm Product Qualifier Ol Semantic Clinical Drug (SCD) Ol Semantic Branded Drug (SBD) Ol Generic Package (GPCK) Ol Branded Package (BPCK)	N
	DSP19	Rx Norm Code Used for electronic prescriptions to capture the prescribed drug product identification.	N
	DSP20	Electronic Prescription Reference Number This field should be populated with the Initiator Reference Number from field UIB-030-01 in the SCRIPT transaction.	N
	DSP21	Electronic Prescription Order Number This field will be populated with the PrescriberOrderNumber value in the SCRIPT standard.	S

Segment	Element	Element Name	Requirement
	ID		
	DSP22	Quantity Prescribed This field adds clarity to the value reported in DSP13, Partial Fill Indicator.	S
	DSP23	Rx Sig This field captures the actual directions printed on the prescription vial label.	S
	DSP24	 Treatment Type This field indicates that the prescription is for opioid dependency treatment. 01 – Not used for Opioid Dependency Treatment 02 – Used for Opioid Dependency Treatment 03 – Pain Associated with Active and Aftercare Cancer Treatment 04 – Palliative Care in Conjunction with a Serious Illness 05 – End-of-Life and Hospice Care 06 – A Pregnant Individual with a Pre-existing Prescription for Opioids 07 – Acute Pain for an Individual with an Existing Opioid Prescription for Chronic Pain 08 – Individuals Pursuing an Active Taper of Opioid Medications 09 – Patient is Participating in a Pain Management Contract 	N
	DSP25	 99 – Other (trading partner agreed upon reason) Diagnosis Code This field is used to report the ICD-10 code. If required, by a PDMP, this field would be populated only when the ICD-10 code is included with the prescription or known from the prescriber. 	S
		ation (required) escriber of the prescription.	
	PRE01	National Provider Identifier (NPI) Identifier assigned to the prescriber by CMS.	S
	PRE02	DEA Number Identifying number assigned to a prescriber or an institution by the Drug Enforcement Administration (DEA). Must be sent for controlled substances.	RR
	PRE03	DEA Number Suffix Identifying number assigned to a prescriber by an institution when the institution's number is used as the DEA number.	S
	PRE04	Prescriber State License Number Identification assigned to the prescriber by the Licensing Board. To be utilized for non-controlled substances (e.g., gabapentin) only when the prescriber does not have an NPI number or DEA number (e.g., veterinarian). In this instance, leave PRE01 and PRE02 blank and insert the prescriber's Oregon state license number in PRE04. Note: This field can be used for veterinary prescriptions.	S

Segment	Element ID	Element Name	Requirement
	PRE05	Last Name	RR
		Prescriber's last name.	
	PRE06	First Name	RR
		Prescriber's first name.	
	PRE07	Middle Name	N
		Prescriber's middle name or initial.	
	PRE08	Phone Number	N
		Complete phone number including area code. Do not include hyphens.	
	PRE09	XDEA Number	S
		This field must be completed when prescriptions indicate they are for medication assisted treatment.	

CDI: Compound Drug Ingredient Detail (situational)

Use of this segment is required when medication dispensed is a compound and one of the ingredients is a PMP reporting drug. If more than one ingredient is for a prescription monitoring program reporting drug, then this would be incremented by one for each compound ingredient being reported.

CDI01	Compound Drug Ingredient Sequence Number First reportable ingredient is I; each additional reportable ingredient is incremented by I.	R
CDI02	Product ID Qualifier Code to identify the type of product ID contained in CDI03. • 01 NDC	R
CDI03	Product ID Full product identification as indicated in CDI02, including leading zeros without punctuation.	R
CDI04	Compound Ingredient Quantity Metric decimal quantity of the ingredient identified in CDI03. Example: 2.5	R
CDI05	Compound Drug Dosage Units Code Identifies the unit of measure for the quantity dispensed in CDI04. OI Each (used to report as package) OI Milliliters (ml) (for liters, adjust to the decimal milliliter equivalent) OI Grams (gm) (for milligrams, adjust to the decimal gram equivalent)	N

AIR: Additional Information Reporting (situational)

Used when state-issued serialized Rx pads are used, the PMP requires information on the person dropping off or picking up the prescription, or for data elements not included in other detail segments.

Note: If this segment is used, at least one of the data elements (fields) will be required.

egment	Element	Element Name	Requiremen
	ID		
	AIR01	State Issuing Rx Serial Number	N
		U.S.P.S. code of state that issued serialized prescription blank. This is required if AIR02 is used.	
	AIR02	State Issued Rx Serial Number	N
		Number assigned to state issued serialized prescription blank.	
	AIR03	Issuing Jurisdiction	N
		Code identifying the jurisdiction that issues the ID in AIR05.	
	AIR04	 ID Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIR05 for person dropping off or picking up the prescription. 01 Military ID 	N
		02 State Issued ID	
		03 Unique System ID	
		 04 Permanent Resident Card (Green Card) 	
		05 Passport ID	
		06 Driver's License ID	
		08 Tribal ID	
		99 Other (agreed upon ID)	
	AIR05	ID of Person Dropping Off or Picking Up Rx	N
		ID number of patient or person picking up or dropping off the prescription.	
	AIR06	Relationship of Person Dropping Off or Picking Up Rx Code indicating the relationship of the person. Ol Patient Ol Parent/Legal Guardian Ol Spouse Ol Caregiver 99 Other	N
	AIR07	Last Name of Person Dropping Off or Picking Up Rx	N
		Last name of person picking up the prescription.	
	AIR08	First Name of Person Dropping Off or Picking Up Rx	N
		First name of person picking up the prescription.	
	AIR09	Last Name or Initials of Pharmacist	N
		Last name or initials of pharmacist dispensing the medication.	
	AIR10	First Name of Pharmacist	N
		First name of pharmacist dispensing the medication.	

Segment	Element ID	Element Name	Requirement	
	AIRII	Dropping Off/Picking Up Identifier Qualifier Additional qualifier for the ID contained in AIR05	N	
		01 Person Dropping Off		
		02 Person Picking Up		
		03 Unknown/Not Applicable		
		Note: Both 01 and 02 cannot be required by a prescription drug monitoring program.		
TP: Pharma	acy Trailer ((required)		
	Used to identify the end of data for a given pharmacy and provide the count of the total number of detail segments reported for the pharmacy, including the PHA and TP segment.			
	TP01	Detail Segment Count	R	
		Number of detail segments included for the pharmacy including the pharmacy header (PHA) and the pharmacy trailer (TP) segments.		
TT: Transa	ction Traile	r (required)		
	dicate the en the transac	nd of the transaction and provide the count of the total numbertion.	er of segments	
	TT01	Transaction Control Number	R	
		Identifying control number that must be unique.		
		Assigned by the originator of the transaction.		
		Must match the number in TH02.		
	TT02	Segment Count Total number of segments included in the transaction including the header and trailer segments.	R	

Appendix B: ASAP Zero Report Specifications

The following table contains the required definitions for submitting zero reports via SFTP or manual upload to the OR PMP. It lists the **Segment** and **Element ID** with pre-populated data to be used as an example for constructing a zero report. For more details regarding these Segment or Elements IDs, or for details on reporting actual dispensations, please refer to Appendix A: ASAP 4.2A Specifications.

Segment	Element ID	Element Name	Requirement	
TH: Transa	TH: Transaction Header (required)			
	TH01	4.2A	R	
	TH02	123456	R	
	TH05	20220101	R	
	TH06	223000	R	
	TH07	P	R	
	TH09	11	R	
IS: Informa	tion Source (red	quired)		
	IS01	770555555	R	
	IS02	PHARMACY NAME	R	
	IS03	Date Range of Report #YYYYMMDD#-#YYYYMMDD#	R	
PHA: Phar	macy Header (re	equired)		
	PHA03	ZZ1234567	R	
PAT: Patie	nt Information (required)		
	PAT07	REPORT	R	
	PAT08	ZERO	R	
DSP: Dispe	ensing Record (re	equired)	•	
	DSP05	20220101	R	
PRE: Presc	riber Informatio	n (required; can be null as follows: PRE******\)		
CDI: Comp	oound Drug Ingr	edient Detail		
AIR: Addit	ional Informatio	n Reporting		
TP: Pharmacy Trailer (required)				
	TP01	7	R	
TT: Transa	TT: Transaction Trailer (required)			
	TT01	123456	R	
	TT02	10	R	

Sample Zero Report

The following example illustrates a zero report using the above values.

```
TH*4.2A*123456*01**20220108*223000*P**\\
IS*7705555555*PHARMACY NAME*#20220101#-#20220107#\
PHA*** ZZ1234567\
PAT******REPORT*ZERO********\
DSP****20220108******\
PRE*\
CDI*\
AIR*\
TP*7\
TT*123456*10\
```

Appendix C: SFTP Configuration

This appendix describes the SFTP configurations required to upload your data to PMP Clearinghouse.

Note: Submitting data via SFTP requires that you have an existing PMP Clearinghouse account with SFTP access.

- If you need to create a PMP Clearinghouse account, please refer to <u>Creating Your Account</u>. You will be able to set up your SFTP account during the account creation process.
- If you have an existing PMP Clearinghouse account but do not have SFTP access, please refer to Adding SFTP Access to an Upload Account.

SFTP Connection Details

Hostname: http://submissions.healthcarecoordination.net/

Bamboo Health recommends that you use the hostname when configuring the connection rather than the IP address, as the IP address is subject to change.

Port: 22

Note: The port will always be 22.

 Credentials: Your SFTP account credentials (username and password) can be found within the PMP Clearinghouse website. To locate your credentials, <u>log in to PMP Clearinghouse</u>, then click Account > SFTP Details > Edit.

Your username cannot be modified; however, you can update your password.

Note: Your current SFTP password cannot be seen or recovered. If you have forgotten or lost it, you will need to create a new one. For more information on changing the SFTP password, please refer to <u>Adding SFTP Access to an Upload Account</u>.

Once you have established SFTP access, you can test the SFTP connection, but you will not be able to submit data to a PMP until your account has been approved by the PMP administrator.

PMP Subfolders


PMP Clearinghouse is the data repository for numerous PMPs. As such, data submitted via SFTP must be placed in the appropriate folder for the PMP for which you are submitting data so that it can be properly imported to that PMP. The creation of subfolders must be done outside of the PMP Clearinghouse website using third-party software, such as an SSH client or a command line utility. Files placed in the root/home directory of the SFTP server will not be imported, as this will cause the dispensing entity to appear as noncompliant/delinquent.

Your pharmacy software will need to be configured to place files in the appropriate PMP folder when submitting. You may need to contact your software vendor for additional assistance with this process.

NOTE: Capitalization of the abbreviated PMP folders' names has no bearing on whether or not Clearinghouse processes the files; however, some pharmacy systems, especially *nix-based systems, will require that the exact case is used when specifying the target folder.

There are two methods by which to create PMP subfolders for SFTP submissions:


- 1. Via SSH client (e.g., WinSCP, FileZilla, etc.)
 - a. Log in to your SFTP account.
 - b. Create the required directories under Ihomedir.



2. Via command prompt

- a. Log in to your SFTP account using command prompt.
- b. Type "**mkdir**" followed by a space and then the PMP abbreviation you are using (e.g., **mkdir** OR).

NOTE: The PMP folder must be titled with the two-letter abbreviation as specified above.




Public (SSH/RSA) Key Authentication


PMP Clearinghouse supports SSH key authentication. The generation of the key is outside the scope of this document; however, general guidelines about the key, along with how to import/load it, are provided below.

Note: PGP Encryption is not supported.

- Supported Key Types:
 - SSH-2 RSA 2048 bit length
- Unsupported Key Types:
 - SSH-I RSA
 - SSH-2 DSA
- Correct Public Key Format: If opened in a text editor, the key should look like the screenshot below.



• **Incorrect Public Key Format:** If opened in a text editor, the key SHOULD NOT look like the screenshot below.



Once the key has been generated, it should be named "authorized_keys".

Notes:

- There is no file extension.
- There is an underscore between the words **authorized** and **keys**.

A .ssh subfolder needs to be created in the SFTP account's home directory. The "authorized_keys" file must be placed in the .ssh folder. The creation of this folder follows the same process as creating a PMP subfolder. Please refer to PMP Subfolders for steps on creating subfolders.

Appendix D: Correct Use of Codes in DSP01

Error Correction

The ASAP 4.2A standard requires a dispenser to select a code in the **DSP01** field. Dispensers may submit new records, revise and resubmit records, and void (delete) records. This is communicated by supplying one of the following values in the **DSP01** field:

- New Record indicates a new record.
- Revise indicates that one or more data elements in a previously submitted record have been revised.
- Void indicates that the original record should be deleted.

Submit a New Record

Perform the following steps to submit a new record:

- I. Create a record with the value "00" in the DSP01 field.
- 2. Populate all other required fields and submit the record.

Note: These steps are used to submit new records or to submit records that were previously submitted but received a fatal status on the dispenser's error report. **Records with fatal errors are not loaded into the PDMP system**. The errors in these records must be corrected in the dispenser's system and resubmitted using the "00" status in the **DSP01** field.

Revise a Record

Perform the following steps to revise a record:

- 1. Create a record with the value "01" in the DSP01 field.
- 2. Populate the following fields with the same information originally submitted in the record that is being revised:
 - PHA02 (NCPDP/NABP Provider ID)
 - DSP02 (Prescription Number)
 - DSP05 (Date Filled)
- 3. Fill in all other data fields with the correct information. This information will override the original data linked to the fields referenced in step 2.
- 4. Submit the record.

Important Note: If any of the fields referenced in Step 2 are part of the correction, the record should first be voided and then resubmitted using the value "**00**" in the **DSP01** field.

Void a Record

Perform the following steps to void (delete) a record:

- I. Send a record with the value "02" in the **DSP01** field.
- 2. Fill in all other data identical to the original record. This will void the original record.

3. An option to sending all the identical data in the prescription is to send a limited data set. The reason for a limited data set to void a prescription is to simplify the process in the pharmacy. This data set would be an option that a PDMP could require, rather than the identical data of the entire original prescription. The entire limited data set would be sent and if a PDMP does not require a data element, it would be ignored by the PDMP.

Limited Data Set to Void a Prescription

- PHA02 (NCPDP/NABP Provider ID)
- PHA03 (DEA Number)
- DSP02 (Prescription Number)
- DSP03 (Date Written)
- DSP05 (Date Filled)
- DSP06 (Refill Number)
- DSP13 (Partial Fill Indicator)

Appendix E: PDMP Notice to Patients

PDMP NOTICE BY PHARMACIES TO PATIENTS

The Oregon Prescription Drug Monitoring Program (PDMP) is a program to help health care providers and pharmacists provide better patient care in managing patients' prescriptions. They can access the program database to view more complete patient prescription information. Information about this prescription will be reported to the PDMP by the pharmacy as required by state law ORS 431.964. Patients may request a free copy of their PDMP record by submitting a written request to the program. For more information or questions, visit www.orpdmp.com or call 971-673-0741.