

Wallowa County: Adult Immunization Rates

	2016-2017	2017-2018	2018-2019	2019-2020
Influenza Vaccination Rates^{a,b}				
Female				
18 to 49 years	44.3%	41.9%	44.3%	50.6%
50 to 64 years	46.9%	40.6%	44.0%	56.6%
≥65 years	60.1%	61.8%	65.6%	60.3%
Male				
18 to 49 years	29.3%	22.5%	28.3%	34.5%
50 to 64 years	41.5%	35.4%	37.4%	44.1%
≥65 years	51.6%	52.3%	56.8%	55.5%
All adults				
18 to 49 years	38.0%	33.9%	37.8%	43.5%
50 to 64 years	44.5%	38.3%	41.2%	51.0%
≥65 years	55.9%	57.2%	61.2%	57.9%
			2017	2018
Tetanus (Td or Tdap) Vaccination Rates^{b,c}				
All adults				
≥18 years		8.2%	8.6%	9.6%
18 to 49 years		10.4%	10.1%	11.7%
50 to 64 years		6.7%	7.2%	11.7%
≥65 years		7.4%	8.2%	8.8%
Zoster (Shingles) Vaccination Rates^{b,d}				
All adults				
50 to 59 years		0.2%	2.1%	6.0%
≥60 years		1.2%	5.7%	14.2%
60 to 64 years		2.7%	8.8%	13.8%
≥65 years		0.8%	4.6%	13.2%

^a Immunization rates reflect stated flu season

^b Estimates are based on a combination of ALERT Immunization Information System (IIS, Oregon Immunization Program) and Portland State University's Population Research Center data for Oregon populations

^c Target immunization rate for the overall adult population is 10% per year; however, target rates are higher for women of child-bearing age

^d Rate reflects vaccination with either Shingrix or Zostavax