

Washington County: Adult Immunization Rates

	2016-2017	2017-2018	2018-2019	2019-2020
Influenza Vaccination Rates^{a,b}				
Female				
18 to 49 years	35.1%	35.3%	40.4%	45.9%
50 to 64 years	52.9%	54.6%	56.5%	61.6%
≥65 years	67.3%	67.3%	71.4%	73.8%
Male				
18 to 49 years	25.0%	25.1%	29.2%	34.4%
50 to 64 years	48.2%	48.4%	50.5%	54.0%
≥65 years	66.0%	66.4%	70.8%	69.9%
All adults				
18 to 49 years	30.5%	30.6%	35.3%	40.6%
50 to 64 years	50.8%	51.7%	53.8%	58.1%
≥65 years	66.7%	67.0%	71.2%	72.1%
		2017	2018	2019
Tetanus (Td or Tdap) Vaccination Rates^{b,c}				
All adults				
≥18 years		8.8%	8.5%	8.8%
18 to 49 years		9.0%	8.8%	9.1%
50 to 64 years		8.6%	8.3%	5.4%
≥65 years		8.1%	7.9%	7.9%
Zoster (Shingles) Vaccination Rates^{b,d}				
All adults				
50 to 59 years		0.4%	2.1%	6.4%
≥60 years		4.0%	6.9%	17.6%
60 to 64 years		8.9%	5.7%	15.7%
≥65 years		1.9%	7.4%	18.0%

^a Immunization rates reflect stated flu season

^b Estimates are based on a combination of ALERT Immunization Information System (IIS, Oregon Immunization Program) and Portland State University's Population Research Center data for Oregon populations

^c Target immunization rate for the overall adult population is 10% per year; however, target rates are higher for women of child-bearing age

^d Rate reflects vaccination with either Shingrix or Zostavax