

IMMUNIZATION SAFETY

One and Only Campaign

Flu season is here! Remember while giving flu vaccines to make every injection safe.

It is important to be sure all those giving the vaccines know about bloodborne pathogen risks, injection safety and vaccine storage.

Please join us as a member of Oregon's [One and Only Campaign](#). You'll receive periodic updates with tips and resources on safe injection practices and help raise awareness among patients and healthcare providers about safe injection practices. To learn more about campaign membership, e-mail roza.p.tammer@state.or.us.

Find more information and resources at the following links:

- [Oregon Immunization Program Offsite Clinic Tip Sheet](#)
- [Oregon Immunization Program Vaccine Management Guide](#)
- [CDC Injection Safety](#)



CDC recommendations to keep in mind when setting up vaccination clinics:

- Draw up vaccines at the time of administration—not before arriving at the clinic.
- If available, try to only use manufacturer-filled syringes for large immunization clinics.
- Unused syringes should be discarded at the end of the clinic day if the syringe cap has been removed or the needle is attached.
- If drawing up doses from a multi-dose vial, pay attention to the manufacturer's label for the number of doses per multi-dose vial and do not administer more doses than are listed.



Oregon
Health
Authority

For more information, contact:
 Roza Tammer, MPH, CIC
 Healthcare-Associated Infection (HAI)
 Reporting Epidemiologist
 971-673-1074
Roza.P.Tammer@state.or.us