

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Note: As of July 13, 2022 age-adjustment data will no longer be included in this biweekly report. Moving forward, all age-adjustment data will be published in a separate quarterly report. You can find the most up-to-date data [here](#).

Biweekly Data Report - July 13, 2022

Table of Contents

| | |
|---|----|
| June 26-July 9 COVID-19 Summary | 2 |
| Where are we now? | 3 |
| Background | 5 |
| Demographics | 5 |
| Geography | 5 |
| Sex | 8 |
| Age | 10 |
| Race | 15 |
| Ethnicity | 19 |
| People with Intellectual and Developmental Disabilities | 21 |
| Weekly COVID-19 Hospitalizations (HOSCAP) | 22 |
| ZIP code | 22 |
| Report Limitations | 22 |
| Additional Information & Available Resources | 23 |

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



June 26-July 9 COVID-19 Summary

- There were 21,484 reported cases in the last two weeks, up 5.3% from 20,410 cases in the previous two-week period.¹
- Test positivity was 15.1% in the last two weeks, up from 13.6% in the previous two-week period.
- In the last two weeks, the statewide reported case rate was 503.5 per 100,000, and reported case rates were highest among the following age groups:
 - 754 cases per 100,000 (1,359 total cases) age 80+
 - 587 cases per 100,000 (3,301 total cases) age 20–29
 - 583 cases per 100,000 (2,159 total cases) age 70–79
- 2,246 cases (10.5% of all cases in the last two weeks; 261 cases per 100,000) were children 17 years or younger.
- 4,958 cases (23.1% of all cases in the last two weeks; 613 cases per 100,000) were people 65 years or older.
- To date, Oregon has seen:
 - 826,600 cases
 - 32,780 hospitalizations (4.0% of all reported cases)
 - 7,862 deaths (1.0% of all reported cases)

Table 1. Recent COVID-19 cases, hospitalizations, and deaths

| | Counts (May 29-June 11) | Counts (June 12-June 25) | Counts (June 26-July 9) |
|------------------|-------------------------|--------------------------|-------------------------|
| Cases | 21,032 | 20,410 | 21,484 |
| Hospitalizations | 516 | 549 | 372 |
| Deaths | 69 | 61 | 16 |

¹ OHA continuously updates information on COVID-19 cases as new information becomes available. This may lead to slight variations in case counts compared to previous reports.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



1. Cases are counted using the date that the case was reported to public health. Hospitalizations are counted using date of hospital admission. Deaths are counted using date of death. Due to delays in case ascertainment, these data are subject to change.
2. Hospitalizations and deaths from the most recent time period may not yet be reported.

Where are we now?

From Sunday, June 26 through Saturday, July 8, 2022, reported COVID-19 cases in Oregon rose 5.3% from the previous two-week period (Sunday, June 12 – Saturday, June 25, 2022). Over the last six weeks, reported hospitalizations have increased slightly, while reported deaths have declined slightly. Persistently high test positivity (most recently 15.1%) attests to continued brisk transmission of COVID-19 in Oregon, probably attributable to the BA.4 and BA.5 Omicron variants, which now constitute a majority of strains. The apparent decline in hospitalizations and deaths during the most recent two-week period is likely due to the lag in reporting between date of hospital admission or death and the date on which those events were reported. Case numbers are assumed to be an undercount of the actual number of cases, given that many people are not getting tested or are using at-home tests and not reporting the results.

The numbers of COVID+ patients in hospital and in intensive care have risen steadily since mid-April, straining Oregon's hospitals and health care workers. Data on reported COVID-19 cases, hospitalizations, and deaths in Oregon are updated daily at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19Update/DailyDataUpdate>.

In the July 7 Centers for Disease Control and Prevention (CDC) COVID-19 Community Levels update, 14 Oregon counties were in the "high" level: Baker, Clackamas, Coos, Curry, Jackson, Josephine, Klamath, Lake, Malheur, Multnomah, Umatilla, Union, Wallowa, and Washington (www.cdc.gov/coronavirus/2019-ncov/your-health/covid-by-county.html). Fifteen Oregon counties – Benton, Clatsop, Columbia, Crook, Deschutes, Douglas, Grant, Jefferson, Lane, Marion, Morrow, Polk, Sherman, Tillamook, and Wasco – were in the "medium" COVID-19 Community Level. The remaining 7 Oregon counties were in the "low" COVID-19 Community Level.

Recommendations for Oregon residents based on their county COVID-19 Community Level can be found at: www.cdc.gov/coronavirus/2019-ncov/your-health/covid-by-county.html.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



You can learn more about how to use COVID-19 data in making personal decisions and risk assessments here: <https://covidblog.oregon.gov/how-to-use-regional-covid-19-data-to-make-decisions-about-day-to-day-life>.

COVID-19 Vaccine News

The U.S. Food and Drug Administration (FDA) recently expanded authorization for use of the Pfizer-BioNTech and Moderna COVID-19 vaccines:

- The Pfizer-BioNTech vaccine was authorized for use as a 3-dose series in children 6 months through 4 years of age.
- The Moderna vaccine was authorized for use as a 2-dose series in children 6 months through 17 years of age.

Pfizer and Moderna vaccines are now available in Oregon for these age groups. For more information on vaccine eligibility visit: <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/recommendations/specific-groups.html>.

In addition, the FDA has recently approved the Novavax vaccine for emergency use. Details are available at: <https://www.fda.gov/news-events/press-announcements/coronavirus-covid-19-update-fda-authorizes-emergency-use-novavax-covid-19-vaccine-adjuvanted>

For additional information to help you or your family, see “Additional Information and Available Resources” at the end of this report.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Biweekly Data Report

Background

The COVID-19 Biweekly Report includes data from the most recent two weeks, and it will be published every two weeks. Please note that the data reported here are continually updated. For information updated daily, visit the OHA COVID-19 web page: <https://govstatus.egov.com/OR-OHA-COVID-19>.

Demographics

The following tables and figures show the demographic characteristics for all reported COVID-19 cases in the last 6 months.² The tables show case counts, case rates, and indicators of severity by sex, age, race, and ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity.

Geography

The following figures show case rates by county during June 26 - July 9, 2022. Cases are counted according to the date on which the case became known to public health. Figure 1 displays case rates by county, in comparison to the case rate for all of Oregon and the United States. Figure 2 uses a map to represent county-level case rate data.


² All tables and figures in this report referencing the last 6 months include data from January 9, 2022, to July 9, 2022.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 1. Case rates per 100,000 residents by county compared to state and U.S., June 26 - July 9, 2022



1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.


COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



3. United States rates are calculated using data from the CDC COVID-19 Data Tracker. These data are available at https://covid.cdc.gov/covid-data-tracker/#trends_dailycases.
4. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19TestingandOutcomesbyCounty/OregonsCOVID-19TestingandOutcomesbyCounty>.

Figure 2. Map of case rate per 100,000 residents by county, June 26 - July 9, 2022



COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Sex

Table 2a. Severity and rates of COVID-19 by sex, June 26 - July 9, 2022³

| Sex | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths |
|---------------|--------|------------------|-------------------|--------------|----------------|--------|
| Female | 11,445 | 53.3 | 531.9 | 166 | 1.5 | 5 |
| Male | 9,018 | 42.0 | 426.4 | 202 | 2.2 | 10 |
| Non-Binary | 12 | 0.1 | N/A | 0 | 0.0 | 0 |
| Not Available | 1,009 | 4.7 | N/A | 4 | 0.4 | 1 |
| Total | 21,484 | 100.0 | 503.5 | 372 | 1.7 | 16 |

Table 2b. Severity and rates of COVID-19 by sex in the last 6 months

| Sex | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths | Case fatality |
|---------------|---------|------------------|-------------------|--------------|----------------|--------|---------------|
| Female | 184,478 | 52.3 | 8,574.2 | 3,923 | 2.1 | 713 | 0.4 |
| Male | 151,413 | 42.9 | 7,158.8 | 3,990 | 2.6 | 978 | 0.6 |
| Non-Binary | 127 | 0.0 | N/A | 0 | 0.0 | 0 | |
| Not Available | 16,792 | 4.8 | N/A | 56 | 0.3 | 30 | 0.2 |
| Total | 352,810 | 100.0 | 8,269.1 | 7,969 | 2.3 | 1,721 | 0.5 |

1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public

³ There may be a lag of several weeks between when an individual dies and when their death appears in this report. Death counts are calculated using date of death.

COVID-19 Biweekly Report


Oregon's Biweekly Surveillance Summary



Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

- Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Figure 3. COVID-19 cases (counts) in the last 6 months by sex and week of onset



In this paneled bar graph, COVID-19 case counts by sex are displayed over the past six months. Each panel corresponds with a different sex. The peaks and dips in case counts across sex generally align throughout the past six months. More detailed information on case counts and rates by sex are available at:


<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 4. COVID-19 cases (case rate per 100,000) in the last 6 months by sex and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by sex are displayed over the past six months. Each panel corresponds with a different sex. The peaks and dips in case rates across sex generally align throughout the past six months. More detailed information on case counts and rates by sex are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Age

Table 3a. Severity and rates of COVID-19 by age, June 26 - July 9, 2022

| Age group | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths |
|-----------|-------|------------------|-------------------|--------------|----------------|--------|
| 0-9 | 1,485 | 6.9 | 318.6 | 13 | 0.9 | 0 |
| 10-19 | 1,131 | 5.3 | 229.7 | 0 | 0.0 | 0 |

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



| Age group | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths |
|---------------|--------|------------------|-------------------|--------------|----------------|--------|
| 20-29 | 3,301 | 15.4 | 587.2 | 21 | 0.6 | 0 |
| 30-39 | 3,515 | 16.4 | 577.1 | 24 | 0.7 | 0 |
| 40-49 | 2,874 | 13.4 | 525.5 | 23 | 0.8 | 1 |
| 50-59 | 2,800 | 13.0 | 544.8 | 45 | 1.6 | 1 |
| 60-69 | 2,796 | 13.0 | 531.9 | 62 | 2.2 | 4 |
| 70-79 | 2,159 | 10.0 | 583.0 | 89 | 4.1 | 3 |
| 80+ | 1,359 | 6.3 | 754.5 | 95 | 7.0 | 7 |
| Not Available | 64 | 0.3 | N/A | 0 | 0.0 | 0 |
| Total | 21,484 | 100.0 | 503.5 | 372 | 1.7 | 16 |

Table 3b. Severity and rates of COVID-19 by age in the last 6 months

| Age group | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths | Case fatality |
|-----------|--------|------------------|-------------------|--------------|----------------|--------|---------------|
| 0-9 | 34,510 | 9.8 | 7,404.1 | 201 | 0.6 | 3 | 0.0 |
| 10-19 | 44,026 | 12.5 | 8,942.5 | 146 | 0.3 | 1 | 0.0 |
| 20-29 | 59,462 | 16.9 | 10,577.4 | 544 | 0.9 | 5 | 0.0 |
| 30-39 | 60,080 | 17.0 | 9,864.0 | 634 | 1.1 | 26 | 0.0 |
| 40-49 | 49,629 | 14.1 | 9,075.1 | 584 | 1.2 | 55 | 0.1 |
| 50-59 | 39,829 | 11.3 | 7,750.0 | 890 | 2.2 | 140 | 0.4 |
| 60-69 | 30,793 | 8.7 | 5,857.5 | 1,459 | 4.7 | 288 | 0.9 |

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



| Age group | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths | Case fatality |
|---------------|---------|------------------|-------------------|--------------|----------------|--------|---------------|
| 70-79 | 20,615 | 5.8 | 5,566.6 | 1,732 | 8.4 | 447 | 2.2 |
| 80+ | 12,627 | 3.6 | 7,010.2 | 1,778 | 14.1 | 756 | 6.0 |
| Not Available | 1,239 | 0.4 | | 1 | 0.1 | 0 | |
| Total | 352,810 | 100.0 | 8,269.1 | 7,969 | 2.3 | 1,721 | 0.5 |


1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
2. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp;> and [https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends.](https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends)

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 5. COVID-19 cases (counts) in the last 6 months by age and week of onset



In this paneled bar graph, COVID-19 case counts by age are displayed over the past six months. Each panel corresponds with a different age group. The peaks and dips in case counts across age generally align throughout the past six months. More detailed

COVID-19 Biweekly Report


Oregon's Biweekly Surveillance Summary



information on case counts and rates by age are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Figure 6. COVID-19 cases (case rate per 100,000) in the last 6 months by age and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by age are displayed over the past six months. Each panel corresponds with a different age group. The peaks and dips in case rates across age generally align throughout the past six months. Cases

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



aged 20-29 tended to have the highest case rates of all groups, whereas those 70-79 years had the lowest case rates. More detailed information on case counts and rates by age are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Race

Table 4a. Severity and rates of COVID-19 by race, June 26 - July 9, 2022

| Race | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths |
|-------------------------------|--------|------------------|-------------------|--------------|----------------|--------|
| > 1 race | 289 | 1.3 | 109.7 | 3 | 1.0 | 0 |
| American Indian/Alaska Native | 216 | 1.0 | 462.8 | 3 | 1.4 | 0 |
| Asian | 816 | 3.8 | 425.3 | 10 | 1.2 | 0 |
| Black | 384 | 1.8 | 475.1 | 12 | 3.1 | 1 |
| Not Available | 6,743 | 31.4 | N/A | 49 | 0.7 | 5 |
| Other | 1,476 | 6.9 | N/A | 26 | 1.8 | 0 |
| Pacific Islander | 18 | 0.1 | 107.1 | 0 | 0.0 | 0 |
| White | 11,542 | 53.7 | 327.6 | 269 | 2.3 | 10 |
| Total | 21,484 | 100.0 | 503.5 | 372 | 1.7 | 16 |

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Table 4b. Severity and rates of COVID-19 by race in the last 6 months

| Race | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths | Case fatality |
|-------------------------------|---------|------------------|-------------------|--------------|----------------|--------|---------------|
| > 1 race | 5,603 | 1.6 | 2,126.0 | 43 | 0.8 | 3 | 0.1 |
| American Indian/Alaska Native | 4,268 | 1.2 | 9,145.0 | 115 | 2.7 | 24 | 0.6 |
| Asian | 11,717 | 3.3 | 6,107.0 | 202 | 1.7 | 27 | 0.2 |
| Black | 6,801 | 1.9 | 8,414.3 | 258 | 3.8 | 24 | 0.4 |
| Not Available | 126,324 | 35.8 | N/A | 914 | 0.7 | 444 | 0.4 |
| Other | 30,436 | 8.6 | N/A | 624 | 2.1 | 85 | 0.3 |
| Pacific Islander | 384 | 0.1 | 2,285.7 | 18 | 4.7 | 3 | 0.8 |
| White | 167,277 | 47.4 | 4,747.3 | 5,795 | 3.5 | 1,111 | 0.7 |
| Total | 352,810 | 100.0 | 8,269.1 | 7,969 | 2.3 | 1,721 | 0.5 |

1. People are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
2. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
3. Persons for whom race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Tables 4a and 4b.
4. 15,298 (50.3%) of the 30,436 persons who identify as "Other" race also self-identify as Hispanic or Latino.
5. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID->


COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



[19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp;](#)
and
[https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends.](https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends)

Figure 7. COVID-19 cases (counts) in the last 6 months by race and week of onset



In this paneled bar graph, COVID-19 case counts by race are displayed over the past six months. Each panel corresponds with a different race. The peaks and dips in case counts across race generally align throughout the past six months. More detailed

COVID-19 Biweekly Report


Oregon's Biweekly Surveillance Summary



information on case counts and rates by race are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Figure 8. COVID-19 cases (case rates per 100,000) in the last 6 months by race and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by race are displayed over the past six months. Each panel corresponds with a different race. The peaks and dips in case rates generally align across race in the past six months, with cases rates tending to be highest for American Indian or Alaska Native persons and for Black, African and African American persons. Case rates tend to be lowest among Pacific Islander persons, White persons, and Multiracial persons. More detailed information on

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



case counts and rates by race are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Ethnicity

Table 5a. Severity and rates of COVID-19 by ethnicity, June 26 - July 9, 2022

| Ethnicity | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths |
|--------------|--------|------------------|-------------------|--------------|----------------|--------|
| Hispanic | 1,529 | 7.1 | 271.0 | 22 | 1.4 | 0 |
| Not Hispanic | 11,064 | 51.5 | 298.8 | 278 | 2.5 | 11 |
| Unknown | 8,891 | 41.4 | N/A | 72 | 0.8 | 5 |
| Total | 21,484 | 100.0 | 503.5 | 372 | 1.7 | 16 |

Table 5b. Severity and rates of COVID-19 by ethnicity in the last 6 months

| Ethnicity | Cases | % of total cases | Cases per 100,000 | Hospitalized | % Hospitalized | Deaths | Case fatality |
|--------------|---------|------------------|-------------------|--------------|----------------|--------|---------------|
| Hispanic | 32,079 | 9.1 | 5,685.6 | 553 | 1.7 | 53 | 0.2 |
| Not Hispanic | 168,588 | 47.8 | 4,553.5 | 5,738 | 3.4 | 1,094 | 0.6 |
| Unknown | 152,143 | 43.1 | N/A | 1,678 | 1.1 | 574 | 0.4 |
| Total | 352,810 | 100.0 | 8,269.1 | 7,969 | 2.3 | 1,721 | 0.5 |

1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).


COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



- Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>; and <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends>.

Figure 9. COVID-19 cases (counts) in the last 6 months by ethnicity and week of onset




In this paneled bar graph, COVID-19 case counts by ethnicity are displayed over the past six months. Each panel corresponds with a different ethnicity. The peaks and dips in case counts across ethnicity generally align throughout the past six months. More detailed information on case counts and rates by ethnicity are available at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 10. COVID-19 cases (case rates per 100,000) in the last 6 months by ethnicity and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by ethnicity are displayed over the past six months. Each panel corresponds with a different ethnicity. Case rates were higher for Hispanic or Latino/a/x persons than for non-Hispanic or Latino/a/x persons during the Omicron surge, though case rates generally align across ethnicity at other points in time. More detailed information on case counts and rates by ethnicity are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

People with Intellectual and Developmental Disabilities

As of June 6, 2022, OHA is aware of 4,655 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 62 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the Oregon Department of Human Services Office of Developmental Disabilities Services (ODDS) client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Additional information about the ODDS program and COVID-19 can be found here: <https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf>.

ODDS data are based on self-reports from providers and case management entities and therefore may differ from testing data received from OHA.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Maps and tables containing the 7-day average of hospitalizations by region and hospital are available online at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19HospitalCapacity/HospitalizationbyFacility>.

Information on Oregon's current hospital bed capacity by region is available online at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19HospitalCapacity/BedAvailabilitybyRegion>.

ZIP code

OHA publishes data on cases by ZIP code, available online at:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode>.

Summary table of all zip codes available here:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable>.

Report Limitations

These data represent a snapshot of reported COVID-19 cases, and they include data on cases with pending investigations. The data shown in this report come from Oregon's electronic reportable disease surveillance system. Not all reported cases have been interviewed. In January 2022, public health case investigation and contact tracing operations were changed to prioritize responding to outbreaks in high-consequence settings, such as healthcare, congregate care (e.g., nursing homes), carceral settings,

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



and settings related to our food chain. Public health is no longer calling all cases to attempt interview to assess hospitalization status, symptoms and risks.

Additional Information & Available Resources

Vaccination is the best way to prevent infection and transmission of COVID-19. For more information about COVID-19 vaccines, including frequently asked questions and where to find a vaccination site, visit: www.safestrongoregon.org. Persons 5 years of age or older who completed their COVID-19 vaccine primary series at least 5 months ago are recommended to get a booster. Persons who received a first booster dose at least 4 months ago are eligible for a 2nd booster if they meet the following criteria:

- 50 years of age or older
- 12 years of age or older and moderately or severely immunocompromised
- 18 years of age or older and received 2 doses of J&J (Janssen) vaccine.

For more information about COVID-19 vaccine booster eligibility, visit: www.cdc.gov/coronavirus/2019-ncov/vaccines/booster-shot.html and <https://govstatus.egov.com/or-oha-booster-covid-19-vaccine>.

How do I find a COVID-19 vaccine or booster?

Visit <https://www.safestrongoregon.org>.

Where can I find a COVID-19 testing site?

Visit <https://govstatus.egov.com/or-oha-covid-19-testing>.

What should I do if I or a member of my household was exposed or test positive for COVID-19?

Visit <https://govstatus.egov.com/or-oha-covid-19-positive-test>.

Call 866-917-8881 toll free or text OHACOVID to 61222 if you test positive.

Let public health know about your symptoms or positive test with this quick online survey: <https://redcap.oha.oregon.gov/surveys/?s=JKHYT7EA99WEJPW9>.

How can I get treatment to prevent severe symptoms of COVID-19?

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Treatment for COVID-19 is now widely available. Many effective treatments exist, and most work best if taken within 5 days of onset. Find treatment options for yourself and others at: <https://govstatus.egov.com/or-oha-covid-19-treatments>.

Who can I talk to if I need help?

Dial 2-1-1 for help with testing, vaccines, or general questions. You may also be able to find assistance covering COVID-19-related expenses through your local county public health department.

What other COVID-19 data are available?

Data on mortality in Oregon, including deaths associated with COVID-19 are available at <https://public.tableau.com/app/profile/oha.center.for.health.statistics>.

Additional data on age and disease severity of people diagnosed with COVID-19 are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DiseaseSeverity>.

Additional data on cases of COVID-19 by hospitalization status over time are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonHealthAuthorityCOVID-19DataDashboard/COVID-19EPICases>.

Additional information on cases of COVID-19 by county are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19Update/DailyDataUpdate>; and at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19TestingandOutcomesbyCounty/OregonsCOVID-19TestingandOutcomesbyCounty>.

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhs.oha.state.or.us.