

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Biweekly Data Report - July 27, 2022

Table of Contents

July 10-23 COVID-19 Summary	2
Where are we now?	3
Data Spotlight: COVID-19 Age-Adjustment Report	4
Background	8
Demographics	8
Geography	8
Sex	11
Age	13
Race	18
Ethnicity	22
People with Intellectual and Developmental Disabilities	24
Weekly COVID-19 Hospitalizations (HOSCAP)	25
ZIP code	25
Report Limitations	25
Additional Information & Available Resources	26

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



July 10-23 COVID-19 Summary

- There were 18,598 reported cases in the last two weeks, down 13.3% from 21,452 cases in the previous two-week period.¹
- Test positivity was 13.8% in the last two weeks, down from 15.1% in the previous two-week period.
- In the last two weeks, the statewide reported case rate was 435.9 per 100,000, and reported case rates were highest among the following age groups:
 - 692 cases per 100,000 (1,246 total cases) age 80+
 - 554 cases per 100,000 (2,052 total cases) age 70-79
 - 492 cases per 100,000 (2,529 total cases) age 50-59
- 1,907 cases (10.3% of all cases in the last two weeks; 222 cases per 100,000) were children 17 years or younger.
- 4,506 cases (24.2% of all cases in the last two weeks; 557 cases per 100,000) were people 65 years or older.
- To date, Oregon has seen:
 - 845,331 cases
 - 33,473 hospitalizations (4.0% of all reported cases)
 - 8,036 deaths (1.0% of all reported cases)

Table 1. Recent COVID-19 cases, hospitalizations, and deaths

	Counts (June 12-25)	Counts (June 26-July 9)	Counts (July 10-23)
Cases	20,401	21,452	18,598
Hospitalizations	561	596	420
Deaths	67	51	38

¹ OHA continuously updates information on COVID-19 cases as new information becomes available. This may lead to slight variations in case counts compared to previous reports.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



1. Cases are counted using the date that the case was reported to public health. Hospitalizations are counted using date of hospital admission. Deaths are counted using date of death. Due to delays in case ascertainment, these data are subject to change.
2. Hospitalizations and deaths from the most recent time period may not yet be reported.

Where are we now?

We continue to see a high level of community transmission of COVID-19 in Oregon, likely attributable to the BA.4 and BA.5 Omicron variants, which now constitute a majority of strains here. Test positivity has declined slightly from two weeks ago but remains high at 13.8%. The numbers of COVID-19 positive patients in hospital and in intensive care rose steadily from mid-April to mid-July, straining Oregon's hospitals and health care workers. Over the last six weeks, reported COVID-19-associated hospitalizations increased: COVID-19 positive patients in Oregon hospitals climbed from a low of 88 on April 17 to 464 on July 17; they have since been declining. Reported deaths have declined slightly during the most recent two-week period, likely due to the lag in reporting between date of death and the date on which the death is reported.

From Sunday, July 10 through Saturday, July 23, 2022, reported COVID-19 cases in Oregon declined 13.3% from the previous two-week period (Sunday, June 26 – Saturday, July 9, 2022). Case numbers are assumed to be an undercount of the actual number of cases, given that many people are not getting tested or are using at-home tests and not reporting the results.

Data on reported COVID-19 cases, hospitalizations, and deaths in Oregon are updated daily at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19Update/DailyDataUpdate>.

In the July 21 Centers for Disease Control and Prevention (CDC) COVID-19 Community Levels update, 19 Oregon counties were in the "high" level: Baker, Benton, Clatsop, Coos, Crook, Curry, Deschutes, Douglas, Jefferson, Klamath, Lake, Lane, Malheur, Marion, Multnomah, Polk, Union, Wallowa, and Wasco (www.cdc.gov/coronavirus/2019-ncov/your-health/covid-by-county.html). Sixteen Oregon counties – Clackamas, Columbia, Gilliam, Grant, Harney, Hood River, Jackson, Josephine, Lincoln, Linn, Sherman, Tillamook, Umatilla, Washington, Wheeler, and Yamhill – were in the

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



“medium” COVID-19 Community Level. Only Morrow county was in the “low” COVID-19 Community Level.

Recommendations for Oregon residents based on their county COVID-19 Community Level can be found at: www.cdc.gov/coronavirus/2019-ncov/your-health/covid-by-county.html.

You can learn more about how to use COVID-19 data in making personal decisions and risk assessments here: <https://covidblog.oregon.gov/how-to-use-regional-covid-19-data-to-make-decisions-about-day-to-day-life>.

Data Spotlight: COVID-19 Age-Adjustment Report

On July 13, 2022, OHA published an updated COVID-19 Age-Adjustment Report with data through the most recently completed quarter (January-March 2022).

Why is it important to adjust COVID-19 case, hospitalization, and death rates for age?

Older adults have an increased risk of severe illness, hospitalization, and death from COVID-19 (<https://www.cdc.gov/aging/covid19/covid19-older-adults.html>). Therefore, we would expect to see higher COVID-19-associated hospitalization and death rates among groups that are older and lower COVID-19-associated hospitalization and death rates among groups that are younger. Adjusting COVID-19 case, hospitalization, and death rates for age allows us to compare rates among racial and ethnic groups with different age distributions and identify inequities in COVID-19 cases and disease severity among groups.

What did we learn from the most recent Age-Adjustment Report?


- Data trends since January 2020 show that while the inequities in COVID-19 case, hospitalization, and death rates between Hispanic persons and white persons grew smaller since their peaks earlier in the COVID-19 pandemic, Hispanic persons were more likely to be infected with COVID-19 compared with white persons.
- Hispanic persons were also more likely to be hospitalized or to die with COVID-19 compared with white persons of similar ages.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 3. Age-adjusted rate ratios over time, by ethnicity (hospitalizations)




1. The bar chart above (Figure 3) shows the age-adjusted hospitalization rate ratios by ethnicity at two time points: January 2020–April 2021 and May 2021–March 2022. White persons are the reference group.
 - While inequities in COVID-19 case, death, and hospitalization rates between racial groups have grown smaller since peaking earlier in the COVID-19 pandemic, American/Indian and Black persons were more likely to be infected with COVID-19 than white persons across time points.
 - Pacific Islander persons were more likely to be infected with COVID-19 than other racial groups in 2020.
 - American Indian/Alaska Native, Black, and Pacific Islander persons were also more likely to be hospitalized or to die with COVID-19 than were white persons of similar age.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 4. Age-adjusted rate ratios over time, by race (hospitalizations)



1. The bar chart above (Figure 4) shows the age-adjusted hospitalization rate ratios by race at two time points: January 2020–April 2021 and May 2021–March 2022. White persons are the reference group.

- This report is subject to several limitations:
 - Not all cases are reported to public health, and public health workers have not been able to interview all cases.
 - Data on racial identity, ethnic identity, and hospitalization status may be incomplete.
 - People with unknown racial identity, ethnic identity, or hospitalization were not included in the report.

Where can I find more information about age-adjusted COVID-19 case, hospitalization, and death rates in Oregon?

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



The Age-Adjustment Report is updated quarterly. To access the most recent Age-Adjustment Report, visit: www.oregon.gov/oha/covid19/Documents/DataReports/Age-Adjusted-Report-07-13-2022.pdf.

To access previous Age-Adjustment Reports and other COVID-19 data reports, visit the COVID-19 News and Reports page: www.oregon.gov/oha/erd/pages/covid-19-news.aspx.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Biweekly Data Report

Background

The COVID-19 Biweekly Report includes data from the most recent two weeks, and it will be published every two weeks. Please note that the data reported here are continually updated. For information updated daily, visit the OHA COVID-19 web page: <https://govstatus.egov.com/OR-OHA-COVID-19>.

Demographics

The following tables and figures show the demographic characteristics for all reported COVID-19 cases in the last 6 months.² The tables show case counts, case rates, and indicators of severity by sex, age, race, and ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity.

Geography

The following figures show case rates by county during July 10 - July 23, 2022. Cases are counted according to the date on which the case became known to public health. Figure 1 displays case rates by county, in comparison to the case rate for all of Oregon and the United States. Figure 2 uses a map to represent county-level case rate data.


² All tables and figures in this report referencing the last 6 months include data from January 23, 2022, to July 23, 2022.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 1. Case rates per 100,000 residents by county compared to state and U.S., July 10 - July 23, 2022



1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.
3. United States rates are calculated using data from the CDC COVID-19 Data Tracker. These data are available at https://covid.cdc.gov/covid-data-tracker/#trends_dailycases.


COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



- Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19TestingandOutcomesbyCounty/OregonsCOVID-19TestingandOutcomesbyCounty>.

Figure 2. Map of case rate per 100,000 residents by county, July 10 - July 23, 2022



COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Sex

Table 2a. Severity and rates of COVID-19 by sex, July 10 - July 23, 2022³

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths
Female	9,943	53.5	462.1	205	2.1	15
Male	7,877	42.4	372.4	208	2.6	21
Non-Binary	21	0.1	N/A	0	0.0	0
Not Available	757	4.1	N/A	7	0.9	2
Total	18,598	100.0	435.9	420	2.3	38

Table 2b. Severity and rates of COVID-19 by sex in the last 6 months

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	136,165	52.5	6,328.7	3,536	2.6	648	0.5
Male	109,587	42.3	5,181.3	3,591	3.3	879	0.8
Non-Binary	141	0.1	N/A	0	0.0	0	0.0
Not Available	13,274	5.1	N/A	62	0.5	30	0.2
Total	259,167	100.0	6,074.3	7,189	2.8	1,557	0.6

1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

³ There may be a lag of several weeks between when an individual dies and when their death appears in this report. Death counts are calculated using date of death.


COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



- Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Figure 3. COVID-19 cases (counts) in the last 6 months by sex and week of onset



In this paneled bar graph, COVID-19 case counts by sex are displayed over the past six months. Each panel corresponds with a different sex. The peaks and dips in case counts across sex generally align throughout the past six months. More detailed information on case counts and rates by sex are available at:


<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 4. COVID-19 cases (case rate per 100,000) in the last 6 months by sex and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by sex are displayed over the past six months. Each panel corresponds with a different sex. The peaks and dips in case rates across sex generally align throughout the past six months. More detailed information on case counts and rates by sex are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Age

Table 3a. Severity and rates of COVID-19 by age, July 10 - July 23, 2022

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths
0-9	1,250	6.7	268.2	6	0.5	0
10-19	992	5.3	201.5	6	0.6	0
20-29	2,536	13.6	451.1	25	1.0	0

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths
30-39	2,964	15.9	486.6	19	0.6	0
40-49	2,461	13.2	450.0	31	1.3	1
50-59	2,529	13.6	492.1	45	1.8	1
60-69	2,475	13.3	470.8	73	2.9	4
70-79	2,052	11.0	554.1	103	5.0	8
80+	1,246	6.7	691.7	112	9.0	24
Not Available	93	0.5	N/A	0	0.0	0
Total	18,598	100.0	435.9	420	2.3	38

Table 3b. Severity and rates of COVID-19 by age in the last 6 months

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	23,873	9.2	5,121.9	169	0.7	4	0.0
10-19	26,864	10.4	5,456.6	123	0.5	1	0.0
20-29	40,728	15.7	7,244.9	486	1.2	5	0.0
30-39	43,081	16.6	7,073.1	550	1.3	20	0.0
40-49	36,015	13.9	6,585.7	516	1.4	54	0.1
50-59	30,676	11.8	5,969.0	780	2.5	127	0.4
60-69	26,013	10.0	4,948.2	1,282	4.9	243	0.9
70-79	18,982	7.3	5,125.6	1,596	8.4	397	2.1
80+	11,909	4.6	6,611.6	1,686	14.2	706	5.9
Not Available	1,026	0.4	N/A	1	0.1	0	0.0
Total	259,167	100.0	6,074.3	7,189	2.8	1,557	0.6

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary




1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
2. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>; and <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 5. COVID-19 cases (counts) in the last 6 months by age and week of onset



In this paneled bar graph, COVID-19 case counts by age are displayed over the past six months. Each panel corresponds with a different age group. The peaks and dips in case counts across age generally align throughout the past six months. More detailed

OHA 2395 (7/27/22)

Data are provisional and subject to change.

COVID-19 Biweekly Report


Oregon's Biweekly Surveillance Summary



information on case counts and rates by age are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Figure 6. COVID-19 cases (case rate per 100,000) in the last 6 months by age and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by age are displayed over the past six months. Each panel corresponds with a different age group. The peaks and dips in case rates across age generally align throughout the past six months. More

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



detailed information on case counts and rates by age are available at:
<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

Race

Table 4a. Severity and rates of COVID-19 by race, July 10 - July 23, 2022

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths
> 1 race	272	1.5	103.2	2	0.7	0
American Indian/Alaska Native	207	1.1	443.5	7	3.4	0
Asian	739	4.0	385.2	10	1.4	2
Black	374	2.0	462.7	6	1.6	0
Not Available	6,040	32.5	N/A	58	1.0	9
Other	1,286	6.9	N/A	28	2.2	1
Pacific Islander	19	0.1	113.1	2	10.5	0
White	9,661	51.9	274.2	307	3.2	26
Total	18,598	100.0	435.9	420	2.3	38

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Table 4b. Severity and rates of COVID-19 by race in the last 6 months

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	5,155	2.0	1,956.0	30	0.6	2	0.0
American Indian/Alaska Native	3,090	1.2	6,620.9	108	3.5	21	0.7
Asian	9,012	3.5	4,697.2	174	1.9	30	0.3
Black	4,633	1.8	5,732.0	205	4.4	23	0.5
Not Available	92,249	35.6	N/A	878	1.0	399	0.4
Other	19,296	7.4	N/A	543	2.8	77	0.4
Pacific Islander	280	0.1	1,666.6	14	5.0	3	1.1
White	125,452	48.4	3,560.3	5,237	4.2	1,002	0.8
Total	259,167	100.0	6,074.3	7,189	2.8	1,557	0.6


1. People are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
2. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
3. Persons for whom race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Tables 4a and 4b.
4. 9,279 (48.1%) of the 19,296 persons who identify as "Other" race also self-identify as Hispanic or Latino.
5. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp;> and [https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends.](https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends)

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 7. COVID-19 cases (counts) in the last 6 months by race and week of onset




In this paneled bar graph, COVID-19 case counts by race are displayed over the past six months. Each panel corresponds with a different race. The peaks and dips in case counts across race generally align throughout the past six months. More detailed information on case counts and rates by race are available at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 8. COVID-19 cases (case rates per 100,000) in the last 6 months by race and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by race are displayed over the past six months. Each panel corresponds with a different race. The peaks and dips in case rates generally align across race in the past six months, with cases rates tending to be highest for American Indian or Alaska Native persons and for Black, African and African American persons. Case rates tend to be lowest among Pacific Islander persons, White persons, and Multiracial persons. More detailed information on case counts and rates by race are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Ethnicity

Table 5a. Severity and rates of COVID-19 by ethnicity, July 10 - July 23, 2022

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths
Hispanic	1,319	7.1	233.8	20	1.5	0
Not Hispanic	9,375	50.4	253.2	305	3.3	25
Unknown	7,904	42.5	N/A	95	1.2	13
Total	18,598	100.0	435.9	420	2.3	38

Table 5b. Severity and rates of COVID-19 by ethnicity in the last 6 months

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Hispanic	20,338	7.8	3,604.6	464	2.3	50	0.2
Not Hispanic	127,445	49.2	3,442.2	5,183	4.1	983	0.8
Unknown	111,384	43.0	N/A	1,542	1.4	524	0.5
Total	259,167	100.0	6,074.3	7,189	2.8	1,557	0.6


1. Rates are calculated using population estimates from the 2021 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2020 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
2. Additional data are available at <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp;> and [https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends.](https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/Oregon-COVID-19CaseDemographicsandDiseaseSeverityStatewide/SeverityTrends)

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 9. COVID-19 cases (counts) in the last 6 months by ethnicity and week of onset




In this paneled bar graph, COVID-19 case counts by ethnicity are displayed over the past six months. Each panel corresponds with a different ethnicity. The peaks and dips in case counts across ethnicity generally align throughout the past six months. More detailed information on case counts and rates by ethnicity are available at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Figure 10. COVID-19 cases (case rates per 100,000) in the last 6 months by ethnicity and week of onset



In this paneled bar graph, COVID-19 case rates per 100,000 by ethnicity are displayed over the past six months. Each panel corresponds with a different ethnicity. Case rates were higher for Hispanic or Latino/a/x persons than for non-Hispanic or Latino/a/x persons during the Omicron surge, though case rates generally align across ethnicity at other points in time. More detailed information on case counts and rates by ethnicity are available at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicDataHosp>.

People with Intellectual and Developmental Disabilities

As of June 6, 2022, OHA is aware of 4,655 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 62 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the Oregon Department of Human Services Office of Developmental Disabilities Services (ODDS) client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Additional information about the ODDS program and COVID-19 can be found here: <https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf>.

ODDS data are based on self-reports from providers and case management entities and therefore may differ from testing data received from OHA.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Maps and tables containing the 7-day average of hospitalizations by region and hospital are available online at:

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19HospitalCapacity/HospitalizationbyFacility>.

Information on Oregon's current hospital bed capacity by region is available online at: <https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19HospitalCapacity/BedAvailabilitybyRegion>.

ZIP code

OHA publishes data on cases by ZIP code, available online at:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode>.

Summary table of all zip codes available here:

<https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable>.

Report Limitations

These data represent a snapshot of reported COVID-19 cases, and they include data on cases with pending investigations. The data shown in this report come from Oregon's electronic reportable disease surveillance system. Not all reported cases have been interviewed. In January 2022, public health case investigation and contact tracing operations were changed to prioritize responding to outbreaks in high-consequence settings, such as healthcare, congregate care (e.g., nursing homes), carceral settings,

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



and settings related to our food chain. Public health is no longer calling all cases to attempt interview to assess hospitalization status, symptoms and risks.

Additional Information & Available Resources

Vaccination is the best way to prevent infection and transmission of COVID-19. For more information about COVID-19 vaccines, including frequently asked questions and where to find a vaccination site, visit: www.safestrongoregon.org. Persons 5 years of age or older who completed their COVID-19 vaccine primary series at least 5 months ago are recommended to get a booster. Persons who received a first booster dose at least 4 months ago are eligible for a 2nd booster if they meet the following criteria:

- 50 years of age or older
- 12 years of age or older and moderately or severely immunocompromised
- 18 years of age or older and received 2 doses of J&J (Janssen) vaccine.

For more information about COVID-19 vaccine booster eligibility, visit: www.cdc.gov/coronavirus/2019-ncov/vaccines/booster-shot.html and <https://govstatus.egov.com/or-oha-booster-covid-19-vaccine>.

How do I find a COVID-19 vaccine or booster?

Visit <https://www.safestrongoregon.org>.

Where can I find a COVID-19 testing site?

Visit <https://govstatus.egov.com/or-oha-covid-19-testing>.

What should I do if I or a member of my household was exposed or test positive for COVID-19?

Visit <https://govstatus.egov.com/or-oha-covid-19-positive-test>.

Call 866-917-8881 toll free or text OHACOVID to 61222 if you test positive.

Let public health know about your symptoms or positive test with this quick online survey: <https://redcap.oha.oregon.gov/surveys/?s=JKHYT7EA99WEJPW9>.

How can I get treatment to prevent severe symptoms of COVID-19?

COVID-19 Biweekly Report

Oregon's Biweekly Surveillance Summary



Treatment for COVID-19 is now widely available. Many effective treatments exist, and most work best if taken within 5 days of onset. Find treatment options for yourself and others at: <https://govstatus.egov.com/or-oha-covid-19-treatments>.

Who can I talk to if I need help?

Dial 2-1-1 for help with testing, vaccines, or general questions. You may also be able to find assistance covering COVID-19-related expenses through your local county public health department.

What other COVID-19 data are available?

Data on mortality in Oregon, including deaths associated with COVID-19 are available at <https://public.tableau.com/app/profile/oha.center.for.health.statistics>.

Additional data on age and disease severity of people diagnosed with COVID-19 are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DiseaseSeverity>.

Additional data on cases of COVID-19 by hospitalization status over time are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonHealthAuthorityCOVID-19DataDashboard/COVID-19EPICases>.

Additional information on cases of COVID-19 by county are available at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19Update/DailyDataUpdate>; and at

<https://public.tableau.com/app/profile/oregon.health.authority.covid.19/viz/OregonCOVID-19TestingandOutcomesbyCounty/OregonsCOVID-19TestingandOutcomesbyCounty>.

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhs.oha.state.or.us.