Oregon's Weekly Surveillance Summary



Weekly Data Report - May 26, 2021

Table of Contents

Background 3
Weekly Report Summary
Clinical Characteristics and risk factors5
Epidemiologic links
Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset
Figure 2. Epidemiologic link of all COVID-19 cases by week of onset
Figure 3. Recent sporadic COVID-19 cases by race and week of onset
Figure 4. All sporadic COVD-19 cases by race and week of onset
Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset
Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset
Clinical symptoms and reported risk factors11
Figure 7. Reported signs and symptoms for all COVID-19 cases
Figure 8. Reported symptoms among all COVID-19 cases by week of onset
Figure 9. Reported risk factors among all COVID-19 cases
Demographics
Geography15
Figure 10. Case rates per 100,000 population, by county15
Sex16
Table 1. Severity and rates of COVID-19 by sex
Figure 11. Recent COVID-19 cases by sex and week of onset
Figure 12. All COVID-19 cases by sex and week of onset
Age
Table 2. Severity and rates of COVID-19 by age 19
Figure 13. Recent COVID-19 cases by age and week of onset

Oregon's Weekly Surveillance Summary



Figure 14. All COVID-19 cases (counts) by age and week of onset
Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset
Race
Table 3. Severity and rates of COVID-19 by race 23
Figure 16. Recent COVID-19 cases by race and week of onset
Figure 17. All COVID-19 cases (counts) by race and week of onset
Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset
Ethnicity
Table 4. Severity and rates of COVID-19 by ethnicity
Figure 19. Recent COVID-19 cases by ethnicity and week of onset
Figure 20. All COVID-19 cases by ethnicity(counts) and week of onset
Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset 29
Age-adjustment
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity 30
Follow-up
Figure 22. Follow up attempted within 24 hours, % by race
Figure 23. Follow up attempted within 24 hours, % by ethnicity
Figure 24. Cases interviewed, by race
Figure 25. Cases interviewed, by ethnicity
Recovery
Figure 26. Time to recovery among symptomatic people with COVID-19
People with Intellectual and Developmental Disabilities
Weekly COVID-19 Hospitalizations (HOSCAP)
Table 7. Hospitals reporting 10 or more COVID-19 patients
Table 8. Hospitals reporting 1–9 COVID-19 patients. 36
ZIP code

Oregon's Weekly Surveillance Summary



Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PDT, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page: https://govstatus.egov.com/OR-OHA-COVID-19.

As of 11 p.m. Sunday, May 23, there have been 198,972 cases of COVID-19 reported to the Oregon Health Authority. Of these, 7,250 (3.6%) are "presumptive" cases—i.e., people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure. Presumptive cases are encouraged to seek testing to confirm that they do have COVID-19. Presumptive cases who test positive are recategorized as confirmed cases.

These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. The data shown in this report come from Oregon's electronic disease surveillance system for reportable diseases.

During the week of May 16–May 22¹ 107,233 tests for COVID-19 were performed on Oregonians; of these, 5.4% had a positive result.² This figure represents a "test-based" method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³ Detailed tables of the number of tests and percent positivity can be found online at https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHealth AuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty

¹ This date range aligns with CDC's "MMWR week."

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

Oregon's Weekly Surveillance Summary



Weekly Report Summary

During Monday, May 17, through Sunday, May 23, 2021, OHA recorded 3,090 new cases of COVID-19 infection, down another 25% from the previous week and the fourth consecutive week of declining case counts. Testing increased by 4%, while test positivity fell from 6.4% to 5.4%. In recent weeks the proportion of cases classified as "sporadic" has consistently exceeded 50%.

New COVID-19 hospitalizations fell from 265 last week to 224 this week—the lowest figure in 5 weeks. Deaths associated with COVID-19 also fell, from 57 to 34. Of the 198,972 cases reported in Oregon to date, 10,982 (5.5%) have been hospitalized, and 2,624 (1.3%) have died. The overall ratio of deaths to new cases has fallen since the beginning of the year—from 2.0% during the first 10 weeks of 2021 to 0.8% during the most recent 10 weeks—probably reflecting vaccination of persons at high risk for severe disease. Data on mortality in Oregon, including deaths associated with COVID-19, are available at

https://public.tableau.com/profile/oha.center.for.health.statistics.

Hospitalization and death rates have been highest among the elderly (Table 2). Although only 4.2% of Oregonians are 80 years of age or older, they have accounted for 2,000 (18%) of the COVID-19-associated hospitalizations and 1,342 (51%) of the COVID-19-associated deaths. Persons 70 years of age and older make up 12.4% of Oregon's population, but they have accounted for 4,193 (38%) of the COVID-19 hospitalizations and 1,966 (75%) of the COVID-19-associated deaths. These overall proportions have fallen slightly since March. Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Persons of Hispanic ethnicity have been disproportionately affected by COVID-19 (Table 4): they account for 13% of Oregon's population but 31% of cases of known ethnicity reported to date. This proportion has fallen in recent months, however: before March 2021, 34% of reported cases of known ethnicity were Hispanic; since then, 19% have been Hispanic.

Table 3 shows that, by race, the highest crude COVID-19 case-fatality rate (CFR)—1.7%—is among whites, with lower CFRs in other races. Similarly, Table 4 shows a lower CFR among Hispanics (0.5%) than among non-Hispanics (1.6%). However, non-white and Hispanic populations in Oregon are younger overall, which lowers the crude CFRs in these racial and ethnic groups. Age adjustment displays how rates would compare if the age distribution of each racial and ethnic group resembled that of the population of the United States in the year 2000.

Oregon's Weekly Surveillance Summary



Table 5 shows that COVID-19 hospitalization rates in non-white populations have been 1.3 to 9.4 times those of whites and death rates 1.1 to 8.4 times those of whites. Table 6 shows that the age-adjusted hospitalization rate among Hispanics in Oregon has been 3.7 times that of non-Hispanics and the death rate 2.9 times as high.

Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including indicators of COVID-19 transmission, common symptoms experienced by COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity. Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Epidemiologic links

The figures below show the epidemiologic link of COVID-19 cases. Public health classifies all cases as part of a household, part of an outbreak, part of a cluster, a close contact of another case, or sporadic. Sporadic indicates that a case was not linked to a known source of COVID-19. Lower numbers of sporadic cases suggest lower community spread of COVID-19. Figure 1 focuses on recent cases of COVID-19, and allows for the easy comparison of different types of epidemiologic link. Figure 2 includes all COVID-19 cases, showing the pattern of epidemiologic links since the first cases were identified in Oregon. Figures 3 and 4 show sporadic cases by race, and figures 5 and 6 show sporadic cases by ethnicity. Looking at the data by race and ethnicity helps public health to identify disparities.

Epidemiologic link designations:

• Sporadic:⁴ Cases who do not have known exposure to another case or outbreak.

⁴ Due to the lag between case reporting and case investigation, the proportion of cases categorized as sporadic is high in the most recent week or more; some of these cases will be recategorized after investigation is completed.

Oregon's Weekly Surveillance Summary



- Outbreak: Cases who have a shared, defined exposure with at least one other case. For example, a defined exposure could be an event, a workplace, a congregate facility, etc.
- Cluster: Cases who had contact with another case, but the exposure is not well defined. For example, cases from two households who interacted many times prior to illness onset.
- Household: Cases who were exposed to another case in their household.
- Close contact: Cases who were exposed to another case, not in their household. This designation was added on 7/15.






Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset

Oregon's Weekly Surveillance Summary



Figure 2. Epidemiologic link of all COVID-19 cases by week of onset





MarMay Jul SepNov Jan MarMay

Oregon's Weekly Surveillance Summary




Figure 3. Recent sporadic COVID-19 cases by race and week of onset

Heal

Oregon's Weekly Surveillance Summary




Figure 4. All sporadic COVD-19 cases by race and week of onset

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary







Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset

Oregon's Weekly Surveillance Summary



Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset



Clinical symptoms and reported risk factors

Figure 7 provides information on signs and symptoms from all COVID-19 cases. Of 198,972 cases, 122,749 (61.7%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=71,854, 36.1%) and headache (n=60,214, 30.3%). Figure 8 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 9 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=103,979, 52.3%) and having underlying medical conditions (n=106,997, 53.8%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.


Oregon's Weekly Surveillance Summary



Figure 7. Reported signs and symptoms for all COVID-19 cases

Any symptoms -		61.7		29.1	9.2
Cough -	36.1		44.9		19
Headache-	30.3		52.5		17.2
Aches-	28.4		52.2		19.4
Loss of smell-	25.1		47.9		27
Runny nose -	21.9		53.4		24.6
Chills -	20.3		54.9		24.8
Sore throat -	19.9		53.3		26.8
Fever-	19.5		48.6		32
Shortness of Breath -	15.1	47.	8	37.	1
Nausea-	11.3	55.	5	3	3.3
Diarrhea-	11.2	54.	7	3	34
Abdominal Pain -	5.8	56.5		37.	7
Vomiting -	3.7	55.8		40.5	
Pneumonia-	.1	54		43.9	
Abnormal X-Ray-	.9	62.4		35	.7
ARDS-	6	61.6		37.	8
Ventilator-	4	61.3		38.3	3
Ö)	50,000	100,000	150,000	
		Yes	s Unknown	No	

Oregon's Weekly Surveillance Summary



Health

Oregon's Weekly Surveillance Summary




Figure 9. Reported risk factors among all COVID-19 cases

Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer. The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age, race and

Oregon's Weekly Surveillance Summary



ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity. Figure 10 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography

The following figure shows case rates by county for the most recently completed MMWR week, which is currently May 16 to May 22, 2021. Cases are displayed using the date that the case became known to public health.




Figure 10. Case rates per 100,000 population, by county

Oregon's Weekly Surveillance Summary



- 1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
- 2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

Sex

% of total Cases per Case Sex Cases Hospitalized % Hospitalized Deaths cases 100,000 fatality Female 100,757 50.6 4,658.4 5,156 5.1 1,209 1.2 Male 1,402 96,178 48.3 4,568.8 5,765 6.0 1.5 0 0 Non-Binary 19 0.0 0.0 0.0 Not 2,016 1.0 61 3.0 13 0.6 Available 5.5 Total 198,970 100.0 4,661.8 10,982 2,624 1.3

Table 1. Severity and rates of COVID-19 by sex

 Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

Oregon's Weekly Surveillance Summary






Figure 11. Recent COVID-19 cases by sex and week of onset

Oregon's Weekly Surveillance Summary






Figure 12. All COVID-19 cases by sex and week of onset

Oregon's Weekly Surveillance Summary

Health

Age

Table 2. Severity and rates of COVID-19 by age

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	10,897	5.5	2,324.0	126	1.2	1	0.0
10-19	22,278	11.2	4,414.7	187	0.8	1	0.0
20-29	41,799	21.0	7,590.2	673	1.6	6	0.0
30-39	34,587	17.4	5,834.8	842	2.4	21	0.1
40-49	30,553	15.4	5,662.6	1,142	3.7	65	0.2
50-59	25,356	12.7	4,749.9	1,687	6.7	166	0.7
60-69	16,809	8.4	3,069.1	2,110	12.6	398	2.4
70-79	9,638	4.8	2,739.2	2,193	22.8	624	6.5
80+	6,653	3.3	3,734.8	2,000	30.1	1,342	20.2
Not Available	400	0.2		22	5.5	0	0.0
Total	198,970	100.0	4,661.8	10,982	5.5	2,624	1.3

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

Oregon's Weekly Surveillance Summary




Figure 13. Recent COVID-19 cases by age and week of onset

Health

Oregon's Weekly Surveillance Summary






Figure 14. All COVID-19 cases (counts) by age and week of onset

Oregon's Weekly Surveillance Summary






Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset

Oregon's Weekly Surveillance Summary

Health

Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	3,400	1.7	1,658.6	196	5.8	51	1.5
American Indian/Alaska Native	3,430	1.7	6,905.7	267	7.8	46	1.3
Asian	6,008	3.0	3,219.3	365	6.1	62	1.0
Black	5,227	2.6	6,428.3	370	7.1	53	1.0
Not Available	35,983	18.1		998	2.8	414	1.2
Other	41,121	20.7		1,857	4.5	201	0.5
Pacific Islander	1,652	0.8	9,615.0	165	10.0	21	1.3
White	102,149	51.3	2,839.5	6,764	6.6	1,776	1.7
Total	198,970	100.0	4,661.8	10,982	5.5	2,624	1.3

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.

2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).

3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

4. 36,793 (89.5%) of the 41,121 persons who identify as "Other" race also self-identify as Hispanic or Latino.

Oregon's Weekly Surveillance Summary




Figure 16. Recent COVID-19 cases by race and week of onset

Heal

Oregon's Weekly Surveillance Summary






Figure 17. All COVID-19 cases (counts) by race and week of onset

Oregon's Weekly Surveillance Summary






Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset

Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	47,066	23.7	8,482.7	2,054	4.4	223	0.5
Not Hispanic	104,045	52.3	2,802.0	6,915	6.6	1,697	1.6
Unknown	47,859	24.1		2,013	4.2	704	1.5
Total	198,970	100.0	4,661.8	10,982	5.5	2,624	1.3

Oregon's Weekly Surveillance Summary



1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).





Figure 19. Recent COVID-19 cases by ethnicity and week of onset

Oregon's Weekly Surveillance Summary








Oregon's Weekly Surveillance Summary

Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary

Race	Cases	Hospitalizations	Deaths
> 1 race	0.7	1.3	2.1
American Indian/Alaska Native	2.4	3.6	2.9
Asian	1.1	1.4	1.1
Black	2.2	3.5	2.8
Pacific Islander	3.5	9.4	8.4
White	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic

Ethnicity	Cases	Hospitalizations	Deaths
Hispanic	2.8	3.7	2.9
Non-Hispanic	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

- Cregon

Oregon's Weekly Surveillance Summary



Follow-up

Figure 22 shows the percentage of cases that were called within 24 hours of being reported to public health by race. Figure 23 shows the percentage of cases that were called within 24 hours of being reported to public health by ethnicity. Figure 24 shows the percentage of cases that were interviewed, by race. Figure 25 shows the percentage of cases that were interviewed, by ethnicity. Race and ethnicity data are collected when cases are interviewed. Race and ethnicity data for cases that were not interviewed are abstracted from laboratory reports and medical records if it is available. The orange line in figures 22 and 23 represents the state metric for timely follow up for all cases: 95%.




Figure 22. Follow up attempted within 24 hours, % by race



Oregon's Weekly Surveillance Summary




Figure 23. Follow up attempted within 24 hours, % by ethnicity

Health

Oregon's Weekly Surveillance Summary

Health





Figure 24. Cases interviewed, by race

Figure 25. Cases interviewed, by ethnicity




Oregon's Weekly Surveillance Summary



Recovery

OHA staff periodically call people with reported COVID-19 who experienced fever, cough, shortness of breath or diarrhea and were initially interviewed before May 1, when OHA changed its definition of recovery, to inquire about resolution of symptoms. This group includes 1,884 people who were all diagnosed before mid-April and have not succumbed to their illness. Among these, 1,682 (88.8%) are considered to have recovered, and a recovery date is available for 1,387 people; their time to recovery is depicted in Figure 26. Of these 1,884 people, 16 (0.8%), have not yet recovered; and recovery status is not available for 186 (9.8%). People are assumed to have recovered three days after resolution of all symptoms. The median time to recovery among non-hospitalized symptomatic cases is 20 days (interquartile range: 15–29 days); among symptomatic cases who were hospitalized it is 26 days (interquartile range: 18–37 days).

Figure 26. Time to recovery among symptomatic people with COVID-19



Notes about recovery data:

- Recovery definition: three days after reported resolution of diarrhea, cough, shortness of breath and fever.
- Inclusion criteria: cases who were interviewed about their date of recovery before a change in recovery definition on May 1
- Data for 1,387 cases are included
- This was last updated on 9/16; Data will be updated again as new information is available.

Oregon's Weekly Surveillance Summary



People with Intellectual and Developmental Disabilities

As of March 8, 2021 OHA is aware of 744 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 21 deaths associated with people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here: https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf

ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Table 7 lists all hospitals which, at some time during the week reported, had 10 or more suspected/confirmed COVID-19 patients. The left column shows the highest number of suspected and confirmed COVID-19 hospitalized patients for each hospital between 05/17/2021 and 05/23/2021. The right column shows the highest number of covID-19 patients hospitalized during the same time period.

Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
St. Charles Bend	51	47
Salem Health Hospital	35	35
Providence Portland Medical Center	30	29
Providence St. Vincent Medical Center	24	21
Kaiser Permanente Sunnyside Medical Center	19	19

Table 7. Hospitals reporting 10 or more COVID-19 patients.

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
OHSU Hospital	19	15
PeaceHealth Sacred Heart MC at Riverbend	17	17
Legacy Emanuel Medical Center	15	13
Adventist Health Portland	14	14
Legacy Meridian Park Hospital	14	13
Legacy Mount Hood Medical Center	13	12
Sky Lakes Medical Center	12	12
Good Samaritan Regional Medical Center	12	10
Asante Rogue Regional Medical Center	11	11
McKenzie-Willamette Medical Center	11	11
Kaiser Permanente Westside Medical Center	10	10
Hillsboro Medical Center	10	<10
Legacy Good Samaritan Medical Center	10	<10

The hospitals listed in Table 8 reported 1–9 suspected or confirmed COVID-19 patients 05/17/2021 through 05/23/2021. Hospitals not listed in either table did not report any suspected or confirmed patients during the week.

Table 8. Hospitals reporting 1–9 COVID-19 patients.

ł	Hospital
1	Asante Ashland Community Hospital
1	Asante Three Rivers Medical Center
E	Bay Area Hospital
(Columbia Memorial Hospital

Oregon's Weekly Surveillance Summary

Hospital
Coquille Valley Hospital
Good Shepherd Health Care System
Grande Ronde Hospital
Harney District Hospital
Mercy Medical Center
Mid-Columbia Medical Center
OHSU Doernbecher Children's Hospital
Providence Hood River Memorial Hospital
Providence Medford Medical Center
Providence Milwaukie Hospital
Providence Newberg Medical Center
Providence Willamette Falls Medical Center
Randall Children's Hospital at Legacy Emanuel
Samaritan Albany General Hospital
Samaritan Lebanon Community Hospital
Samaritan North Lincoln Hospital
St. Charles Redmond
VA Portland Health Care System
Willamette Valley Medical Center

ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZiPCode/OregonsCOVID-19CasesbyZipCode?publish=yes

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary



Summary table of all zip codes available here:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCOVID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsoha.state.or.us.