Oregon's Weekly Surveillance Summary



Weekly Data Report - October 27, 2021

Table of Contents Weekly Report Summary......4 Figure 4. All sporadic COVD-19 cases by race and week of onset9 Geography15 Age19 Table 2. Severity and rates of COVID-19 by age......19 Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset 22

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



Table 3. Severity and rates of COVID-19 by race23
Figure 16. Recent COVID-19 cases by race and week of onset
Figure 17. All COVID-19 cases (counts) by race and week of onset
Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset . 26
Ethnicity27
Table 4. Severity and rates of COVID-19 by ethnicity27
Figure 19. Recent COVID-19 cases by ethnicity and week of onset
Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset
Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset
Age-adjustment
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race31
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity
Follow-up
Figure 22. Follow up attempted within 24 hours, % by race
Figure 23. Follow up attempted within 24 hours, % by ethnicity
Figure 24. Cases interviewed, by race
Figure 25. Cases interviewed, by ethnicity
Recovery
Figure 26. Time to recovery among symptomatic people with COVID-19
People with Intellectual and Developmental Disabilities
Weekly COVID-19 Hospitalizations (HOSCAP)
Table 7. Hospitals reporting 10 or more COVID-19 patients
Table 8. Hospitals reporting 1–9 COVID-19 patients
ZIP code

Oregon's Weekly Surveillance Summary



Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PDT, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page: https://govstatus.egov.com/OR-OHA-COVID-19.

As of 11 p.m. Sunday, October 24, there have been 359,731 cases of COVID-19 reported to the Oregon Health Authority. Of these, 11,891 (3.3%) are "presumptive" cases—i.e., people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure. Presumptive cases are encouraged to seek testing to confirm that they do have COVID-19. Presumptive cases who test positive are recategorized as confirmed cases.

These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. The data shown in this report come from Oregon's electronic disease surveillance system for reportable diseases.

During the week of October 17–October 23¹ 137,537 tests for COVID-19 were performed on Oregonians; of these, 7.4% had a positive result.² This figure represents a "test-based" method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³ Detailed tables of the number of tests and percent positivity can be found online at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHe althAuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty.

OHA 2395 (10/27/21)

¹ This date range aligns with CDC's "MMWR week."

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

Oregon's Weekly Surveillance Summary



Weekly Report Summary

During Monday, October 18, through Sunday, October 24, 2021, OHA recorded 7,707 new cases of COVID-19 infection—326 (4.1%) fewer than the previous week's tally and the eighth consecutive week of declining case counts. Testing fell by 1.7%, and test positivity fell for the sixth consecutive week—from 7.6 to 7.4%. The overall incidence of reported COVID-19 in Oregon was 166 per 100,000 this week, and higher in counties with population vaccination rates <50% (collectively, 309 per 100,000) and 50%–60% (200 per 100,000). Counties with vaccination rates >60% had a collective COVID-19 incidence of 132 per 100,000. Through September 5, 6.2% of reported cases had been in children <10 years of age; since September 5, 11.2% of cases have been reported from this age cohort.

Reported COVID-19-associated hospitalizations rose for the first time in 7 weeks—from 377 to 415. The recent increase in the proportion of reported cases among persons <10 years of age has not been accompanied by a commensurate increase in COVID-19-associated hospitalizations: 1.2% of hospitalizations were reported in persons this age group before September 5 and 1.3% since that date.

One hundred ten COVID-19-associated deaths were reported last week—the lowest toll since the week of August 16–22 of this year. Of the 359,731 cases reported in Oregon to date, 19,252 (5.4%) have been hospitalized, and 4,295 (1.2%) have died. The proportion of COVID-19-associated deaths that have been among those ≥80 years of age has been lower (32%) during the July–October surge than previously (50%); conversely, the proportion among those 30–69 years of age has risen from 25% to 42%. To date, 5 COVID-19-associated deaths (0.1%) have been among persons <20 years of age. Data on mortality in Oregon, including deaths associated with COVID-19, are available at https://public.tableau.com/profile/oha.center.for.health.statistics.

Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including indicators of COVID-19 transmission, common symptoms experienced by

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity. Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Epidemiologic links

The figures below show the epidemiologic link of COVID-19 cases. Public health classifies all cases as part of a household, part of an outbreak, part of a cluster, a close contact of another case, or sporadic. Sporadic indicates that a case was not linked to a known source of COVID-19. Lower numbers of sporadic cases suggest lower community spread of COVID-19. Figure 1 focuses on recent cases of COVID-19, and allows for the easy comparison of different types of epidemiologic link. Figure 2 includes all COVID-19 cases, showing the pattern of epidemiologic links since the first cases were identified in Oregon. Figures 3 and 4 show sporadic cases by race, and figures 5 and 6 show sporadic cases by ethnicity. Looking at the data by race and ethnicity helps public health to identify disparities.

Epidemiologic link designations:

- Sporadic:⁴ Cases who do not have known exposure to another case or outbreak.
- Outbreak: Cases who have a shared, defined exposure with at least one other case. For example, a defined exposure could be an event, a workplace, a congregate facility, etc.
- Cluster: Cases who had contact with another case, but the exposure is not well defined. For example, cases from two households who interacted many times prior to illness onset.
- Household: Cases who were exposed to another case in their household.
- Close contact: Cases who were exposed to another case, not in their household. This designation was added on 7/15/2020.

⁴ Due to the lag between case reporting and case investigation, the proportion of cases categorized as sporadic is high in the most recent week or more; some of these cases will be recategorized after investigation is completed.






Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary






Figure 2. Epidemiologic link of all COVID-19 cases by week of onset

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary




Figure 3. Recent sporadic COVID-19 cases by race and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary






Figure 4. All sporadic COVD-19 cases by race and week of onset

OHA 2395 (10/27/21)






Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset


Clinical symptoms and reported risk factors

Figure 7 provides information on signs and symptoms from all COVID-19 cases. Of 359,731 cases, 186,330 (51.8%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=104,103, 28.9%) and headache (n=83,770, 23.3%). Figure 8 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 9 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=146,804, 40.8%) and having underlying medical conditions (n=225,305, 62.6%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.

Oregon's Weekly Surveillance Summary



Figure 7. Reported signs and symptoms for all COVID-19 cases








Figure 8. Reported symptoms among all COVID-19 cases by week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary




Figure 9. Reported risk factors among all COVID-19 cases

Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer. The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age, race and ethnicity. The figures show cases over time, by week of onset, for sex, age,

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary

Health

race, and ethnicity. Figure 10 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography

The following figure shows case rates by county for the most recently completed MMWR week, which is currently October 17 to October 23, 2021. Cases are displayed using the date that the case became known to public health.




Figure 10. Case rates per 100,000 population, by county

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



- 1. Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
- 2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

Sex

Table 1. Severity and rates of COVID-19 by sex

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	181,734	50.5	8,402.2	9,054	5.0	1,937	1.1
Male	171,498	47.7	8,146.7	10,052	5.9	2,344	1.4
Non-Binary	35	0.0		0	0.0	0	0.0
Not Available	6,464	1.8		146	2.3	14	0.2
Total	359,731	100.0	8,428.5	19,252	5.4	4,295	1.2

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).






Figure 11. Recent COVID-19 cases by sex and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 12. All COVID-19 cases by sex and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Healt

Oregon's Weekly Surveillance Summary

Health

Age

Table 2. Severity and rates of COVID-19 by age

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	25,455	7.1	5,428.7	232	0.9	2	0.0
10-19	40,941	11.4	8,113.1	325	0.8	3	0.0
20-29	70,453	19.6	12,793.5	1,139	1.6	23	0.0
30-39	63,075	17.5	10,640.7	1,581	2.5	57	0.1
40-49	53,640	14.9	9,941.5	2,114	3.9	157	0.3
50-59	44,463	12.4	8,329.1	3,081	6.9	371	0.8
60-69	31,564	8.8	5,763.1	3,896	12.3	757	2.4
70-79	18,307	5.1	5,203.0	3,707	20.2	1,046	5.7
80+	11,218	3.1	6,297.5	3,170	28.3	1,879	16.7
Not Available	615	0.2		7	1.1	0	0.0
Total	359,731	100.0	8,428.5	19,252	5.4	4,295	1.2

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).






Figure 13. Recent COVID-19 cases by age and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Health

Oregon's Weekly Surveillance Summary




Figure 14. All COVID-19 cases (counts) by age and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary




Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary

Health

Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	5,193	1.4	2,533.3	288	5.5	65	1.3
American Indian/Alaska Native	6,007	1.7	12,094.1	412	6.9	74	1.2
Asian	8,035	2.2	4,305.4	475	5.9	86	1.1
Black	8,184	2.3	10,064.8	631	7.7	77	0.9
Not Available	83,685	23.3		2,244	2.7	730	0.9
Other	53,672	14.9		2,552	4.8	313	0.6
Pacific Islander	2,143	0.6	12,472.7	203	9.5	24	1.1
White	192,812	53.6	5,359.7	12,447	6.5	2,926	1.5
Total	359,731	100.0	8,428.5	19,252	5.4	4,295	1.2

1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.

- 2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.
- 4. 42,876 (79.9%) of the 53,672 persons who identify as "Other" race also selfidentify as Hispanic or Latino.

Oregon's Weekly Surveillance Summary




Figure 16. Recent COVID-19 cases by race and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

ŀ

Oregon's Weekly Surveillance Summary




Figure 17. All COVID-19 cases (counts) by race and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary




Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

- Cal

Oregon's Weekly Surveillance Summary

Health

Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	61,081	17.0	11,008.6	2,683	4.4	301	0.5
Not Hispanic	181,287	50.4	4,882.2	11,942	6.6	2,678	1.5
Unknown	117,363	32.6		4,627	3.9	1,316	1.1
Total	359,731	100.0	8,428.5	19,252	5.4	4,295	1.2

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).






Figure 19. Recent COVID-19 cases by ethnicity and week of onset

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon

Oregon's Weekly Surveillance Summary







Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset

OHA 2395 (10/27/21)





Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset



Oregon's Weekly Surveillance Summary



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons

Race	Cases	Hospitalizations	Deaths
> 1 race	0.5	0.9	1.2
American Indian/Alaska Native	2.2	2.9	2.9
Asian	0.8	1.0	0.9
Black	1.8	3.1	2.3
Pacific Islander	2.3	5.9	5.3
White	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



Ethnicity	Cases	Hospitalizations	Deaths
Hispanic	2	2.6	2.3
Non-Hispanic	1	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

Follow-up

Figure 22 shows the percentage of cases that were called within 24 hours of being reported to public health by race. Figure 23 shows the percentage of cases that were called within 24 hours of being reported to public health by ethnicity. Figure 24 shows the percentage of cases that were interviewed, by race. Figure 25 shows the percentage of cases that were interviewed, by ethnicity. Race and ethnicity data are collected when cases are interviewed. Race and ethnicity data for cases that were not interviewed are abstracted from laboratory reports and medical records if it is available. The orange line in figures 22 and 23 represents the state metric for timely follow up for all cases: 95%.

OHA 2395 (10/27/21)






Figure 22. Follow up attempted within 24 hours, % by race

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Oregon






Figure 23. Follow up attempted within 24 hours, % by ethnicity

OHA 2395 (10/27/21)






Figure 24. Cases interviewed, by race

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Health






Figure 25. Cases interviewed, by ethnicity

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



Recovery

OHA staff periodically call people with reported COVID-19 who experienced fever, cough, shortness of breath or diarrhea and were initially interviewed before May 1, 2020, when OHA changed its definition of recovery, to inquire about resolution of symptoms. This group includes 1,884 people who were all diagnosed before mid-April and have not succumbed to their illness. Among these, 1,682 (88.8%) are considered to have recovered, and a recovery date is available for 1,387 people; their time to recovery is depicted in Figure 26. Of these 1,884 people, 16 (0.8%), have not yet recovered; and recovery status is not available for 186 (9.8%). People are assumed to have recovered three days after resolution of all symptoms. The median time to recovery among nonhospitalized symptomatic cases is 20 days (interquartile range: 15–29 days); among symptomatic cases who were hospitalized it is 26 days (interquartile range: 18–37 days).




Figure 26. Time to recovery among symptomatic people with COVID-19

Notes about recovery data:

- Recovery definition: three days after reported resolution of diarrhea, cough, shortness of breath and fever.
- Inclusion criteria: cases who were interviewed about their date of recovery before a change in recovery definition on May 1, 2020.
- Data for 1,387 cases are included.
- This was last updated on September 16, 2020; Data will be updated again as new information is available.

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



People with Intellectual and Developmental Disabilities

As of September 26, 2021 OHA is aware of 1,407 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 41 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here: https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf

ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Table 7 lists all hospitals which, at some time during the week reported, had 10 or more COVID-19 patients. The left column shows the highest number of COVID-19 hospitalized patients for each hospital between 10/18/2021 and 10/24/2021. The right column shows the highest number of COVID-19 patients hospitalized during the same time period.

Hospital Maximum Patients (both suspected and confirmed)		Maximum Patients (confirmed only)
Salem Health Hospital	80	71
St. Charles Bend	79	74

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
PeaceHealth Sacred Heart MC at Riverbend	38	38
Providence St. Vincent Medical Center	38	38
Sky Lakes Medical Center	31	29
OHSU Hospital	30	26
Kaiser Permanente Sunnyside Medical Center	27	27
Providence Portland Medical Center	27	27
Adventist Health Portland	24	24
Asante Rogue Regional Medical Center	22	22
Good Samaritan Regional Medical Center	21	20
Legacy Emanuel Medical Center	21	20
Hillsboro Medical Center	20	16
Mercy Medical Center	19	19
Providence Medford Medical Center	18	17
Asante Three Rivers Medical Center	17	17
McKenzie-Willamette Medical Center	16	16
Bay Area Hospital	14	14
Providence Willamette Falls Medical Center	11	11
Kaiser Permanente Westside Medical Center	10	10

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Mid-Columbia Medical Center	10	10
Legacy Good Samaritan Medical Center	10	<10
Legacy Meridian Park Hospital	10	<10

The hospitals listed in Table 8 reported 1–9 COVID-19 patients 10/18/2021 through 10/24/2021. Hospitals not listed in either table did not report any COVID-19 patients during the week.

Table 8. Hospitals reporting 1–9 COVID-19 patients.

Hospital
Asante Ashland Community Hospital
Columbia Memorial Hospital
Coquille Valley Hospital
Curry General Hospital
Good Shepherd Health Care System
Grande Ronde Hospital
Harney District Hospital
Lake District Hospital
Legacy Mount Hood Medical Center
Legacy Silverton Medical Center
Lower Umpqua Hospital
OHSU Doernbecher Children's Hospital
Providence Hood River Memorial Hospital

OHA 2395 (10/27/21)

Oregon's Weekly Surveillance Summary

Hospital
Providence Milwaukie Hospital
Providence Newberg Medical Center
Randall Children's Hospital at Legacy Emanuel
Samaritan Albany General Hospital
Samaritan Lebanon Community Hospital
Samaritan North Lincoln Hospital
Samaritan Pacific Communities Hospital
Santiam Hospital
St. Alphonsus Medical Center - Baker City
St. Alphonsus Medical Center - Ontario
St. Anthony Hospital
St. Charles Madras
St. Charles Redmond
VA Portland Health Care System
Wallowa Memorial Hospital
Willamette Valley Medical Center

ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode?publish=yes.

Summary table of all zip codes available here:

OHA 2395 (10/27/21)

Data are provisional and subject to change.

Heal

Oregon's Weekly Surveillance Summary



https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode-SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes.

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsoha.state.or.us.