Oregon's Weekly Surveillance Summary



Weekly Data Report - November 17, 2021

Table of Contents

Background	3
Weekly Report Summary	4
Clinical Characteristics and risk factors	4
Epidemiologic links	5
Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset	6
Figure 2. Epidemiologic link of all COVID-19 cases by week of onset	7
Figure 3. Recent sporadic COVID-19 cases by race and week of onset	8
Figure 4. All sporadic COVID-19 cases by race and week of onset	g
Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset	. 10
Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset	. 11
Clinical symptoms and reported risk factors	. 11
Figure 7. Reported signs and symptoms for all COVID-19 cases	. 12
Figure 8. Reported symptoms among all COVID-19 cases by week of onset	. 13
Figure 9. Reported risk factors among all COVID-19 cases	. 14
Demographics	. 14
Geography	. 15
Figure 10. Case rates per 100,000 population, by county	. 15
Sex	. 16
Table 1. Severity and rates of COVID-19 by sex	. 16
Figure 11. Recent COVID-19 cases by sex and week of onset	. 17
Figure 12. All COVID-19 cases by sex and week of onset	. 18
Age	. 19
Table 2. Severity and rates of COVID-19 by age	. 19
Figure 13. Recent COVID-19 cases by age and week of onset	. 20
Figure 14. All COVID-19 cases (counts) by age and week of onset	. 21
Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset	. 22
Race	. 23

OHA 2395 (11/17/21)



Table 3. Severity and rates of COVID-19 by race	23
Figure 16. Recent COVID-19 cases by race and week of onset	24
Figure 17. All COVID-19 cases (counts) by race and week of onset	25
Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset	t . 26
Ethnicity	27
Table 4. Severity and rates of COVID-19 by ethnicity	27
Figure 19. Recent COVID-19 cases by ethnicity and week of onset	28
Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset	29
Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of o	
Age-adjustment	31
Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race	31
Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethn	•
Follow-up	
Figure 22. Follow up attempted within 24 hours, % by race	
Figure 23. Follow up attempted within 24 hours, % by ethnicity	
Figure 24. Cases interviewed, by race	
Figure 25. Cases interviewed, by ethnicity	
Recovery	
Figure 26. Time to recovery among symptomatic people with COVID-19	
People with Intellectual and Developmental Disabilities	
Weekly COVID-19 Hospitalizations (HOSCAP)	
Table 7. Hospitals reporting 10 or more COVID-19 patients	
Table 8. Hospitals reporting 1–9 COVID-19 patients.	
ZIP code	

Oregon's Weekly Surveillance Summary



Background

COVID-19 Weekly Report data will be finalized every Sunday at 11 p.m. PST, and the report will be published on Wednesday. Please note that the data reported here are continually being updated. For daily up-to-date information, visit the OHA COVID-19 web page: https://govstatus.egov.com/OR-OHA-COVID-19.

As of 11 p.m. Sunday, November 14, there have been 380,090 cases of COVID-19 reported to the Oregon Health Authority. Of these, 12,929 (3.4%) are "presumptive" cases—i.e., people with COVID-19-like symptoms and close contact with a confirmed case, but who did not have a confirmatory laboratory test. Though not confirmed, presumptive cases are highly likely to have COVID-19, given their specific symptoms and known exposure. Presumptive cases are encouraged to seek testing to confirm that they do have COVID-19. Presumptive cases who test positive are recategorized as confirmed cases.

These data represent a snapshot of COVID-19 risk factors and clinical and demographic characteristics of cases, and they include data on cases with pending investigations. Not all cases have been interviewed at the time of this report. The data shown in this report come from Oregon's electronic disease surveillance system for reportable diseases.

During the week of November 7–November 13¹ 111,898 tests for COVID-19 were performed on Oregonians; of these, 6.5% had a positive result.² This figure represents a "test-based" method, whereby all electronic lab reports received by OHA are used to calculate percent positivity.³ Detailed tables of the number of tests and percent positivity can be found online at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonHealthAuthorityCOVID-19DataDashboard/OregonsCOVID-19ELRsbyCounty.

OHA 2395 (11/17/21)

¹ This date range aligns with CDC's "MMWR week."

² Does not include antibody (serology) tests.

³ www.cdc.gov/coronavirus/2019-ncov/lab/resources/calculating-percent-positivity.html

Oregon's Weekly Surveillance Summary



Weekly Report Summary

During Monday, November 8, through Sunday, November 14, 2021, OHA recorded 5,839 new cases of COVID-19 infection—down 12% from the previous week's total. The decrease occurred, however, in the context of a 17% decrease in testing, with test positivity rising slightly—from 6.4 to 6.5%. The overall incidence of reported COVID-19 in Oregon was 128 per 100,000 this week, but varied by county vaccination rate: it was 87 per 100,000 collectively in the 5 counties with vaccination rates ≥70%, 134 per 100,000 in the 7 counties with vaccination rates 60%–69%, 167 per 100,000 in the 13 counties with vaccination rates 50%–59%, and 203 per 100,000 in the 11 counties with population vaccination rates <50%. To date, 18.7% of reported cases have been in persons <20 years of age, and 8.3% in persons ≥70 years of age.

Newly reported COVID-19-associated hospitalizations fell from 378 last week to 356 this week. To date, 2.9% of COVID-19-associated hospitalizations have been in persons <20 years of age, and 35.9% in persons ≥70 years of age.

One hundred eighty-three COVID-19-associated deaths were reported last week. These deaths reflect in part ongoing efforts to address a backlog of suspected COVID-19-associated deaths identified by matching death certificate records to previously reported cases of COVID-19. Of the 380,090 cases reported in Oregon to date, 20,299 (5.3%) have been hospitalized, and 4,803 (1.3%) have died. Five (0.1%) of the 4,803 COVID-19-associated deaths have been among persons <20 years of age and 3,220 (67%) among persons ≥70 years of age. Data on mortality in Oregon, including deaths associated with COVID-19, are available at

https://public.tableau.com/profile/oha.center.for.health.statistics.

Additional data are available at

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CaseDemographicsandDiseaseSeverityStatewide/DemographicData.

Clinical Characteristics and risk factors

This section of the report describes the epidemiology of Oregon's COVID-19 cases, including indicators of COVID-19 transmission, common symptoms experienced by COVID-19 cases, and demographic breakdowns for sex, age, race, and ethnicity.

OHA 2395 (11/17/21)

Oregon's Weekly Surveillance Summary



Indicators of disease severity, specifically hospitalizations and deaths, are included in the tables.

Epidemiologic links

The figures below show the epidemiologic link of COVID-19 cases. Public health classifies all cases as part of a household, part of an outbreak, part of a cluster, a close contact of another case, or sporadic. Sporadic indicates that a case was not linked to a known source of COVID-19. Lower numbers of sporadic cases suggest lower community spread of COVID-19. Figure 1 focuses on recent cases of COVID-19, and allows for the easy comparison of different types of epidemiologic link. Figure 2 includes all COVID-19 cases, showing the pattern of epidemiologic links since the first cases were identified in Oregon. Figures 3 and 4 show sporadic cases by race, and figures 5 and 6 show sporadic cases by ethnicity. Looking at the data by race and ethnicity helps public health to identify disparities.

Epidemiologic link designations:

- Sporadic: Cases who do not have known exposure to another case or outbreak.
- Outbreak: Cases who have a shared, defined exposure with at least one other case. For example, a defined exposure could be an event, a workplace, a congregate facility, etc.
- Cluster: Cases who had contact with another case, but the exposure is not well defined. For example, cases from two households who interacted many times prior to illness onset.
- Household: Cases who were exposed to another case in their household.
- Close contact: Cases who were exposed to another case, not in their household. This designation was added on 7/15/2020.

OHA 2395 (11/17/21)

⁴ Due to the lag between case reporting and case investigation, the proportion of cases categorized as sporadic is high in the most recent week or more; some of these cases will be recategorized after investigation is completed.



Figure 1. Epidemiologic link of recent COVID-19 cases by week of onset






Figure 2. Epidemiologic link of all COVID-19 cases by week of onset






Figure 3. Recent sporadic COVID-19 cases by race and week of onset






Figure 4. All sporadic COVID-19 cases by race and week of onset







Figure 5. Recent sporadic COVID-19 cases by ethnicity and week of onset



Oregon's Weekly Surveillance Summary



Hispanic Not Hispanic Unknown 1000 5000 -5000 -750 -4000 -4000 -3000 -3000 -500 -2000 -2000 -250 1000 -1000 -

Figure 6. All sporadic COVID-19 cases by ethnicity and week of onset

Clinical symptoms and reported risk factors

Figure 7 provides information on signs and symptoms from all COVID-19 cases. Of 380,090 cases, 196,419 (51.7%) reported having signs and symptoms of COVID-19. The most commonly reported symptoms are cough (n=108,842, 28.6%) and headache (n=86,965, 22.9%). Figure 8 provides information on the percentage of COVID-19 cases that report symptoms over time. Figure 9 provides information on risk factors from all COVID-19 cases. The most common risk factors are having contact with a known COVID-19 case prior to symptom onset (n=153,249, 40.3%) and having underlying medical conditions (n=238,268, 62.7%). Note that a person may report more than one sign/symptom or risk factor. Where displayed by week in this report, case data are categorized by week of reported symptom onset, not by date of case report. This results in reduced numbers in the most recent week or more due to reporting lags.



Figure 7. Reported signs and symptoms for all COVID-19 cases








Figure 8. Reported symptoms among all COVID-19 cases by week of onset



Oregon's Weekly Surveillance Summary



Figure 9. Reported risk factors among all COVID-19 cases



Risk factor definitions:

- Congregate living situations include, but are not limited to, long-term care facilities, group homes, prisons, and shelters. Data include people with confirmed cases who live or work in congregate living situations.
- Direct patient care is only asked if a case is a healthcare worker or volunteer.
 The denominator is the number of healthcare workers or volunteers.
- Underlying medical conditions include cardiovascular disease, chronic liver disease, chronic lung disease, chronic renal disease, current or former smoker, diabetes mellitus, immunocompromised condition, neurologic and neurodevelopmental conditions, obesity, or other chronic diseases.

Demographics

The following tables and figures show the demographic characteristics for all COVID-19 cases. The tables show case counts, case rates, and indicators of severity by sex, age,

OHA 2395 (11/17/21)

Oregon's Weekly Surveillance Summary




race and ethnicity. The figures show cases over time, by week of onset, for sex, age, race, and ethnicity. Figure 10 displays case rates by county, in comparison to the case rate for all of Oregon.

Geography

The following figure shows case rates by county for the most recently completed MMWR week, which is currently November 7 to November 13, 2021. Cases are displayed using the date that the case became known to public health.

Figure 10. Case rates per 100,000 population, by county



OHA 2395 (11/17/21)

Oregon's Weekly Surveillance Summary



- Counties that had case rates above the case rate for the state are displayed in orange. Counties that had case rates below the case rate for the state are displayed in blue.
- 2. Counties that had zero cases in the time period displayed appear on the list, but do not have a bar to display.

Sex

Table 1. Severity and rates of COVID-19 by sex

Sex	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
Female	191,769	50.5	8,866.2	9,508	5.0	2,156	1.1
Male	181,053	47.6	8,600.6	10,637	5.9	2,628	1.5
Non-Binary	38	0.0		0	0.0	0	0.0
Not Available	7,230	1.9		154	2.1	19	0.3
Total	380,090	100.0	8,905.5	20,299	5.3	4,803	1.3

 Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Figure 11. Recent COVID-19 cases by sex and week of onset







Figure 12. All COVID-19 cases by sex and week of onset



Oregon's Weekly Surveillance Summary



Age

Table 2. Severity and rates of COVID-19 by age

Age group	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
0-9	27,863	7.3	5,942.2	253	0.9	2	0.0
10-19	43,265	11.4	8,573.6	342	0.8	3	0.0
20-29	73,345	19.3	13,318.7	1,190	1.6	24	0.0
30-39	66,629	17.5	11,240.3	1,652	2.5	69	0.1
40-49	56,555	14.9	10,481.7	2,220	3.9	185	0.3
50-59	46,840	12.3	8,774.4	3,227	6.9	426	0.9
60-69	33,558	8.8	6,127.1	4,122	12.3	874	2.6
70-79	19,506	5.1	5,543.8	3,947	20.2	1,171	6.0
80+	11,856	3.1	6,655.7	3,339	28.2	2,049	17.3
Not Available	673	0.2		7	1.0	0	0.0
Total	380,090	100.0	8,905.5	20,299	5.3	4,803	1.3

 Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Figure 13. Recent COVID-19 cases by age and week of onset






Figure 14. All COVID-19 cases (counts) by age and week of onset







Figure 15. All COVID-19 cases (case rate per 100,000) by age and week of onset



Oregon's Weekly Surveillance Summary



Race

Table 3. Severity and rates of COVID-19 by race

Race	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality
> 1 race	5,423	1.4	2,645.5	297	5.5	68	1.3
American Indian/Alaska Native	6,296	1.7	12,675.9	432	6.9	86	1.4
Asian	8,354	2.2	4,476.4	488	5.8	92	1.1
Black	8,517	2.2	10,474.4	656	7.7	82	1.0
Not Available	89,445	23.5		2,416	2.7	839	0.9
Other	55,046	14.5		2,610	4.7	341	0.6
Pacific Islander	2,201	0.6	12,810.3	204	9.3	26	1.2
White	204,808	53.9	5,693.1	13,196	6.4	3,269	1.6
Total	380,090	100.0	8,905.5	20,299	5.3	4,803	1.3

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).
- Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.
- 4. 43,591 (79.2%) of the 55,046 persons who identify as "Other" race also self-identify as Hispanic or Latino.

OHA 2395 (11/17/21)



Figure 16. Recent COVID-19 cases by race and week of onset






Figure 17. All COVID-19 cases (counts) by race and week of onset







Figure 18. All COVID-19 cases (case rates per 100,000) by race and week of onset



Oregon's Weekly Surveillance Summary



Ethnicity

Table 4. Severity and rates of COVID-19 by ethnicity

Ethnicity	Cases	% of total cases	Cases per 100,000	Hospitalized	% Hospitalized	Deaths	Case fatality rate
Hispanic	62,760	16.5	11,311.2	2,720	4.3	324	0.5
Not Hispanic	191,812	50.5	5,165.7	12,584	6.6	2,952	1.5
Unknown	125,518	33.0		4,995	4.0	1,527	1.2
Total	380,090	100.0	8,905.5	20,299	5.3	4,803	1.3

1. Rates are calculated using population estimates from the 2020 Annual Population Report from Portland State University's College of Urban & Public Affairs Population Research Center and 2019 housing and demographic data from the U.S. Census Bureau's American Community Survey (ACS).



Figure 19. Recent COVID-19 cases by ethnicity and week of onset






Figure 20. All COVID-19 cases by ethnicity (counts) and week of onset







Figure 21. All COVID-19 cases by ethnicity (case rates per 100,000) and week of onset



Oregon's Weekly Surveillance Summary



Age-adjustment

Tables 5 and 6 show the ratio of age-adjusted rates of COVID-19 for cases, hospitalizations, and deaths by race and ethnicity. Each table compares the rates of cases, hospitalizations, and deaths between each group and a reference group and accounts for differences in population distributions in each group.

Table 5. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by race

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to white persons.

Race	Cases	Hospitalizations	Deaths
> 1 race	0.5	0.8	1.1
American Indian/Alaska Native	2.2	2.9	3.0
Asian	0.8	0.9	0.9
Black	1.8	3.0	2.1
Pacific Islander	2.2	5.6	5.4
White	1.0	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- Persons for which race information was not available were not included in these estimates. The number of persons with race data unavailable can be found in Table 3.

Oregon's Weekly Surveillance Summary



Table 6. Ratio of age-adjusted rates for cases, hospitalizations, and deaths by ethnicity

Age-adjusted rate ratios of cases, hospitalizations, and deaths, compared to non-Hispanic.

Ethnicity	Cases	Hospitalizations	Deaths
Hispanic	2	2.5	2.2
Non-Hispanic	1	1.0	1.0

- 1. During the case investigation, people are asked to self-report their race, ethnicity, tribal affiliation, country of origin, or ancestry.
- 2. U.S. Census Bureau; American Community Survey, 2019 American Community Survey 5-Year Estimates.
- 3. Persons for which ethnicity information was not available were not included in these estimates. The number of persons with ethnicity data unavailable can be found in Table 4.

Follow-up

Figure 22 shows the percentage of cases that were called within 24 hours of being reported to public health by race. Figure 23 shows the percentage of cases that were called within 24 hours of being reported to public health by ethnicity. Figure 24 shows the percentage of cases that were interviewed, by race. Figure 25 shows the percentage of cases that were interviewed, by ethnicity. Race and ethnicity data are collected when cases are interviewed. Race and ethnicity data for cases that were not interviewed are abstracted from laboratory reports and medical records if it is available. The orange line in figures 22 and 23 represents the state metric for timely follow up for all cases: 95%.



Figure 22. Follow up attempted within 24 hours, % by race






Figure 23. Follow up attempted within 24 hours, % by ethnicity






Figure 24. Cases interviewed, by race







Figure 25. Cases interviewed, by ethnicity




Oregon's Weekly Surveillance Summary



Recovery

OHA staff periodically call people with reported COVID-19 who experienced fever, cough, shortness of breath or diarrhea and were initially interviewed before May 1, 2020, when OHA changed its definition of recovery, to inquire about resolution of symptoms. This group includes 1,884 people who were all diagnosed before mid-April and have not succumbed to their illness. Among these, 1,682 (88.8%) are considered to have recovered, and a recovery date is available for 1,387 people; their time to recovery is depicted in Figure 26. Of these 1,884 people, 16 (0.8%), have not yet recovered; and recovery status is not available for 186 (9.8%). People are assumed to have recovered three days after resolution of all symptoms. The median time to recovery among non-hospitalized symptomatic cases is 20 days (interquartile range: 15–29 days); among symptomatic cases who were hospitalized it is 26 days (interquartile range: 18–37 days).

Figure 26. Time to recovery among symptomatic people with COVID-19



Notes about recovery data:

- Recovery definition: three days after reported resolution of diarrhea, cough, shortness of breath and fever.
- Inclusion criteria: cases who were interviewed about their date of recovery before a change in recovery definition on May 1, 2020.
- Data for 1,387 cases are included.

Oregon's Weekly Surveillance Summary



 This was last updated on September 16, 2020; Data will be updated again as new information is available.

People with Intellectual and Developmental Disabilities

As of September 26, 2021 OHA is aware of 1,407 people with intellectual or developmental disabilities who have had COVID-19 to date. This includes individuals who live in congregate settings and in family or individual homes. To date, there are 41 deaths among people with intellectual or developmental disabilities. This number is from conducting a match between the ODHS Office of Developmental Disabilities Services client list and the Oregon COVID-19 case database. OHA will update this number on a quarterly basis.

Additional information about the ODDS program and COVID-19 can be found here: https://www.oregon.gov/dhs/SENIORS-DISABILITIES/DD/ODDS%20Resource%20Library/ODDS-Residential-COVID-19-Report.pdf.

ODDS data is based on self-reports from providers and case management entities and therefore may differ from testing data received from the Oregon Health Authority.

Weekly COVID-19 Hospitalizations (HOSCAP)

OHA is publishing data on the number of COVID-19 hospitalizations by hospital in the prior week; data are from HOSCAP. Table 7 lists all hospitals which, at some time during the week reported, had 10 or more COVID-19 patients. The left column shows the highest number of COVID-19 hospitalized patients for each hospital between 11/08/2021 and 11/14/2021. The right column shows the highest number of COVID-19 patients hospitalized during the same time period.



Table 7. Hospitals reporting 10 or more COVID-19 patients.

Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Salem Health Hospital	70	68
St. Charles Bend	57	56
Providence Portland Medical Center	41	40
PeaceHealth Sacred Heart MC at Riverbend	29	29
Kaiser Permanente Sunnyside Medical Center	28	28
Providence St. Vincent Medical Center	28	27
Asante Three Rivers Medical Center	22	22
Sky Lakes Medical Center	22	22
OHSU Hospital	22	19
Asante Rogue Regional Medical Center	19	19
McKenzie-Willamette Medical Center	19	19
Adventist Health Portland	17	17
Good Samaritan Regional Medical Center	13	13
Legacy Emanuel Medical Center	12	12
Legacy Mount Hood Medical Center	12	12
Willamette Valley Medical Center	12	12
Hillsboro Medical Center	12	10
Kaiser Permanente Westside Medical Center	11	11

Oregon's Weekly Surveillance Summary



Hospital	Maximum Patients (both suspected and confirmed)	Maximum Patients (confirmed only)
Mercy Medical Center	11	11
Providence Willamette Falls Medical Center	11	11
Providence Medford Medical Center	11	10
Legacy Meridian Park Hospital	10	<10

The hospitals listed in Table 8 reported 1–9 COVID-19 patients 11/08/2021 through 11/14/2021. Hospitals not listed in either table did not report any COVID-19 patients during the week.

Table 8. Hospitals reporting 1-9 COVID-19 patients.

Hospital
Adventist Health Tillamook
Asante Ashland Community Hospital
Bay Area Hospital
Columbia Memorial Hospital
Curry General Hospital
Good Shepherd Health Care System
Grande Ronde Hospital
Harney District Hospital
Legacy Good Samaritan Medical Center
Legacy Silverton Medical Center
Mid-Columbia Medical Center
OHSU Doernbecher Children's Hospital

Oregon's Weekly Surveillance Summary



Hospital
Providence Hood River Memorial Hospital
Providence Milwaukie Hospital
Providence Newberg Medical Center
Randall Children's Hospital at Legacy Emanuel
Samaritan Albany General Hospital
Samaritan Lebanon Community Hospital
Samaritan North Lincoln Hospital
Samaritan Pacific Communities Hospital
Santiam Hospital
St. Alphonsus Medical Center - Baker City
St. Alphonsus Medical Center - Ontario
St. Anthony Hospital
St. Charles Prineville
St. Charles Redmond

ZIP code

OHA is publishing data on cases at the ZIP code level, available online at:

https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode/OregonsCOVID-19CasesbyZipCode?publish=yes.

Summary table of all zip codes available here:

Oregon's Weekly Surveillance Summary



https://public.tableau.com/profile/oregon.health.authority.covid.19#!/vizhome/OregonCO VID-19CasesbyZIPCode-

SummaryTable/CasesbyZIPCodeSummaryTable?publish=yes.

Document accessibility: For individuals with disabilities or individuals who speak a language other than English, OHA can provide information in alternate formats such as translations, large print, or braille. Contact the Health Information Center at 1-971-673-2411, 711 TTY or COVID19.LanguageAccess@dhsoha.state.or.us.